* "			WATE	R WELL RECORD	Form WWC-5	KSA 82	a-1212		
_		ER WELL:	Fraction			tion Numbe			Range Number
	Haske			SE ¼ NE		7	т 28	S	R 34 <sub>E/W</sub>
Distance and		ast 5 nort	•	ddress of well if locate	ed within city?				
WATER		NER: Charle			Slawson	Drilli	.ng		
RR#, St. Ad					Box 140	9	Board of Agr	iculture. D	ivision of Water Resource
City, State, Z	ZIP Code	Satant	a, Ks.		Great B		675 Reation N	lumber:	T82-493
	WELL'S LO	CATION WITH 4	DEPTH OF C	OMPLETED WELL	515	ft. ELEV	ATION:		
ī [	1		ELL'S STATIC	WATER LEVEL	ft. t	elow land su	ırface measured on m	no/day/yr <sup>(</sup>	9-25-82
	NW	NE							nping gpm nping gpm
<u>'</u>	-	' X     Es	re Hole Diam	eter 17 in to	6 Was	IL. #	aner	nours pun	to
w	<del>-                                    </del>			TO BE USED AS:	5 Public wate				njection well
-	j l	i	1 Domestic				9 Dewatering		Other (Specify below)
	· sw	SE	2 Irrigation	4 Industrial			10 Observation well		
	-	i I Iwa	•						mo/day/yr sample was sut
<u> </u>	<u> </u>		tted				ater Well Disinfected?	-	No X
TYPE OF	BLANK C	ASING USED:	-	5 Wrought iron	8 Concr	ete tile	CASING JOIN	TS: Glued	Clamped
_ 1 Stee	ı	3 RMP (SR)		6 Asbestos-Cement	9 Other	(specify belo	ow)	Welde	od
2 PVC	:	4 ABS		7 Fiberglass			,	Threa	ded
Blank casing	diameter	in.	to	ft., Dia	in. to	· (	ft., Dia	i	n. to ft.
Casing heigh	nt above la	and surface		.in., weight		lbs	./ft. Wall thickness or	gauge No	)
TYPE OF S	CREEN O	R PERFORATION M	MATERIAL:		7 PV	rc ,	/ 10 Asbes	stos-ceme	nt .
1 Stee	J	3 Stainless st	eel (	5 Fiberglass	8 FM	(P (SR)	11 Other	(specify)	
2 Bras	_	4 Galvanized		6 Concrete tile	9 AE	s	12 None	used (ope	en hole)
SCREEN OF	R PERFOR	RATION OPENINGS	ARE:	\	zed wrapped	/ /	8 Saw cut		11 None (open hole)
1 Cont	tinuous slo	· · · · · · · · · · · · · · · · · · ·	1	6 Wire	wrapped	)	9 Drilled holes		
	ered shutt		punched	7 Toro	1		10 Other (specify)		
SCREEN-PE	ERFORATE	ED INTERVALS:	•	ft. to .	\				)
			•	ft. to .	/ \				)
GF	RAVEL PA	CK INTERVALS:	Flyom		./	ft., Fr	om	ft. to	)
		$\overline{}$	From	ft. to	<b>_</b>	ft., Fr			
6 GROUT			/	2 Cement grout	•				
Grout Interva		\ /		ft., From	ft.				. ft. to
		ource of possible cor		7 89			stock pens		pandoned water well
		4 Lateral I		7 Pit privy			l storage		
	er lines	5 Cess po		8 Sewage la	goon		ilizer storage		ther (specify below)
		er lines 6 Seepage	e pit	9 Feedyard					
Direction fro FROM	m well?		LITHOLOGIC	LOG	FROM	How m	any feet?	THOLOGI	10.1.00
0	3	Top soil	LITTIOLOGIC	100	FROM	10		THOLOGI	C LOG
3	15	Brown sand	dy clay						
15	94			-fine sand-	little o	ravel			
94	153	Sand and		TIME Sand .	LICUIC 9	Laves			
153	240			-sand and gi	ravel mi	xed			
240	300	Brown clay		Bana ana 91	Laver ma	. RCu			,
300	490	Brown sand				†			
490	515			halky clay					
515		Shale	gray C	HAIRY CLAY		<b> </b>			
		SHATE							
		THIS WELL	WAS PIIT	LLED AND PLU	IGGED WI	TH WEL	CUTTINGS	AND G	RAVEL PACK
				this the					
		:							
Z CONTRA	CTODIO (	OD I ANDOMANEDIO	OFFICIOAT	TON This was a second		interd (0)			
									er my jurisdiction and wa
								-	owledge and belief. Kansa
								~	1-15-82
UNSTRUCTION		me or Ros	sencran	tz-Bemis En	nd PRINT dans	by (sign	in blanks underline	L UC	correct answers. Send to
									Send one to WATER WEL
OWNER an	d retain or	ne for your records.						.5 55020.	