USE TYPEWRITER OR BALL POINT PEN-PRESS FIRMLY, PRINT CLEARLY.

WATER WELL RECORD KSA 82a-1201-1215

							_
	1 1	11	1 1				
Ť	R	EW	sec	1/4	1/4	1/4	No.

Kansas State Dept. Of Health (Water Well Contractors) Forbes–Bldg. 740 Topeka, Kansas 66620

Lemoehn

CWW Inv. # 11179

	I can	T	F		C41-			T	B	
1 Location of well: Haskell		Township name Fraction SE-SE-N				Town number		Range number		
						-	34W			
Distance and direction from nearest town or city: 10 miles north, 1 3 Owner of we east of Satanta						•	ervice Drilling Company			
Street address of well location if in city:				Addre	ess:		orger, Texas 79007			
Locate with "X" in section below: Sketch map:							4 Well depth: 380 ft. Date of completion 3-29-			
	N		TIEYL	OCATI	ON			ell diameter 9 in.		
			IE				=	Cable tool 🔀 Rotary	= = - 1	
	· iii								Bored Reverse rotary	
w ¹ ¹ _E							6 Use: Domestic Public supply X Industry Irrigation Air conditioning Commercial			
			3					Test well	il Rig	
	. ! !	•	9					sing: Material PVC	leight: above/below	
	1 1 1		1				TH	readed Welded I	urface 18 in.	
	S Mile		SADAN	MA			Di	gm. 5 in to 320 to depth in	Weigh 2 78 lbs./ft	
2	•		,,,,		C	T	Digm. Weigh2_78 lbs./ft			
	Тур	e and color of material			From	То		reen:		
Surface	Э				0	2		anufacturer <u>WESC(</u> pe <u>PVC</u> [)ia. 511	
							SI	ot/gauze <u>•030</u> L	ength101	
Clay					2	7-1		t between 350_ft. and		
Fine to	o Medium Sand				רו(270		ttings: ravel pack 🗗 Yes 🔲 No	1/8 - 3/16 Size range of material —	
Fine to Medium Sand					270		9 St	atic water level:		
Blue C	Lay				210	721		255ft. below land surface	Date <u>3-29</u> -75	
Fine to	o Medium Sand				327	380		imping level below land sur		
								ft. after hrs ft. after hrs		
/		1 1/ 1				†		timated maximum yield —	50 g.p.m.	
Water	Well Given	to Haske	ll La	red (D.	<u> </u>		ater sample submitted:		
Bax	c Sta	uta, Kausi	us /78	70	hi	l is	12 W	Yes X No Datell head completion:	e	
	•	0 ·		4	1	75	<u> </u>	_ '	Bnches above grade	
owned by J. C. Kemon family, PRATT					ES	-		ell grouted? 🔀 Yes	□ <u>No</u>	
By westler con From HAS Kell LAND					6		K	Neat cement Benton	ite U 389 ft.	
,0 -			1 -	0 4				earest source of possible co		
& Sewie DRLG Co. S. D. Zohnst					\mathcal{M}_{-}	\vdash		. 100 Direction N	E Type Oil W	
6/4/25 DUB								fell disinfected upon compl		
							15 Pu	•	X Not installed	
						-		lanufacturer's name	HP Volts	
							4	ength of drop pipe	ft. capacity g.m.p.	
								ype: Submersible	☐ Turbine	
							. =	_	Reciprocating	
	(us	e a second sheet if needed)					Certrifugal	Other	
16 Remarks: eleva	ition						1	ater well contractor's certi		
								his well was drilled under me port is true to the best of m	′ ` I	
Topography:							'	Carlile Water	Well 118	
□ Hill								usiness name	License No.	
Slope								9 1 1 2 Y	Liberal, Kansa	
TrUpland Valley							s	Authorized repres	Dule -	