

USE TYPEWRITER OR BALL  
POINT PEN—PRESS FIRMLY,  
PRINT CLEARLY.

WATER WELL RECORD  
KSA 82a-1201-1215

Kansas Department of Health and  
Environment—Division of Environment  
(Water well Contractors)  
Topeka, Kansas 66620

1. Location of well:	County <u>Haskell</u>	Fraction <u>NW 1/4 SW 1/4 SW 1/4</u>	Section number <u>27</u>	Township number <u>T 28 S</u>	Range number <u>R 34 E</u>
2. Distance and direction from nearest town or city: <u>6 North, 9 west, 1 1/2 mi. of Sublett-</u> Street address of well location if in city:			3. Owner of well: Lawrence Stanton 406 La Vista Dodge City, Kan. 67801 City, state, zip code:		
4. Locate with "X" in section below: N W E S 1 Mile Sketch map:			6. Bore hole dia. <u>26</u> in. Completion date <u>4-10-77</u> Well depth <u>535</u> ft.		
5. Type and color of material			7. Cable tool <input type="checkbox"/> Rotary <input type="checkbox"/> Driven <input type="checkbox"/> Dug <input type="checkbox"/> Hollow rod <input type="checkbox"/> Jetted <input type="checkbox"/> Bored <input checked="" type="checkbox"/> Reverse rotary		
			8. Use: <input type="checkbox"/> Domestic <input type="checkbox"/> Public supply <input type="checkbox"/> Industry <input checked="" type="checkbox"/> Irrigation <input type="checkbox"/> Air conditioning <input type="checkbox"/> Stock <input type="checkbox"/> Lawn <input type="checkbox"/> Oil field water <input type="checkbox"/> Other		
			9. Casing: Material <u>steel</u> Height: Above <u>surface</u> Threading <u>Welded</u> <input checked="" type="checkbox"/> Surface <u>12</u> in. RMP <u>PVC</u> Weight <u>36.87</u> lbs./ft. Dia. <u>16</u> in. to <u>536</u> ft. depth Wall thickness: inches or Dia. <u>16</u> in. to <u>536</u> ft. depth gauge No. <u>.250</u>		
			10. Screen: Manufacturer's name <u>Johnson</u> Type <u>galv.</u> Dia. <u>16"</u> Slot <u>1/8"</u> Length <u>20 ft.</u> Set between <u>380-440</u> ft. and <u>500-520</u> ft. Perf: <u>360-380</u> ft. and <u>440-500, 520-535</u> Gravel pack? <u>yes</u> Size range of material <u>1/2" down</u>		
			11. Static water level: <u>280</u> ft. below land surface Date <u>3-9-77</u>		
			12. Pumping level below land surfaces: <u>360</u> ft. after <u>24</u> hrs. pumping <u>1950</u> g.p.m. ft. after <u>   </u> hrs. pumping <u>   </u> g.p.m. Estimated maximum yield <u>1800</u> g.p.m.		
			13. Water sample submitted: <u>   </u> mo./day/yr. Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> Date <u>   </u>		
			14. Well head completion: <input type="checkbox"/> Pitless adapter <u>12</u> inches above grade		
			15. Well grouted? <u>yes</u> With: <input type="checkbox"/> Neat cement <input type="checkbox"/> Bentonite <input checked="" type="checkbox"/> Concrete Depth: From <u>0</u> ft. to <u>10</u> ft.		
			16. Nearest source of possible contamination: <u>N/A</u> ft. <u>   </u> Direction <u>   </u> Type <u>   </u> Well disinfected upon completion? <u>   </u> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>		
17. Pump: Manufacturer's name <u>Goold's</u> Not installed Model number <u>14M</u> HP <u>200</u> Volts Length of drop pipe <u>460</u> ft. capacity <u>1800</u> g.p.m. Type: <input type="checkbox"/> Submersible <input checked="" type="checkbox"/> Turbine <input type="checkbox"/> Jet <input type="checkbox"/> Reciprocating <input type="checkbox"/> Centrifugal <input type="checkbox"/> Other					
(Use a second sheet if needed)					
18. Elevation:  Topography: <input type="checkbox"/> Hill <input type="checkbox"/> Slope <input type="checkbox"/> Upland <input type="checkbox"/> Valley	19. Remarks:		20. Water well contractor's certification: This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief. <u>Minter-Wilson Drilling Co. 208</u> Business name License No. Address <u>Box A Garden City, Ks.</u> Signature <u>[Signature]</u> Date <u>4-30-77</u> Authorized representative		

Lawrence Stanton

NW $\frac{1}{4}$  SW $\frac{1}{4}$  SW $\frac{1}{4}$

27

28

34

Dodge City, Kansas

Haskell

Kansas

0-2	Surface	
2-16	Very fine sand	
16-42	Sandy clay w/fine sand strips	
42-61	Very fine to medium sand w/clay breakers	
61-242	Medium to coarse sand w/clay breakers	
242-270	Sandy clay w/medium sand strips	
270-300	Medium to coarse sand w/clay breakers	
300-446	Medium to coarse sand w/clay breakers	110 feet
446-468	Very fine to fine sand w/ lime shale	
468-492	Fine to medium sand w/ lime shale	24 feet
492-530	Medium to coarse sand & sandrock	31 feet
530-600	Blue shale	