


USE TYPEWRITER OR BALL
POINT PEN-PRESS FIRMLY,
PRINT CLEARLY.

WATER WELL RECORD
KSA 82a-1201-1215

Kansas Department of Health and
Environment-Division of Environment
(Water well Contractors)
Topeka, Kansas 66620

1. Location of well:		County Haskell County	X Action 1/4 NE 1/4 SE 1/4 SE	Section number 32	Township number T 28 S R	Range number R 34 EW
2. Distance and direction from nearest town or city: 17 East of Ulysses 1 1/2 North, West side of road Street address of well location if in city:				3. Owner of well: Gerald Lightcap (KI) R.R. or street: Rys, KS City, state, zip code:		
4. Locate with "X" in section below:		Sketch map:		6. Bore hole dia. 26 in. Completion date 4-28-78 Well depth 525 ft.		
				7. <input type="checkbox"/> Cable tool <input type="checkbox"/> Rotary <input type="checkbox"/> Driven <input type="checkbox"/> Dug <input type="checkbox"/> Hollow rod <input type="checkbox"/> Jetted <input type="checkbox"/> Bored <input checked="" type="checkbox"/> Reverse rotary		
5. Type and color of material		From		To		8. Use: <input type="checkbox"/> Domestic <input type="checkbox"/> Public supply <input type="checkbox"/> Industry <input checked="" type="checkbox"/> Irrigation <input type="checkbox"/> Air conditioning <input type="checkbox"/> Stock <input type="checkbox"/> Lawn <input type="checkbox"/> Oil field water <input type="checkbox"/> Other
						9. Casing: Material Steel Height: Above or below Threaded <input type="checkbox"/> Welded <input checked="" type="checkbox"/> Surface 1 ft. in. RMP <input type="checkbox"/> PVC <input type="checkbox"/> Weight 36.87 lbs./ft. Dia. 16 in. to 525 ft. depth Wall Thickness: inches or Dia. <input type="checkbox"/> in. to <input type="checkbox"/> ft. depth gage No. .219
						10. Screen: Manufacturer's name Johnson Type Johnson Galy. D 100-16" Slot/gauze 0-300 Plain 300-360 Perf. Set between 360-400 Screen 400-470 Perf. 470-520 Screen 520-525 Perf. ft. Gravel pack? yes Size range of material 1/4 to 5/8
						11. Static water level: 60 ft. below land surface Date 7-12-78 mo./day/yr
						12. Pumping level below land surfaces: ____ ft. after ____ hrs. pumping ____ g.p.m. ____ ft. after ____ hrs. pumping ____ g.p.m. Estimated maximum yield ____ g.p.m.
						13. Water sample submitted: ____ mo./day/yr. ____ Yes <input checked="" type="checkbox"/> No Date ____
						14. Well head completion: ____ Pitless adapter 1 ft. Inches above grade
						15. Well grouted? yes With: ____ Neat cement ____ Bentonite <input checked="" type="checkbox"/> Concrete Depth: From 0 ft. to 10 ft.
						16. Nearest source of possible contamination: ft. ____ Dir. N/A Type ____ Well disinfected upon completion? ____ Yes ____ No
						17. Pump: <input checked="" type="checkbox"/> Not installed Manufacturer's name ____ Model number ____ HP ____ Volts ____ Length of drop pipe ____ ft. capacity ____ g.p.m. Type: ____ Submersible ____ Turbine ____ Jet ____ Reciprocating ____ Centrifugal ____ Other
						20. Water well contractor's certification: This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief. Minter Wilson Drilling Co. 208 Business name License No. 67856 Address Box A, Garden City, KS Signed M. S. Wilson Date 7-27-78 Authorized representative
18. Elevation:		19. Remarks:				
Topography: ____ Hill <input checked="" type="checkbox"/> Slope ____ Upland ____ Valley						

Forward the white, blue and pink copies to the Department of Health and Environment

Form WWC-5

personal

MINTER-WILSON DRILLING CO.

INCORPORATED

Irrigation
and Domestic
Water Systems
Complete Installation
and Repairing

Phone 276-8269

P.O. Box 493

GARDEN CITY, KANSAS 67846

mail to:

John C. Haring

R. Cape, Oregon, 97824

Gerald Lightcap

7-12-74

Lincoln County.

along Jacobs Lick N.W. 1/4 - 28 - 29 - 34

Test # 1

Location:

17 Miles East of Ulysses 1 1/2 North West side of the road

0	30	Clay
30	60	Fine sand & clay
60	85	Sand & gravel
85	95	Clay
95	235	Large gravel
235	260	Sand, gravel & clay streaks
260	350	Sand, gravel & clay streaks
350	355	Sand & Gravel
355	395	Clay & Course sand streaks (Med. Loose)
395	430	Sand & gravel
430	445	Med. to coarse sand & clay
445	485	Clay & sandstone streaks
485	510	Med. sand & clay
510	535	Sand & gravel
535	580	Med. sand sandstone & shale

Total Depth: 535'

Static Water Level:= 260