| | W/ | ATER WELL RECORD | Form WWC-5 | KSA 82a-12 | 12 | | |
|--|-----------------------------------|------------------------------|------------------------------|---------------------|--------------------|-----------------|-----------------------------|
| LOCATION OF WATER WEL | L Fraction | | Section | Number | Township I | | Range Number |
| County: Haskell | SW | 1/4 SE 1/4 SW | <u>¼</u> 3 | | т 28 | | R 34 ≴ /W |
| Distance and direction from nea | | | Street address | of well if loc | ated within cit | ty? | |
| 2 WATER WELL OWNER: | John B. R | eimer | | " | | ., | |
| RR#, St. Address, Box # : | Box 114 | | | | Board of | Agriculture, [| Division of Water Resources |
| City, State, ZIP Code : | Satanta, | Kansas 67870 | | | Application | n Number: | |
| 3 DEPTH OF COMPLETED W | vell446f | t. Bore Hole Diameter | .9.7/8 in to | 446 | ft., and . | | . in. to ft. |
| Well Water to be used as: | 5 Public wat | er supply | 8 Air conditioni | ng | 11 1 | njection well | |
| 1 Domestic 3 Feedlot | 6 Oil field wa | ater supply | 9 Dewatering | | 12 (| Other (Specif | y below) |
| 2 Irrigation 4 Industrial | 7 Lawn and | garden only | 10 Observation | well | | | |
| Well's static water level 2 | 90 ft. below | land surface measured on | October | month | • 1. 5 | c | ay1.979year |
| Pump Test Data | : Well water wa | s ft. after | | hc | urs pumping. | | |
| Est. Yield 50+ gp | m: Well water wa | s ft. after | | ho | ours pumping | | gpm |
| 4 TYPE OF BLANK CASING | USED: | 5 Wrought iron | 8 Concrete t | ile | Casing | Joints: Glued | d .XX Clamped |
| 1 Steel 3 I | RMP (SR) | 6 Asbestos-Cement | 9 Other (spe | cify below) | | Weld | ed |
| XX PVC 4 | | 7 Fiberglass | | | | Threa | aded |
| Blank casing dia5 | in. to3 | 26 ft., Dia | in. to | <i></i> | ft., Dia | | . in. to ft |
| Casing height above land surfa- | ce12 | in., weight | 2 • 8 | lbs./ft. | Wall thickness | s or gauge I | vo <u>.</u> 26.5 |
| TYPE OF SCREEN OR PERFO | DRATION MATERIAL | : | XXX PVC | | 10 As | sbestos-ceme | ent |
| 1 Steel 3 S | Stainless steel | 5 Fiberglass | 8 RMP (| SR) | 11 O | ther (specify) | |
| 2 Brass 4 0 | Galvanized steel | 6 Concrete tile | 9 ABS | | 12 N | one used (op | en hole) |
| Screen or Perforation Openings | SAre: 🍒 | 5 Gauz | ed wrapped | 8 | Saw cut X | XXXXX | 11 None (open hole) |
| 1 Continuous slot | 3 Mill slot | 6 Wire | 6 Wire wrapped | | | | |
| 2 Louvered shutter | | | | | 10 Other (specify) | | |
| Screen-Perforation Dia 5 | | | | | | | |
| Screen-Perforated Intervals: | From 326 | | 6ft., | From | | ft. to | |
| | | ft. to | | | | | |
| Gravel Pack Intervals: | From 14 | ft. to44 | 6 ft., | From | | ft. to . | |
| | From | ft. to | | From | | ft. to | ft |
| 5 GROUT MATERIAL: XX | Neat cement | 2 Cement grout | 3 Bentonite | 4 Oti | ner | | |
| Grouted Intervals: From | 4 ft. to | 14 ft., From | ft. to | | ft., From | 1 | ft. to |
| What is the nearest source of p | possible contamination | n: | | 10 Fuel sto | rage | 14 A | bandoned water well |
| 1 Septic tank | 4 Cess pool | 7 Sewage lag | oon | 11 Fertilizer | storage | 15 C | il well/Gas well |
| XX Sewer lines | 5 Seepage pit | 8 Feed yard | • | 12 Insectici | de storage | · 16 C | Other (specify below) |
| 3 Lateral lines | 6 Pit privy | 9 Livestock pe | ens | 13 Watertig | ht sewer lines | | |
| Direction from well So | uthwest | low many feet 90 | | ? Water We | ell Disinfected | ? Yes | XX No |
| Was a chemical/bacteriological | sample submitted to | Department? Yes | | No | XXX . | | If yes, date sample |
| was submitted | | | | | | | |
| If Yes: Pump Manufacturer's na | ameAermot | or | . Model No. SS1 | 5 - .200 | HP | 2 | Volts2.20 |
| Depth of Pump Intake | | ft. | Pumps Capacity | rated at | <i></i> | 15 | gal./min. |
| Type of pump: XXX | Submersible | 2 Turbine | 3 Jet | 4 Centrifu | gal 5 | Reciprocation | g 6 Other |
| 6 CONTRACTOR'S OR LAND | | | | | | | |
| completed on October | | month 24 | | . day | 1979 | | vea |
| and this record is true to the be | est of my knowledge | and belief. Kansas Water | Well Contractor's L | icense No. | | 252 | |
| This Water Well Record was co | ompleted on | December | month10 | A | 1 2 سر رود | 79 | year under the busines |
| name of Friesen W | lindmill & Sur | ply Inc. | by (signature) | - Jak | 7. | | |
| 7 LOCATE WELL'S LOCATIO | N FROM TO | LITHOLOG | GIC LOG | LPROM- | то | L | ITHOLOGIC LOG |
| ─ WITH AN "X" IN SECTION BOX: | | Top Soil | | 435 | 448 | Clay | |
| | 8 43 | | | | | | |
| N | 43 98 | | | | | | |
| | 98 145 | | Sand. Some | Gravel | | | |
| W - NE - N | 145 162 | | | | | | |
| | 162 195 | | Sand | | | | |
| | 195 213 | | | | | | |
| SW SE | 213 248 | | | | | | |
| 1 21 | 248 270 | | | | | | |
| S 1 ←1 Mile ←1 | 270 290 | | | | | | |
| ELEVATION: Upland | 290 435 | Med Sand-So | me Class Str | lea lea | | | |
| Depth(s) Groundwater Encount | tered Not avai | hable ft. 3 | ft 4 | ff | /I lea | a second el | neet if needed) |
| INSTRUCTIONS: Use typewrite | er or ball point pen, <i>pl</i> e | ease press firmly and PRIN | <i>IT</i> clearly. Please fi | ill in blanks. I | underline or ci | ircle the corre | ect answers. Send top three |
| copies to Kansas Department of | Health and Environme | ent, Division of Environment | , Water Well Contra | actors, Topel | a, KS 66620. | Send one to | WATER WELL OWNER and |