CORRECTION(S) TO WATER WELL RECORD (WWC-5)

(to rectify lacking or incorrect information) Grant County: Location listed as: Location changed to: Section-Township-Range: 21 - 285 - 34 W Other changes: Initial statements: Changed to: Comments: verification method: Well address, area road map, and mapping tool & aerial photo on KGS website. ____ initials: DRL date: 10/15/

submitted by: Kansas Geological Survey, Data Resources Library, 1930 Constant Ave., Lawrence, KS 66047-3726 to: Kansas Dept of Health & Environment, Bureau of Water, 1000 SW Jackson, Suite 420, Topeka, KS 66612-1367.

00151011 05	. WATER W		orm WWC-	5 KSA 82	~ · - · -			
OCATION OF WATER WELL:	Fraction	Ci.i Si		ction Number			Range	
unty: Grant	NW 1/4		U 1/4	21	т 28	S	я 34	E(W)
tance and direction from nearest to 1550 N Rd I			within city?					
WATER WELL OWNER: Grant)ept.						
#, St. Address, Box # : 1550 /	N Rd I				Board of A	Agriculture, D	ivision of Wat	er Resources
y, State, ZIP Code : Ulyss	es, KS 678	£0			Application	n Number:		
y, State, ZIP Code : UI455 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:	DEPTH OF COM Depth(s) Groundwate	PLETED WELL	4.5	ft. ELEV	ATION:			
	WELL'S STATIC WA							
		st data: Well water						
NW NE	Est. Yield							
	Bore Hole Diameter							
W F	WELL WATER TO	_		er supply				
	1 Domestic				9 Dewatering		Other (Specify	below)
SW SE	2 Irrigation	4 Industrial 7	Lawn and	garden only	10 Monitoring we	Explorato	y boring	5B-6
	Was a chemical/bact							
<u> </u>	mitted	enological sample so	Dillitied to L		ater Well Disinfecto		No No	
TYPE OF BLANK CASING USED:		Wrought iron	8 Conc		CASING JO		***************************************	
1 Steel 3 RMP (S		Asbestos-Cement		(specify belo			ed	-
2 PVC 4 ABS	•	Fiberglass					ded	
ink casing diameter								
sing height above land surface	,							
PE OF SCREEN OR PERFORATION	/	Worgin	7 P\			bestos-ceme		
1 Steel 3 Stainles		Fiberglass		MP (SR)				
2 Brass 4 Galvania		Concrete tile	9 AE	` '		ne used (op		
REEN OR PERFORATION OPENIN			d wrapped		8 Saw cut		11 None (op	en hole)
	Aill slot		rapped		9 Drilled holes			o.,,
	Cay nunched	7 Torch	n it		10 Other (specif	w 1/2	1	
REEN-PERFORATED INTERVALS:	From 999	ft. to	് വാവ			y,yer ft to		
MELIA-FERI CHATED HATELITANES.			7 7 7	ft Fr				
GRAVEL PACK INTERVALS	From	ft. to		ft., Fr	om	ft. to)	
GRAVEL PACK INTERVALS	From	ft. to		ft., Fr	om	ft. to)	
	From From	ft. to ft. to ft. to		ft., Fro ft., Fro ft., Fro	om	ft. to)	
GROUT MATERIAL: 1 Neat	From From From cement 2 0	ft. to ft. to ft. to	3 Bent	ft., Fro ft., Fro ft., Fro	om	ft. to)	ftft. ft.
GROUT MATERIAL: 1 Neat out Intervals: From .5.4.5	From	ft. to ft. to ft. to	3 Bent	ft., Frontie 4 to	om om Otherft., From	ft. to	. ft. to	ftftft.
GROUT MATERIAL: 1 Neat out Intervals: From 5.4.5	From	ft. to ft. to ft. to ft. to cement grout ft., From	3 Bent	ft., From tt., From t	om	ft. to)	
GROUT MATERIAL: 1 Neat out Intervals: From 54,5 nat is the nearest source of possible 1 Septic tank 4 Late	From. From cement 2 0 ft. to3	ft. to ft. to ft. to ft. to ft. to ft. to ft. privy	3 Bent ft.	ft., From tt., From tt., From tt. 4 to	omomom	ft. to ft	ft. to	ft. ft. ft. er well
GROUT MATERIAL: 1 Neat out Intervals: From 54.5 nat is the nearest source of possible 1 Septic tank 2 Sewer lines 5 Cess	From	ft. to ft. to ft. to ft. to ft. to ft. to ft. o Cement grout ft., From 7 Pit privy 8 Sewage lagor	3 Bent ft.	ft., Fronte 4 to	omomom	14 At	tt. to	ft. ft. ft. er well
GROUT MATERIAL: 1 Neat out Intervals: From 54.5 nat is the nearest source of possible 1 Septic tank 2 Sewer lines 5 Cess 3 Watertight sewer lines 6 Seep	From	ft. to ft. to ft. to ft. to ft. to ft. to ft. privy	3 Bent ft.	to	om	14 At	ft. to	ftft
GROUT MATERIAL: 1 Neat out Intervals: From 54.5 1 Septic tank 2 Sewer lines 3 Watertight sewer lines 6 Seep ection from well? 2 Septim 1 Septim	From. From cement 2 0 ft. to 3 contamination: ral lines s pool page pit	ft. to ft. to ft. to ft. to ft. to ft. to ft. o Cement grout ft., From 7 Pit privy 8 Sewage lagor 9 Feedyard	3 Bent ft.	to	om	14 At 15 Oi	tt. to pandoned wate I well/Gas we her (specify b	ft. ft. ft. er well
GROUT MATERIAL: 1 Neat out Intervals: From 54.5 1 Septic tank 2 Sewer lines 3 Watertight sewer lines 6 Seepection from well? 1 Septic tank 4 Later 2 Sewer lines 5 Cess 6 Seepection from well? 1 Septic tank 5 Cess 6 Seepection from well? 1 Septic tank 5 Cess 6 Seepection from well? 5 Septic tank 6 Seepection from well? 6 Septic tank 7 Septic tank 7 Septic tank 7 Septic tank 7 Septic tank 8 Septic tank 9 Septic t	From. From cement 2 0 ft. to3 contamination: ral lines s pool page pit LITHOLOGIC LOC Q YEJ Q L	ft. to ft. to ft. to ft. to ft. to ft. to ft. o Cement grout ft., From 7 Pit privy 8 Sewage lagor 9 Feedyard	3 Bent ft.	to	orn	14 At 15 Oi	tt. to pandoned wate I well/Gas we her (specify b	ftft
GROUT MATERIAL: 1 Neat put Intervals: From 54.5 1 Septic tank 2 Sewer lines 3 Watertight sewer lines 6 Seepection from well? 1 Septic tank 2 Sewer lines 5 Cess 6 Seepection from Well? 1 Septic tank 5 Cess 6 Seepection from Well? 1 Septic tank 5 Cess 6 Seepection from Well? 1 Septic tank 5 Cess 6 Seepection from Well? 1 Septic tank 5 Cess 6 Seepection from Well? 1 Septic tank 5 Cess 6 Seepection from Well? 1 Septic tank 5 Cess 6 Seepection from Well? 1 Septic tank 5 Cess 6 Seepection from Well? 6 Seepection from Well? 6 Seepection from Well? 6 Seepection from Well? 7 Septic tank 7 Septic tank 7 Septic tank 8 Seepection from Well? 8 Septic tank 8 Septic tank 8 Seepection from Well?	From. From cement 2 0 ft. to 3 contamination: ral lines s pool page pit	ft. to ft. to ft. to ft. to ft. to ft. to ft. o Cement grout ft., From 7 Pit privy 8 Sewage lagor 9 Feedyard	3 Bent ft.	10 Live 11 Fue 12 Fert 13 Inse	om	14 At 15 Oi	tt. to pandoned wate I well/Gas we her (specify b	ftft
GROUT MATERIAL: 1 Neat put Intervals: From 54.5 1 Septic tank 2 Sewer lines 3 Watertight sewer lines 6 Seeptection from well? 1 Septic tank 2 Sewer lines 5 Cess 7 Watertight sewer lines 6 Seeptection from well? 1 Septic tank 2 Sewer lines 5 Cess 7 Watertight sewer lines 6 Seeptection from well? 1 Septic tank 2 Seeptection from well? 1 Septic tank 2 Septic tank 3 Septic tank 4 Later 4 Later 5 Cess 6 Seeptection from well? 1 Septic tank 5 Septic tank 5 Septic tank 6 Seeptection from well? 1 Septic tank 5 Septic tank 6 Seeptection from tank 6 Seeptection from tank 7 Septic tank 8 Septic ta	From. From cement 2 0 ft. to3 contamination: ral lines s pool page pit LITHOLOGIC LOC Q YEJ Q L	ft. to ft. to ft. to ft. to ft. to ft. to ft. o Cement grout ft., From 7 Pit privy 8 Sewage lagor 9 Feedyard	3 Bent ft.	10 Live 12 Fert 13 Inse How m	om Other It., From stock pens I storage stilizer storage any feet? Silt and	ft. to	tt. to pandoned wate I well/Gas we her (specify b	ft. ft. ft. er well
GROUT MATERIAL: 1 Neat put Intervals: From 54.5 1 Septic tank 4 Late: 2 Sewer lines 5 Cess 3 Watertight sewer lines 6 Seep section from well? 1 Septic tank 4 Late: 2 Sewer lines 5 Cess 3 Watertight sewer lines 6 Seep section from well? 1 Septic tank 5 Cess 3 Watertight sewer lines 6 Seep section from well? 1 3.5 Septic tank 5 Se	From. From cement 2 C ft. to . 3	ft. to ft. to ft. to ft. to ft. to ft. o	3 Bent ft.	10 Live 12 Fert 13 Inse How m	om Other It., From stock pens I storage stilizer storage any feet? Silt and	ft. to	tt. to pandoned wate I well/Gas we her (specify b	ft. ft. ft. er well
GROUT MATERIAL: 1 Neat put Intervals: From 54.5 1 Septic tank 4 Late: 2 Sewer lines 5 Cess 3 Watertight sewer lines 6 Seep section from well? 1 Septic tank 4 Late: 2 Sewer lines 5 Cess 3 Watertight sewer lines 6 Seep section from well? 1 Septic tank 5 Cess 3 Watertight sewer lines 6 Seep section from well? 1 3.5 Septic tank 5 Se	From. From cement 2 C ft. to . 3	ft. to ft. to ft. to ft. to ft. to ft. o	3 Bent ft.	10 Live 12 Fert 13 Inse How m	om Other It., From stock pens I storage stilizer storage any feet? Silt and	ft. to	tt. to pandoned wate I well/Gas we her (specify b	ft. ft. ft. er well
GROUT MATERIAL: 1 Neat put Intervals: From 54.5 1 Septic tank 4 Late: 2 Sewer lines 5 Cess 3 Watertight sewer lines 6 Seep section from well? 1 Septic tank 4 Late: 2 Sewer lines 5 Cess 3 Watertight sewer lines 6 Seep section from well? 1 Septic tank 5 Cess 3 Watertight sewer lines 6 Seep section from well? 1 3.5 Septic tank 5 Se	From. From cement 2 C ft. to . 3	ft. to ft. to ft. to ft. to ft. to ft. o	3 Bent ft.	10 Live 12 Fert 13 Inse How m	om Other It., From stock pens I storage stilizer storage any feet? Silt and	ft. to	tt. to pandoned wate I well/Gas we her (specify b	ft. ft. ft. er well
GROUT MATERIAL: 1 Neat put Intervals: From 54.5 1 Septic tank 4 Late: 2 Sewer lines 5 Cess 3 Watertight sewer lines 6 Seep section from well? 1 Septic tank 4 Late: 2 Sewer lines 5 Cess 3 Watertight sewer lines 6 Seep section from well? 1 Septic tank 5 Cess 3 Watertight sewer lines 6 Seep section from well? 1 3.5 Septic tank 5 Se	From. From From cement 2 0 ft. to 3 contamination: ral lines s pool page pit LITHOLOGIC LOC q rade zyey Sand Clay h brown clay and	ft. to ft. to ft. to ft. to ft. to ft. o	3 Bent ft.	10 Live 12 Fert 13 Inse How m	om Other It., From stock pens I storage stilizer storage any feet? Silt and	ft. to	tt. to pandoned wate I well/Gas we her (specify b	ft. ft. ft. er well
GROUT MATERIAL: 1 Neat put Intervals: From 54.5 1 Septic tank 2 Sewer lines 3 Watertight sewer lines 6 Seepection from well? 1 Septic tank 2 Sewer lines 5 Cess 3 Watertight sewer lines 6 Seepection from well? 1 Septic tank 2 Sewer lines 5 Cess 3 Watertight sewer lines 6 Seepection from well? 1 Septic tank 2 Seepection from well? 1 Septic tank 3 Seepection from well? 1 Septic tank 4 Later 2 Sewer lines 5 Cess 5 Septic tank 5 Septic tank 5 Septic tank 6 Seepection from well? 1 Septic tank 5 Septic tank 6 Seepection from well? 1 Septic tank 6 Seepection from well? 2 Septic tank 7 Septic tank 8	From. From From cement 2 0 ft. to3 contamination: ral lines s pool page pit LITHOLOGIC LOC qrave Sand zyry Sand Clay h brown clay and	ft. to ft. to ft. to ft. to ft. to ft. to ft. privy ft. ft., From ft. privy ft. to ft. privy f	3 Bent ft.	10 Live 12 Fert 13 Inse How m	om Other It., From stock pens I storage stilizer storage any feet? Silt and	ft. to	tt. to pandoned wate I well/Gas we her (specify b	
GROUT MATERIAL: 1 Neat out Intervals: From .5.4.5 at is the nearest source of possible 1 Septic tank 2 Sewer lines 3 Watertight sewer lines 6 Seepection from well? ROM TO 13.5 Sand 3.5 28.5 Silty 3.5 33.5 Silty 45 read is 1 1 Neat 1 Septic tank 2 Seepection from Seepection 3 Watertight sewer lines 6 Seepection from well? ROM TO 1 Sand 3 Sand 3 Silty 4 Seepection 3 Sand 3 Silty 4 Seepection 4 Seepection from well? 3 Sand 3 Silty 4 Seepection 5 Sand 5 Silty 6 Silty 6 Silty 6 Silty 6 Seepection 6 Seepection from well? 6 Seepection from well? 7 Sand 8 Seepection from well? 8 Sand 8 Sand 8 Seepection from well? 8 Sand 8 Sand 8 Seepection from well? 8 Sand 8 Sand 8 Seepection from well? 8 Sand 8 Seepection from well? 8 Seepection	From. From From cement 2 0 ft. to3 contamination: ral lines s pool page pit LITHOLOGIC LOC qrave Sand zyry Sand Clay h brown clay and	ft. to ft. to ft. to ft. to ft. to ft. to ft. privy ft. ft., From ft. privy ft. to ft. privy f	3 Bent ft.	10 Live 12 Fert 13 Inse How m	om Other It., From stock pens I storage stilizer storage any feet? Silt and	ft. to	tt. to pandoned wate I well/Gas we her (specify b	
GROUT MATERIAL: 1 Neat out Intervals: From .5.4.5 at is the nearest source of possible 1 Septic tank 2 Sewer lines 3 Watertight sewer lines 6 Seep oction from well? 13.5 Sand 13.5 Sand 13.5 Sand 13.5 Sand 15.5 33.5 Silty 15 Padd 15 15 14.2 Silty 5 15 15.5 Silty 15 Silty 15 Silty 15 Silty 15 Silty 15 Silty 16 Silty 17 Silty 18 Silty	From. From From cement 2 0 ft. to3 contamination: ral lines s pool page pit LITHOLOGIC LOC qrave Sand zyry Sand Clay h brown clay and	ft. to ft. to ft. to ft. to ft. to ft. to ft. privy ft. ft., From ft. privy ft. to ft. privy f	3 Bent ft.	10 Live 12 Fert 13 Inse How m	om Other It., From stock pens I storage stilizer storage any feet? Silt and	ft. to	tt. to pandoned wate I well/Gas we her (specify b	
GROUT MATERIAL: 1 Neat out Intervals: From .5.4.5 at is the nearest source of possible 1 Septic tank 2 Sewer lines 3 Watertight sewer lines 6 Seepection from well? ROM TO 13.5 Sand 3.5 28.5 Silty 3.5 33.5 Silty 45 read is 1 1 Neat 1 Septic tank 2 Seepection from Seepection 3 Watertight sewer lines 6 Seepection from well? ROM TO 1 Sand 3 Sand 3 Silty 4 Seepection 3 Sand 3 Silty 4 Seepection 4 Seepection from well? 3 Sand 3 Silty 4 Seepection 5 Sand 5 Silty 6 Silty 6 Silty 6 Silty 6 Seepection 6 Seepection from well? 6 Seepection from well? 7 Sand 8 Seepection from well? 8 Sand 8 Sand 8 Seepection from well? 8 Sand 8 Sand 8 Seepection from well? 8 Sand 8 Sand 8 Seepection from well? 8 Sand 8 Seepection from well? 8 Seepection	From. From From cement 2 0 ft. to3 contamination: ral lines s pool page pit LITHOLOGIC LOC qrave Sand zyry Sand Clay h brown clay and	ft. to ft. to ft. to ft. to ft. to ft. to ft. privy ft. ft., From ft. privy ft. to ft. privy f	3 Bent ft.	10 Live 12 Fert 13 Inse How m	om Other It., From stock pens I storage stilizer storage any feet? Silt and	ft. to	tt. to pandoned wate I well/Gas we her (specify b	
GROUT MATERIAL: 1 Neat put Intervals: From 54.5 at is the nearest source of possible 1 Septic tank 2 Sewer lines 3 Watertight sewer lines 6 Seepection from well? E 251 ROM TO 13.5 Sand 3.5 28.5 Silty 8.5 33.5 Silty 15 Padd 15 145 Padd 15 145 Silty 1	From. From From cement 2 0 ft. to3 contamination: ral lines s pool page pit LITHOLOGIC LOC qrave Sand zyry Sand Clay h brown clay and	ft. to ft. to ft. to ft. to ft. to ft. to ft. privy ft. ft., From ft. privy ft. to ft. privy f	3 Bent ft.	10 Live 12 Fert 13 Inse How m	om Other It., From stock pens I storage stilizer storage any feet? Silt and	ft. to	tt. to pandoned wate I well/Gas we her (specify b	
GROUT MATERIAL: 1 Neat put Intervals: From 54.5 1 Septic tank 2 Sewer lines 3 Watertight sewer lines 6 Seepection from well? 1 Septic tank 2 Sewer lines 5 Cess 3 Watertight sewer lines 6 Seepection from well? 1 Septic tank 2 Sewer lines 5 Cess 3 Watertight sewer lines 6 Seepection from well? 1 Septic tank 2 Seepection from well? 1 Septic tank 3 Seepection from well? 1 Septic tank 4 Later 2 Sewer lines 5 Cess 5 Septic tank 5 Septic tank 5 Septic tank 6 Seepection from well? 1 Septic tank 5 Septic tank 6 Seepection from well? 1 Septic tank 6 Seepection from well? 2 Septic tank 7 Septic tank 8	From. From From cement 2 0 ft. to3 contamination: ral lines s pool page pit LITHOLOGIC LOC qrave Sand zyry Sand Clay h brown clay and	ft. to ft. to ft. to ft. to ft. to ft. to ft. privy ft. ft., From ft. privy ft. to ft. privy f	3 Bent ft.	10 Live 12 Fert 13 Inse How m	om Other It., From stock pens I storage stilizer storage any feet? Silt and	ft. to	tt. to pandoned wate I well/Gas we her (specify b	ft. ft. ft. er well
GROUT MATERIAL: 1 Neat put Intervals: From 54.5 nat is the nearest source of possible 1 Septic tank 2 Sewer lines 3 Watertight sewer lines 6 Seep section from well? E 251 ROM TO 0 13.5 Sand 3.5 28.5 Silty 8.5 33.5 Silty 145 read is 1 Neat 1 Neat 1 Neat 2 Septic tank 4 Late 2 Sewer lines 5 Cess 3 Watertight sewer lines 6 Seep section from well? E 251 ROM TO 0 13.5 Sand 3.5 Silty 145 read is 1 19.2 Silty Septic tall 1 1 Neat 1 Neat	From. From From cement 2 0 ft. to3 contamination: ral lines s pool page pit LITHOLOGIC LOC qrave Sand zyry Sand Clay h brown clay and	ft. to ft. to ft. to ft. to ft. to ft. to ft. privy ft. ft., From ft. privy ft. to ft. privy f	3 Bent ft.	10 Live 12 Fert 13 Inse How m	om Other It., From stock pens I storage stilizer storage any feet? Silt and	ft. to	tt. to pandoned wate I well/Gas we her (specify b	
GROUT MATERIAL: 1 Neat put Intervals: From 54.5 nat is the nearest source of possible 1 Septic tank 2 Sewer lines 3 Watertight sewer lines 6 Seep section from well? ROM TO 0 13.5 Sand 3.5 28.5 Silty 8.5 33.5 Silty 6 Pod 15 7 2015 7 2015 7 2015	From. From From cement 2 0 ft. to3 contamination: ral lines s pool page pit LITHOLOGIC LOC qrave Sand zyry Sand Clay h brown clay and	ft. to ft. to ft. to ft. to ft. to ft. to ft. privy ft. ft., From ft. privy ft. to ft. privy f	3 Bent ft.	10 Live 12 Fert 13 Inse How m	om Other It., From stock pens I storage stilizer storage any feet? Silt and	ft. to	tt. to pandoned wate I well/Gas we her (specify b	ft. ft. ft. er well
GROUT MATERIAL: 1 Neat out Intervals: From 5.4.5 1 Septic tank 2 Sewer lines 3 Watertight sewer lines 6 Seep ection from well? ROM TO 0 13.5 Sand 3.5 28.5 Silty 3.5 33.5 Silty 4 Call 15 5 19.2 Silty 6 19.2 Silty 6 19.2 Silty 6 19.2 Silty 7 2013 6 19.2 Silty 7 2013	From. From cement 2 C ft. to . 3 contamination: ral lines s pool page pit LITHOLOGIC LOC Q Y & J & J Z Y & Y & S and C & J C &	ft. to ft.	3 Bent ft.	10 Live 11 Fue 12 Fert 13 Inse How m TO 3 10 5 11 5	om Other It, From Stock pens I storage ilizer storage any feet? Silt and Coment	ft. to f	ft. to	ft.
GROUT MATERIAL: 1 Neat out Intervals: From 54.5 1 Septic tank 2 Sewer lines 3 Watertight sewer lines 6 Seep ection from well? ROM TO 0 13.5 Sand 3.5 28.5 Silty cl 3.5 33.5 Silty cl 3.5 33.5 Silty cl 3.5 54.5 Silty cl 3.5	From From Cement 2 C If. to . 3 Contamination: From Contamin	ft. to ft.	3 Bent ft.	10 Live 11 Fue 12 Fert 13 Inse How m TO 3 10 5 11-5	om Other It., From stock pens I storage dilizer storage any feet? Silt ≥nd Coment	ft. to	ft. to	tion and was
GROUT MATERIAL: 1 Neat out Intervals: From 5.4.5 1 Septic tank 2 Sewer lines 3 Watertight sewer lines 6 Seep ection from well? ROM TO 0 13.5 Sand 3.5 Silty cl 3.5 33.5 Silty cl 3.5 33.5 Silty cl 3.5 33.5 Silty cl 3.5 33.5 Silty cl 3.5 54.5 Silty cl 3.5 Silty cl	From. From Cement 2 C It. to . 3. Contamination: From From	ft. to 7 Pit privy 8 Sewage lagor 9 Feedyard G	3 Bent ft.	to	om Other It, From stock pens I storage stilizer storage any feet? Silt and Coment	ft. to	ft. to	tion and was
GROUT MATERIAL: 1 Neat 1 Neat 2 Sever lines	From From Cement 2 C If. to 3 Contamination: Iral lines Is pool Page pit LITHOLOGIC LOC Q 12 J S 2 J C 2 J S 3 J C 2 J S 3 J C 2 J C 3 J C 4 J C 5 J C 5 J C 6 J C 7 J	ft. to ft. to ft. to ft. to ft. to cement grout ft., From 7 Pit privy 8 Sewage lagor 9 Feedyard 3 This water well was , This Water We	3 Bentft. TROM 0 3 I D	10 Live 11 Fue 12 Fert 13 Inse How m TO 3,0 54,5	om	ft. to	ft. to	tion and was