

WATER WELL RE		WWC-5	1030			ion of Water		W 11 ID	
		e in Well Use				rces App. No		Well ID	NY 1
1 LOCATION OF WA	TER WELL:	Fraction	1/		Section	on Number	Township Numb		ige Number
County:		1/4 1/2	1/4		D	1 4 1 1	T S	R	□E □W
2 WELL OWNER: Las Business:	t Name:	First:					here well is located		
Address:	direction from nearest town or intersection): If at owner's address, check here:					ineck nere:			
Address:									
City:	State:	ZIP:							
3 LOCATE WELL	4 DEPTH OF COM	IPI ETED W	TII.		ft	5 Lotitud	e:		(daaimal daamaa)
WITH "X" IN					11.				
SECTION BOX:	Depth(s) Groundwater Encountered: 1)ft.       Longitude:								
N	WELL'S STATIC WA								
	☐ below land surface.					·· GPS (unit make/model:			)
NW   NE	above land surface,	measured on (	mo-day	-yr)	······ (WAAS enabled? ☐ Yes ☐ No)				
	Pump test data: Well w				☐ Land Survey ☐ Topographic Map				
W E	after hours				Online Mapper:				
SW SE		ater was							
	after hours Estimated Yield:		•••••	gpm	6 Elevation:ft. ☐ Ground Level ☐ TOC				
S	Bore Hole Diameter:			ft. and			☐ Land Survey ☐		
mile									
7 WELL WATER TO									
1. Domestic:	5. ☐ Public Wa	ter Supply: we	ell ID			10. □ Oil l	Field Water Supply: 1	ease	
☐ Household	6. ☐ Dewaterin								
☐ Lawn & Garden	7. 🗌 Aquifer Re	echarge: well	ID				d Uncased		
☐ Livestock	8. Monitoring						mal: how many bore		
2. Irrigation	9. Environmenta						ed Loop   Horizon		
3. ☐ Feedlot	☐ Air Sparge			Extraction			n Loop  Surface D		
4. Industrial	☐ Recovery	☐ Inje					er (specify):		
Was a chemical/bacterio		itted to KDF	HE? □	Yes 🔲 l	No I	If yes, date s	ample was submitte	ed:	
Water well disinfected?									
8 TYPE OF CASING U									
Casing diameter									
Casing height above land su			• • • • • • • • • • • • • • • • • • • •	lbs.	/ft.	Wall thickne	ess or gauge No		
TYPE OF SCREEN OR			1 DVG				(0 :0)		
Steel Stainle	ess Steel	_	PVC	usad (aman	hala)	☐ Other	(Specify)	•••••	• • • • • • • • • • • • • • • • • • • •
☐ Brass ☐ Galva SCREEN OR PERFORA			] None t	ised (open	noie)				
		auze Wrapped	□т	orch Cut	□ Dri	lled Holes	Other (Specify)		
Louvered Shutter						ne (Open Hol		• • • • • • • • • • • • • • • • • • • •	
SCREEN-PERFORATE	D INTERVALS: From	1 ft. t	0	ft Fro	om	ft. to .	ft From	ft. to	ft.
GRAVEL PACK INTERVALS: From									
Grout Intervals: From									
Nearest source of possible contamination:									
☐ Septic Tank ☐ Lateral Lines ☐ Pit Privy ☐ Livestock Pens ☐ Insecticide Storage									
	☐ Sewer Lines ☐ Cess Pool ☐ Sewage Lagoon ☐ Fuel Storage ☐ Abandoned Water Well						Well		
	☐ Watertight Sewer Lines ☐ Seepage Pit ☐ Feedyard ☐ Fertilizer Storage ☐ Oil Well/Gas Well								
☐ Other (Specify)									
10 FROM TO	LITHOLOG		IIOIII W	FRON			ITHO. LOG (cont.) o		GINTERVALS
10 11011	LITHOLOG	JIC EOG		TRON	· <u>·</u>	10 1	IIIIo. Log (cont.) o	I I LC GGII V	SHVIERVILD
	Notes:								
11 CONTRACTOR'S	OR LANDOWNER'S	<b>CERTIFIC</b>	ATIO	V: This w	vater v	well was 🗌	constructed, $\square$ rec	onstructed,	or plugged
under my jurisdiction and	l was completed on (m	o-day-year)			and th	is record is	true to the best of m	ny knowledg	ge and belief.
Kansas Water Well Contr	ractor's License No		This Wa	ater Well	Reco	rd was comp	oleted on (mo-day-y	ear)	
under the business name of									
KS Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-3565.									

KSA 82a-1212 Visit us at http://www.kdheks.gov/waterwell/index.html

Form	WWC5	
Contractor	Hydro Resources Mid Continent, Inc.	
Well Owner		
Doc ID	1093387	

## Litholgy

From	То	LithologicLog
0	2	TOP SOIL
2	45	BROWN SANDY CLAY
45	112	FINE SAND SOME SMALL MED
112	162	FINE TO MED SAND SOME LRGE COURSE
162	173	BROWN SANDY CLAY
173	193	FINE SAND
193	198	BROWN AND YELLOW CLAY
198	305	BLUE CLAY
305	316	FINE SAND
316	325	FINE SAND SOME SANDY CLAY STRIPS
325	395	FINE SAND CEMENTED ON PLACES SOME SMALL MED SAND
395	417	FINE SAND SOME BROWN SANDY CLAY STRIPS
417	472	BROWN SANDY CLAY SOME LIME ROCK BEDS SRILL HARD
472	508	FINE SAND SOME CLAY BEDS
508	532	FINE TO MED SAND MIX FINE TO MED BROWN ROCK
532	567	YELLOW SOAPSTONE AND SHALE STRIPS

Form	WWC5	
Contractor	Hydro Resources Mid Continent, Inc.	
Well Owner		
Doc ID	1093387	

## Litholgy

From	То	LithologicLog
567		BLACK SHALE DRILL HARD FEW SNAD STONE LEDGES
632	685	SOAPSTONE AND SHALE STRIPS
685	705	BLACK SHALE
705	720	RED BED DRILL HARD