

WATER WELL R		VV VV C-3	14031		ion of Water		W 11 ID	
		ge in Well Use	<u> </u>		rces App. No.	T 1: N 1	Well ID	NY 1
		Fraction		Section Number		Township Numb		ige Number
County:		1/4 1/4			T S	R	$\Box E \Box W$	
2 WELL OWNER: Last Name: First:				Street or Rural Address where well is located (if unknown, distance and				
Business: Address:	direction from nearest town or intersection): If at owner's address, check here:					eneck nere:		
Address:								
City:	State:	ZIP:						
3 LOCATE WELL	4 DEPTH OF COM	PI FTFD WELL	•	ft	5 Letitud	· ·		(daaimal daamaa)
WITH "X" IN	4 DEPTH OF COMPLETED WELL: Depth(s) Groundwater Encountered: 1)							
SECTION BOX:		3) ft., or 4)						
IN .	WELL'S STATIC WA			. ft. Source for Latitude/Longitude:			1110 21	
	below land surface.				☐ GPS (unit make/model:)
NW NE	above land surface,			• • • • • • • • • • • • • • • • • • • •	(WAAS enabled? ☐ Yes ☐ No) ☐ Land Survey ☐ Topographic Map			
	Pump test data: Well w							
W XE		s pumpingvater was				ne Mapper:		
SW SE		s pumping						
	Estimated Yield:		51	6 Elevation :ft. ☐ Ground Level ☐ TOC				
S	Bore Hole Diameter:		ft. and					
mile		in. to	ft.		L	Other	· · · · · · · · · · · · · · · · · · ·	
7 WELL WATER TO								
1. Domestic:		ter Supply: well ID.				ield Water Supply: 1		
Household		g: how many wells?				e: well ID		
☐ Lawn & Garden ☐ Livestock		echarge: well ID g: well ID						
2. Irrigation		al Remediation: well				ed Loop		
3. ☐ Feedlot	☐ Air Sparge							
4. Industrial	☐ Recovery					(specify):		
Was a chemical/bacter	iological sample subm	nitted to KDHE?	∃Yes □	No I	If yes, date sa	ample was submitte	-d:	
Water well disinfected?		_			3	1		
8 TYPE OF CASING		C Other	CA	ASINO	G JOINTS: [Glued Clampe	d 🔲 Welded	d Threaded
Casing diameter								
Casing height above land s	urface in	. Weight				ss or gauge No		
TYPE OF SCREEN OR								
	less Steel				☐ Other	(Specify)		• • • • • • • • • • • • • • • • • • • •
☐ Brass ☐ Galva SCREEN OR PERFORA	anized Steel		e used (open	hole)				
			Torch Cut	□ Dri	lled Holes - F	Other (Specify)		
	☐ Key Punched ☐ W				ne (Open Hole		· • • • • • • • • • • • • • • • • • • •	
SCREEN-PERFORATE	ED INTERVALS: From	n ft. to	ft Fr	om	ft. to	ft From	ft. to	ft.
SCREEN-PERFORATED INTERVALS: From								
9 GROUT MATERIAL: Neat cement Cement grout Bentonite Other								
Grout Intervals: From								
Nearest source of possible contamination:								
☐ Septic Tank ☐ Lateral Lines ☐ Pit Privy ☐ Livestock Pens ☐ Insecticide Storage								
□ Sewer Lines □ Cess Pool □ Sewage Lagoon □ Fuel Storage □ Abandoned Water Well □ Watertight Sewer Lines □ Seepage Pit □ Feedyard □ Fertilizer Storage □ Oil Well/Gas Well								
□ Watertight Sewer Lines □ Seepage Pit □ Feedyard □ Fertilizer Storage □ Oil Well/Gas Well □ Other (Specify)								
Direction from well?		Distance from	well?			ft		
10 FROM TO	LITHOLOG		FRO			THO. LOG (cont.) o		G INTERVALS
			.					
Notes:								
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed, reconstructed, or plugged								
under my jurisdiction an	d was completed on (m	o-dav-vear)	713. IIIIS V	valer \ and th	wen was ∐ (is record is t	rue to the best of m	msu ucteu, w knowledd	or prugged ge and belief
Kansas Water Well Con	tractor's License No	This V	Vater Well	Reco	rd was comp	leted on (mo-day-y	ear)	
under the business name	under the business name of							
Send one copy to WATER WELL OWNER and retain one for your records. Fee of \$5.00 for each constructed well.								
KS Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-3565.								

KSA 82a-1212

Form	WWC5
Contractor	Steve's Drilling
Well Owner	Gary Covey
Doc ID	1264031

Litholgy

From	То	l ithelegiel og
		LithologicLog
0	20	Top soil/ clay
20	60	clay/little fine sand/little cleiche
60	80	clay/streaks fine-med sand
80	100	sand/gravel/little clay
100	120	sand/gravel/cemented sand
120	140	sand/cemented sand/clay
140	160	coarse sand/gravel
160	200	coarse sand/ gravel/little clay
200	220	coarse sand/gravel
220	280	coarse sand/ gravel/streak of clay
280	300	coarse sand/sandy gravel/little clay
300	320	fine- coarse sand/streak of clay
320	400	med sand/ coarse sand/little clay
400	420	sand/gravel/sandy clay
420	440	med-coarse sand/ sandy gravel
440	460	med-coarse sand/sandy clay/ clay
460	480	clay/streaks of sandstone &sand
480	500	sandstone/little clay

Form	WWC5
Contractor	Steve's Drilling
Well Owner	Gary Covey
Doc ID	1264031

Litholgy

From	То	LithologicLog
500		sandstone/little clay/rock all colors
520		sandstone/clay/streaks of med sand & rock