WATER WELL RECORD KSA 82a-1201-1215

Kansas Department of Health and Environment-Division of Environment (Water well Contractors) Topeka, Kansas 66620

| | County | Fraction Section number | | number | Township number | Range number | |
|---|--------------------------------------|---|--|-------------------|--|---|----------|
| l. Location of well: | Grant | SW 1/4 SW 1/4 SE 1/ | /4 3 | 6 | т 28 s | r 37 e | Ø |
| 2. Distance and dire | ection from nearest town or city: fi | st 1/8 south→ 📙 | . Owner of well: .R. or street: City, state, zip o | F | Richard Rudzik RFD 2 | | |
| 4. Locate with "X" in section below: Sketch map: | | | | ode: | Ulysses, Ks. 67880 6. Bore hole dia. 91 in. Completion date | | = |
| 4. Locale will X | | skeren map. | | | Well depth 285 ft. | 6/30/78 | |
| | ! | | | | 7 Cable tool X_ Rotary | Driven Dug | |
| NW | NE | | | Hollow rod Jetted | Bored Reverse re | otary | |
| w 1 | 1 Laste | | | i | 8. Use: X Domestic P | | , |
| - W | | | | | | ir conditioning Stock Oil field water Other | |
| sw | SE | | | ŀ | | | , |
| | k | -651 | | | 9. Casing: Materistyre The dued Ewrittit | ISurface18 | _in. |
| 5 | S | ` \W. | , , | | RMP 5 in. to 45 ft. de | lWeightlbs | ./ft. |
| | Aile ——— | (X) Wee | ~ | | Dia in. to ft. de | oth Wall Thickness; inches | or |
| 5. Type and color of | f material | | From | То | 10. Screen: Manufacturer's | | = |
| | | | | | Sunflower | | |
| Surfance sa | and | | 0 | _17_ | Type <u>styrene</u> | Dia | |
| Brown & gray clay | | | 17 | 105 | Slot/gauze 1/16" Set between 245 | Length | <u></u> |
| . • | | | 105 | | ft. | and | ft. |
| Blue clay | | | | 118 | Gravel pack? _X Size r | ange of material 411 | — |
| | , | | 440 | 175 | 11. Static water level: | mo./da | y/yr. |
| Blue clay w/very fine sand | | | 118 | | _80ft. below land su | | 18 |
| Brown clay | | | | 190 | 12. Pumping level below lar 120 ft. after 10 | | o.m. |
| Brown clay w/very fine to fine embedded sand str. | | | | 213 | ft. after | hrs. pumping g. | p.m. |
| | | | | | Estimated maximum yieldg. | | |
| Brown clay, lime shells w/very fine embedded sand | | | | 225 | 13. Water sample submitted: | | y/yr. |
| Very fine to fine sand | | | | 247 | Yes X No | Date | |
| | | | | | 14. Well head completion: Y Pitless adapter | 18 Inches above grad | le |
| Black sand | rock, brown clay w | /sandstone strips | 247 | 285 | 15. Well grouted? X | | |
| • | | | | | With: X Neat cement _ | Bentonite Cond | rete |
| | | 11 - 12 - 11 - 12 - 12 - 12 - 12 - 12 - | | | Depth: From ft. to | | |
| | | | | | 16. Nearest source of possib ft. — 150— Direction SC | le contamination: outhsent | ic |
| | | | | | Well disinfected upon comp | letion? X Yes | _ No |
| | | | | | 17. Pump: | X Not installed | |
| | - | | | | Manufacturer's name | No V-1 | |
| | | | | | Model number | | |
| | | | | | Type: | | |
| | | | | | Submersible | Turbine | |
| | // lan ac | d sheet if needed) | | | Jet Centrifugal | Reciprocati | ing |
| 10 Flauritas | 19. Remarks: | a sileer if fleeded) | | | 20. Water well contractor's | | \dashv |
| 18. Elevation: | 17. Kemarks: | | | | This well was drilled under | | ort |
| | | | • | | is true to the best of my kno | | |
| Topography: | | | | | Houck Bros | orlg. Co. 16 | |
| X Slope | | | | | Business name Box 487 | , Ulysses, Ks. | No. |
| Upland | | | | | l M Rra | rd ny | 20 / |
| Valley | | | | | Signed Authorized re | epresentative | |