WATE	R WEL	L RECORD	Form W	Division of Water Resources App. No.					
1 LOCATION OF WATER WELL:			Fraction	Section Number Township No. Range Number					
Cour	nty: Gr	ant	NW45W411	W1/2W1/1W1/SW1/4 . 29 T 28 S R 5				R <i>37</i> □E 🗷 W	
		ddress of Well Location;		Global Positioning System (GPS) information:					
from	nearest t	own or intersection: If at	owner's address, chec	vner's address, check here			Latitude: (in decimal degrees)		
Ori	ainal 7	own-Ulysses. Sec	tion 28 Townsh.				Longitude: (in decimal degrees)		
Rar	ne 37 l	U. Nº Lot 5 + A	all Lot 6 Blk	29		Elevation:			
					Datum	: WGS 84	4, □ NAD 83, □] NAD 27	
2 WA	TER WI	ELLOWNER: USD	# 214		Collect	tion Method:			
RR#	, Street A	Address, Box #: 105	N Colorado)	
City	, State, Z	ID Codo						ic Map, Land Survey	
			ses KS 67] 5-15 m,	
1	ATE WE	LL	COMPLETED WEL	_	151	, ,	21 holect	socod	
	H AN "X'	'IN 4 DEPTH OF	COMPLETED WEL	L	200	ft.	21 110100	70 ° C.Q.	
SEC	SECTION BOX: Depth(s) Groundwater Encountered (1)								
	N								
	Pump test data: Well water wasft. after hours pumping								
N	W F-NW NE E ST. YIELDgpm. Well water was								
w f									
		WELL WATER	TO BE USED AS: [Public wat	ter supply	7 🔀 Ge	othermal 🔲 1	Injection well	
sv	SWSE Domestic Feedlot Oil field water supply Dewatering Other (Specify below)								
		_ Irrigation							
			/bacteriological sampl				Yes 🔀 No		
S If yes, mo/day/yr sample was submitted									
1 mile Water well disinfected? ☐ Yes 🔀 No									
5 TYPE OF CASING USED: Steel PVC Other									
							••••		
CASING JOINTS: Glued Clamped Threaded Threaded									
Casing diameter									
Casing height above land surface									
TYPE OF SCREEN OR PERFORATION MATERIAL:									
Steel Stainless Steel PVC Other (Specify)									
Brass Galvanized Steel None used (open hole)									
SCREEN OR PERFORATION OPENINGS ARE:									
Continuous slot Mill slot Gauze wrapped Torch cut Drilled holes None (open hole) Louvered shutter Key punched Wire wrapped Saw cut Other (specify)									
SCREEN-PERFORATED INTERVALS: From									
From									
GRAVEL PACK INTERVALS: From									
From ft., From ft. to ft.									
6 CPOLIT MATERIAL: Neat coment Coment grout Department of Other Theorem & Allie A									
6 GROUT MATERIAL: Neat cement Cement grout Bentonite Other Thurse Enhanced + Liling Lower Grout Intervals: From 250. ft. to ft., From ft. to ft., From ft. to ft.									
				ш	11. 10	11.,	rioiii	11. 10	
		st source of possible cont		☐ I irreste els	r	Tunnatiai da	-t	(
Septic tank									
Sewer lines									
		n well					20'	•••••••	
FROM	TO	LITHOLOG		FROM	TO			JGGING INTERVALS	
	+	SAND	iic Loo	TROW	10			OGING INTERVALS	
0	118		4 1 7	+ +		-2	Holes		
118	180		sy	 			7777		
180	205	SANDY SHA	<u>K</u>	 					
205	250	Clay:							
		<u> </u>						44.44	
				1.					
						Origi	nal Returned	to Sender	
							orrection Da	to 9-15-10	
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed, reconstructed, or plugged under my jurisdiction and was completed on (mo/day/year)									
under my jurisdiction and was completed on (mo/day/year) 08-/0-/Oand this record is true to the best of my knowledge and belief									
Kansas Water Well Contractor's License No. 8.1.3 This Water Well Record was completed on (mo/day/year) . 9.5.1.4									
under th	e hiisines	s name of FIRS AL	CE GEOTHER	MAL HUI	9ch y (oi	anature)	The Livery	LAD	
under the business name of FIRE. AICE. GEO. THERMAL HYMCby (signature)									
(white, blue, pink) to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367.									
Telephone	785-296-5	522. Send one copy to WAT							
		ov/waterwell/index.html.							
KSA 82a-1212									