WATER WELL RECORD Form WWC-5					Division of Water	r Resources App. No	).	
		OF WATER WELL:	Fraction		Section Number	Township No.	Range Number	
Coun	ty: Gra	nt	SE 1/4 SE 1/4 SW	1/4 NW 1/4	27	T 28 S	R 37 □E 🗹 W	
		Address of Well Location; i		Global Positioning System (GPS) information:				
from	from nearest town or intersection: If at owner's address, check here $\square$ .					Latitude: .37.58466 (in decimal degrees)		
415 N. Main Street					Longitude: 101.35944 (in decimal degrees)			
Ulysses, KS					Elevation: 3054.70			
2 WATER WELL OWNER: Bob Wilson Memorial Hospital					Datum: ☐ WGS 84, ☐ NAD 83, [ NAD 27 Collection Method:			
RR#, Street Address, Box #: 415 N Main					GPS unit (Make/Model:)			
City, State, ZIP Code : Ulysses, KS 67880					☐ Digital Map/Photo, ☐ Topographic Map, ☑ Land Survey			
					Est. Accuracy: <b>Z</b> <	3 m, 🔲 3-5 m, 🔲	5-15 m, □ >15 m	
3 LOC		LL A DEPOSIT OF A		65	0			
WITH AN "X" IN 4 DEPTH OF COMPLETED WELL 65							2) 0	
SEC	SECTION BOX: Depth(s) Groundwater Encountered (1).54							
	Pump test data: Well water was							
'	POT VIELD WILL AND A CO.							
w NV	Described Discounter in to A and in to A							
"	WELL WATER TO BE USED AS: Public water supply Geothermal Injection well							
'	Domestic Decellet Oil field water supply Develoring Other (Specify below)							
3m	Irrigation   Industrial   Domestic-lawn & garden ✓ Monitoring well LUST							
<u> </u>	Was a chemical/bacteriological sample submitted to Department?  Yes  No							
	S If yes, mo/day/yr sample was submitted							
1 mile  Water well disinfected?								
5 TYPE OF CASING USED: Steel PVC Other								
CASING JOINTS: Glued Clamped Welded Threaded								
Casing diameter .2.00 in. to								
Casing height above land surface0.45 in., Weight								
		EEN OR PERFORATION						
	Steel	Stainless Steel	<b>Z</b> PVC		Other (Specify)			
☐ Brass ☐ Galvanized Steel ☐ None used (open hole)								
SCREEN OR PERFORATION OPENINGS ARE:  7 Continuous elet								
SCREEN-PERFORATED INTERVALS: From								
From								
GRAVEL PACK INTERVALS: From43 ft. to65 ft., From								
From								
6 GROUT MATERIAL: ☐ Neat cement ☐ Cement grout ✓ Bentonite ☐ Other								
Grout Intervals: From .43 ft. to .1 ft., From								
What is the nearest source of possible contamination:								
Septic tank								
☐ Sewer lines ☐ Cesspool ☐ Sewage lagoon ☑ Fuel storage ☐ Abandoned water well ☐ Watertight sewer lines ☐ Seepage pit ☐ Feedyard ☐ Fertilizer storage ☐ Oil well/gas well								
		n well southeast						
FROM	TO	LITHOLOG	IC LOG	FROM			GGING INTERVALS	
1	29	Clay, silty				-		
29	29.5	Sand						
29.5	65	Clay, silty			MW4			
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was   ☐ constructed, ☐ reconstructed, or ☐ plugged								
under my jurisdiction and was completed on (mo/day/year) .12-91-2015 and this record is true to the best of my knowledge and belief.								
Kansas Water Well Contractor's License No. 594 This Water Well Record was completed on (rio/flay/yelf/01-04-2016								
							G	
INSTRUCTIONS: Use typewriter or ball point pen. <u>PLEASE PRESS FIRMLY</u> and <u>PRINT</u> clearly. Please fill in blanks and check the correct answers. Send one copy to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367.								
Telepho	Telephone 785-296-5524. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Visit us at							

http://www.kdheks.gov/waterwell/index.html