			; Se						
COUNTY: 034 GRANT ;	1/4 W 1/2	1/4 NW	1/4 ; 16		: !	T 28	5	; R 38	¥
Distance and direction from nearest PPPROX. 1.75 MILES NORTH AND 6.50 M	ILES WEST OF	•	ddress of we	ll if loc	ated with	in city?			
WATER WELL OWNER: DALE STE RR#, St. Address, Box #: 1169 W.	VENSON			Board	of Agric	ulture, D	ivision of	f Water Re	sources
City, State, ZIP code : ULYSSES,	KS 6788	0-		Appli	ication Nu	mber: 22,	537		
LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:	; Depth(s) Groundw	ater Encount	ered	1. 23	9 ft.			
\	WELL'S S	TATIC WATE Pump tes	R LEVEL 23 stdata: Well	9 ft. bel water wa	low land s as O	urface me ft. after	asured on O hou	mo/day/yr urs pumpin	03/13/92 g 0 gg
	¦ Estimate	d Yield	0 gpm: Wel	l water y	Mas 0	ft. after	0 hou	urs pumpin	g 0 g;
	E Bore Hol			in. to	0 ft.	, and	in. to	0 ft.	
SW SE }	; WELL WAT	ER WAS: 02	2 IRRIGATION						i c
<i>J</i>	; Was a ch ; If yes,	nemical/bac	teriological	sample s ubmitted	submitted	to depart	ment? No Water (; well disin	fected? Y
*			JOINTS: WELD	ED				 t.	
TYPE OF BLANK CASING USED: 01 STEEL Blank casing diameter 16 in Casing height above land surface TYPE OF SCREEN OR PERFORATION MATER SCREEN OR PERFORATION OPENINGS ARE	n. to 336 f -48 in., RIAL: 01 STEE	ft., Dia weight L	in. to	ED O ft	., Dia	in. t	o 0 f		
Blank casing diameter 16 in Casing height above land surface TYPE OF SCREEN OR PERFORATION MATER	n. to 336 f -48 in., RIAL: 01 STEE : UNKNOWN From	ft., Dia weight L (O ft. to	in. to 0 lbs/ft. 0 ft., Fr	ED Oft Wall t	., Dia hickness (in. t or gauge N	o 0 f		
Blank casing diameter 16 in Casing height above land surface TYPE OF SCREEN OR PERFORATION MATER SCREEN OR PERFORATION OPENINGS ARE	n. to 336 f -48 in., RIAL: 01 STEE: UNKNOWN From From From	ft., Dia weight EL (Oft. to Oft. to Oft. to	in. to O lbs/ft.	Oft Wall t	., Dia hickness (ft. to ft. to ft. to	in. t or gauge N	o 0 f		
Blank casing diameter 16 in Casing height above land surface TYPE OF SCREEN OR PERFORATION MATER SCREEN OR PERFORATION OPENINGS ARE: SCREEN PERFORATED INTERVALS: GRAVEL PACK INTERVALS: GROUT MATERIAL 02 CEMENT GROUT Grout Intervals: From 3 ft. to What is the nearest source of poss	From From From From From From From From	ft., Dia weight L Oft. to Oft. to Oft. to Oft. to	in. to 0 lbs/ft. 0 ft., Fr 0 ft., Fr 0 ft., Fr	Oft Wall t	., Dia hickness (ft. to ft. to ft. to	in. t or gauge N O ft. O ft. O ft.	o 0 f	t.	
Blank casing diameter 16 in Casing height above land surface TYPE OF SCREEN OR PERFORATION MATER SCREEN OR PERFORATION OPENINGS ARE: SCREEN PERFORATED INTERVALS: GRAVEL PACK INTERVALS: GROUT MATERIAL 02 CEMENT GROUT Grout Intervals: From 3 ft. to What is the nearest source of poss: Direction from well?	r. to 336 f -48 in., RIAL: 01 STEE : UNKNOWN From From From From From ible contamin	ft., Dia weight L (Oft. to Oft. to Oft. to Oft. to	in. to 0 lbs/ft. 0 ft., Fr 0 ft., Fr 0 ft., Fr	Oft Wall t	ft. to ft. to ft. to ft. to	in. t or gauge N O ft. O ft. O ft. O ft.	o 0 f	t. How many	feet?
Blank casing diameter 16 in Casing height above land surface TYPE OF SCREEN OR PERFORATION MATER SCREEN OR PERFORATION OPENINGS ARE: SCREEN PERFORATED INTERVALS: GRAVEL PACK INTERVALS: GROUT MATERIAL 02 CEMENT GROUT Grout Intervals: From 3 ft. to What is the nearest source of poss	From From From From From From From From	ft., Dia weight L (Oft. to Oft. to Oft. to Oft. to	in. to 0 lbs/ft. 0 ft., Fr 0 ft., Fr 0 ft., Fr	O ft., FROM 0 0 0 0 0 0 0 0 0 0 0 0 13	ft. to ft. to ft. to ft. to ft. to ft. to 3 13 239	in. tor gauge N Oft. Oft. Oft. Oft. TOPSOIL CEMENT	o O f	How many	feet?
Blank casing diameter 16 in Casing height above land surface TYPE OF SCREEN OR PERFORATION MATER SCREEN OR PERFORATION OPENINGS ARE: SCREEN PERFORATED INTERVALS: GRAVEL PACK INTERVALS: GROUT MATERIAL 02 CEMENT GROUT Grout Intervals: From 3 ft. to What is the nearest source of poss: Direction from well?	r. to 336 f -48 in., RIAL: 01 STEE : UNKNOWN From From From From From ible contamin	ft., Dia weight L (Oft. to Oft. to Oft. to Oft. to	in. to 0 lbs/ft. 0 ft., Fr 0 ft., Fr 0 ft., Fr	Oft Wall to Wa	ft. to ft. to ft. to ft. to st. to ft. to ft	in. tor gauge N Oft. Oft. Oft. Oft. CEMENT CHAPIN	o O f	How many	feet?
Blank casing diameter 16 in Casing height above land surface TYPE OF SCREEN OR PERFORATION MATER SCREEN OR PERFORATION OPENINGS ARE: SCREEN PERFORATED INTERVALS: GRAVEL PACK INTERVALS: GROUT MATERIAL 02 CEMENT GROUT Grout Intervals: From 3 ft. to What is the nearest source of poss. Direction from well?	r. to 336 f -48 in., RIAL: 01 STEE : UNKNOWN From From From From From ible contamin	ft., Dia weight L (Oft. to Oft. to Oft. to Oft. to	in. to 0 lbs/ft. 0 ft., Fr 0 ft., Fr 0 ft., Fr	Oft Wall to Wa	ft. to ft. to ft. to ft. to ft. to 3 13 239 336	in. to gauge N Oft. Oft. Oft. Oft. CEMENT CHLORIN	o O f	How many	feet?

completed on (mo/day/year) 03/18/92 and this record is true to the best of my knowledge and belief. Kansas This Water Well Record was completed on (mo/day/yr) 06/12/92

IPPLY by (signature) Douglas B. Henkle Water Well Contractor's License No. 145 under the business name of HENKLE DRILLING & SUPPLY