


1 LOCATION OF WATER WELL: Fraction: Section Number Township Number Range Number
 County: **Grant** **SW** 1/4 **NE** 1/4 **SE** 1/4 **28** T **28** S R **38** **EW**

Distance and direction from nearest town or city street address of well if located within city?

From Ulysses 6 miles West 1/8 mile No. 800' West

2 WATER WELL OWNER: **Charles Battin**
 RR#, St. Address, Box # : **RFD # 2**
 City, State, ZIP Code : **Ulysses, Ks. 67880**
 Board of Agriculture, Division of Water Resources
 Application Number: **5520-9459**

3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:

 4 DEPTH OF COMPLETED WELL: **485** ft. ELEVATION:
 Depth(s) Groundwater Encountered 1. ft. 2. ft. 3. ft.
 WELL'S STATIC WATER LEVEL . . . **284** . . . ft. below land surface measured on mo/day/yr **9-28-84**
 Pump test data: Well water was ft. after hours pumping gpm
 Est. Yield gpm: Well water was ft. after hours pumping gpm
 Bore Hole Diameter: **26** in. to **284** ft., and in. to ft.
 WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well
 1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below)
 Irrigation 4 Industrial 7 Lawn and garden only 10 Observation well
 Was a chemical/bacteriological sample submitted to Department? Yes No ; If yes, mo/day/yr sample was submitted
 Water Well Disinfected? Yes No

5 TYPE OF BLANK CASING USED:
 Steel 3 RMP (SR) 5 Wrought iron 8 Concrete tile CASING JOINTS: Glued Clamped
 2 PVC 4 ABS 6 Asbestos-Cement 9 Other (specify below) Welded
 7 Fiberglass Threaded
 Blank casing diameter . . . **16** in. to **300** ft., Dia in. to ft., Dia in. to ft.
 Casing height above land surface **12** in., weight . . . **42.05** lbs./ft. Wall thickness or gauge No. . . . **.250**
 TYPE OF SCREEN OR PERFORATION MATERIAL:
 Steel 3 Stainless steel 5 Fiberglass 7 PVC 10 Asbestos-cement
 2 Brass Galvanized steel 6 Concrete tile 8 RMP (SR) 11 Other (specify)
 9 ABS 12 None used (open hole)
 SCREEN OR PERFORATION OPENINGS ARE:
 1 Continuous slot Mill slot 5 Gauzed wrapped 8 Saw cut 11 None (open hole)
 2 Louvered shutter 4 Key punched 6 Wire wrapped 9 Drilled holes
 7 Torch cut 10 Other (specify)
 SCREEN-PERFORATED INTERVALS: From . . . **300** ft. to . . . **485** ft., From ft. to ft.
 From ft. to ft., From ft. to ft.
 GRAVEL PACK INTERVALS: From . . . **10** ft. to . . . **485** ft., From ft. to ft.
 From ft. to ft., From ft. to ft.

6 GROUT MATERIAL: 1 Neat cement Cement grout 3 Bentonite 4 Other
 Grout Intervals: From . . . **0** ft. to . . . **10** ft., From ft. to ft., From ft. to ft.
 What is the nearest source of possible contamination:
 1 Septic tank 4 Lateral lines 7 Pit privy 10 Livestock pens 14 Abandoned water well
 2 Sewer lines 5 Cess pool 8 Sewage lagoon 11 Fuel storage 15 Oil well/Gas well
 3 Watertight sewer lines 6 Seepage pit 9 Feedyard 12 Fertilizer storage 16 Other (specify below)
 13 Insecticide storage . . . **NA**
 Direction from well? How many feet?

FROM	TO	LITHOLOGIC LOG	FROM	TO	LITHOLOGIC LOG
		Test log attached			

7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed, reconstructed, or plugged under my jurisdiction and was completed on (mo/day/year) **10-29-84** and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. **208** This Water Well Record was completed on (mo/day/yr) **12-7-84** under the business name of **Minter Wilson Drilling Co.** by (signature) **L.H. Sarsaman**

INSTRUCTIONS: Use typewriter or ball point pen, PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Division of Environment, Environmental Geology Section, Topeka, KS 66620. Send one to WATER WELL OWNER and retain one for your records.

OFFICE USE ONLY

T

R

EW

SEC

1/4

1/4

1/4

The
Professionals

MINTER-WILSON DRILLING CO.

INCORPORATED

Irrigation
and Domestic
Water Systems
Complete Installation
and Repairing

Phone 276-8269 . P.O. Box A . GARDEN CITY, KANSAS 67846

Charles Battin

Grant Co.

9-29-84

Location: From old well 205' NE from test # 2 come
back 140' South

Static water level 284'

Ttest # 3

0	1	Top soil
1	18	Brown clay
18	147	Brown sandy clay
147	154	Brown sandy clay. Small strip of sand
154	185	Brown sandy clay
185	248	Brown, Gray clay
248	269	Brown sand & clay
269	321	Fine to medium sand & gravel
321	356	Brown sandy clay mixed White rock
356	361	Fine to medium sand & gravel
361	393	Brown sandy clay
393	412	Fine to medium sand & gravel. Brown rock mixed 10% clay
412	429	Fine to medium sand & gravel. Brown rock 10% clay. Tight
429	440	Fine to medium sand & gravel. Small strip of clay. Very tight
440	454	Brown clay, small streak of Brown rock. Tight
454	472	Brown rock. Strip of clay. Tight
472	485	Yellow clay. Small streak of Brown rock. Hard