corrected KOLAR Document ID: 1370942 Form WWC-5 Division of Water WATER WELL RECORD Well ID Resources App. No. ✓ Original Record ☐ Correction ☐ Change in Well Use Township Number Range Number Section Number 1 LOCATION OF WATER WELL: Fraction 5 T 28 S R 4 DEZW County: Sedgwick SW 1/4 NW 1/4 NW 1/4 SW 1/4 Street or Rural Address where well is located (if unknown, distance and WELL OWNER: Last Name. ROSENHAGE First: TODD direction from nearest town or intersection): If at owner's address, check here: Address. 1306 N LAKE RD Address State: KS ZIP: 67025 City: CHENEY 3 LOCATE WELL 5 Latitude: 37.638579 (decimal degrees) 4 DEPTH OF COMPLETED WELL: 80..... ft. WITH "X" IN Depth(s) Groundwater Encountered: 1) 24..... ft. Longitude: 97.789300 (decimal degrees) SECTION BOX: 2) ft. 3) ft., or 4) 🔲 Dry Well Datum: WGS 84 NAD 83 NAD 27 WELL'S STATIC WATER LEVEL: 24...... ft. Source for Latitude/Longitude: □ below land surface, measured on (mo-day-yr).
 ☑ above land surface, measured on (mo-day-yr), 8/10/2017 GPS (unit make/model:) (WAAS enabled? ☐ Yes ☐ No) -- NW -- -- NE --Pump test data: Well water was ft. ☐ Land Survey ☐ Topographic Map after..... hours pumping gpm Online Mapper: Well water was ft. .. sw .. -- SE -after..... hours pumping gpm 6 Elevation: .1392ft. ☑ Ground Level ☐ TOC |---- mile-----_ fl. 7 WELL WATER TO BE USED AS: 10.

Oil Field Water Supply: lease 5. Public Water Supply: well ID 1. Domestic: 6. Dewatering: how many wells? 11. Test Hole: well ID ☐ Household 7. Aquifer Recharge: well ID ☐ Cased ☐ Uncased ☐ Geotechnical ☑ Lawn & Garden 8. Monitoring: well ID 12. Geothermal: how many bores? ☐ Livestock a) Closed Loop | Horizontal | Vertical 2. 🔲 Irrigation 9. Environmental Remediation: well ID b) Open Loop Surface Discharge Inj. of Water ☐ Soil Vapor Extraction Breedlot ☐ Air Sparge 13. Other (specify): □ Recovery ☐ Injection 4. | Industrial Was a chemical/bacteriological sample submitted to KDHE?

Yes

No If yes, date sample was submitted: Water well disinfected?

✓ Yes

No 8 TYPE OF CASING USED: Steel PVC Other CASING JOINTS: Glued Clamped Welded Threaded Casing diameter 5 in to 80 ft., Diameter in to ft., Diameter in to ft. Casing height above land surface 16 in Weight lbs/ft. Wall thickness or gauge No. 26 TYPE OF SCREEN OR PERFORATION MATERIAL: ☐ Stainless Steel ☑ PVC ☐ Other (Specify) ☐ Fiberglass ☐ Steel □ Brass ☐ Galvanized Steel ☐ Concrete tile ☐ None used (open hole) SCREEN OR PERFORATION OPENINGS ARE: ☐ Continuous Slot Mill Slot ☐ Gauze Wrapped ☐ Torch Cut ☐ Drilled Holes ☐ Other (Specify) GRAVEL PACK INTERVALS: From 24 ft. to 80 ft., From ft. to ft., From ft., From ft., From ft., From ft. 9 GROUT MATERIAL: Neat cement Cement grout Bentonite Other

Grout Intervals: From 4 ft. to 24 ft., From ft. to ft., From ft. to ft. Nearest source of possible contamination: ☐ Lateral Lines ☐ Pit Privv ☐ Livestock Pens ☐ Insecticide Storage ☐ Septic Tank ☐ Abandoned Water Well ☐ Sewer Lines ☐ Cess Pool ☐ Sewage Lagoon ☐ Fuel Storage ☑ Watertight Sewer Lines ☐ Feedyard ☐ Fertilizer Storage ☐ Oil Well/Gas Well ☐ Scepage Pit Other (Specify)
Direction from well' EAST Distance from well'? .60... LITHOLOGIC LOG FROM TO LITHO, LOG (cont.) or PLUGGING INTERVALS 10 FROM TO **TOPSOIL** 0 24 **CLAY-FINE SAND** 2 37 24 MEDIUM SAND 37 RED SHALE Notes:

Send one copy to WATER WELL OWNER and retain one for your records. Fee of \$5.00 for each <u>constructed</u> well.

KS Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-3565.

Visit us at http://www.kdheks.gov/waterwell.jndex.html

KSA 82a-1212