		Fraction		Section	Number	Township Numb	er Range	Number
	County: Street/Rural Address of Well Location;			Clobal P	ocitioning (	T Systems (GPS) inf	Cormetions	E
	direction from nearest town or intersect			Latitude:	usitivilling t	systems (G1 5) III	in d	ecimal degre
	check here	ion if at 6 wher 5 ac	<b>a. c</b> . s. s,	Longitude	e:		(in de	ecimal degre
				Elevation	:	S84, NAD	192 N	JAD27
					n Method:	364, NAD	703, LI I	NAD21
2	WATER WELL OWNER:					e/Model:		
_	RR#, St. Address, Box #:			☐ Dig	gital Map/Pho	oto, 🗌 Topograph	ic Map, $\square$	Land Survey
	City, State ZIP Code:			Est. Accur	<u>acy</u> :	3 m, □ 3-5 m,	□ 5-15 m,	$\square > 15 \text{ m}$
3	MARK WELL'S LOCATION	4 DEPTH OF	XX/ET I					
3	WITH AN "X" IN SECTION	4 DEPTH OF						
W	BOX:	WELL'S ST	ATIC W	ATER LEVI	EL	ft		
		WELL WAS	S USED A	AS:				
	NW NE	☐ Domestic	. [	Public V	Water Suppl	y De	watering	
	E	Irrigation	.	Public V Oil Field Domesti	d Water Sup	oply Mo	onitoring	
	· ·	Feedlot Industrial		Domesti Air Con	c (Lawn &	Garden) In	jection Well her	
	SW SE	industrial	. L		ditioning	□ 0t	IICI	
		Was a chemic	cal/bacter	iological san	nple submit	ted to Department	? Yes	No 🗌
5	S TYPE OF BLANK CASING USE	ID.						
	Blank casing diameter in. Casing height above or below land	surface	d? Yes [in		If yes, ho			
6	Blank casing diameter in. Casing height above or below land  GROUT PLUG MATERIAL:  Grout Plug Intervals: From  What is the nearest source of possible	Asbestos-Cement Was casing pulle surface  Neat cement ft. to ft	d? Yes [inCem	No No nent grout	If yes, ho Benton	w much	ft. to _	
6	Blank casing diameter in. Casing height above or below land  GROUT PLUG MATERIAL:  Grout Plug Intervals: From  What is the nearest source of possib  Septic tank	Asbestos-Cement Was casing pulle surface  Neat cement ft. to ft  ole contamination: eepage pit it privy	d? Yes [inCem, From Free Section of the content of the	No No nent grout  storage izer storage	If yes, ho Benton	w much ite	ft. to _	
6	Blank casing diameter in. Casing height above or below land  GROUT PLUG MATERIAL:  Grout Plug Intervals: From  What is the nearest source of possible septic tank	Asbestos-Cement Was casing pulle surface  Neat cement  ft. to ft  ple contamination: eepage pit it privy ewage lagoon	d? Yes [in	No No nent grout  storage izer storage ticide storage	If yes, ho Benton	w much  ite	ft. to _	ft.
6	Blank casing diameter in. Casing height above or below land  GROUT PLUG MATERIAL:  Grout Plug Intervals: From  What is the nearest source of possible sewer lines	Asbestos-Cement Was casing pulle surface  Neat cement ft. to ft  ole contamination: eepage pit it privy	d? Yes Cem, From Fuel s Fertill Insect Abance	No No nent grout  storage izer storage	If yes, ho  Benton  t. to  well Dir	w much ite	ft. to _	ft.
6	Blank casing diameter in. Casing height above or below land  GROUT PLUG MATERIAL:  Grout Plug Intervals: From  What is the nearest source of possib  Septic tank	Asbestos-Cement  Was casing pulle surface  Neat cement  ft. to ft  ole contamination: eepage pit it privy ewage lagoon eedyard	d? YesinCem	No N	If yes, ho  Benton  t. to  well  Dir  Ho	w much  ite Other  _ft., From  Other (specify belovection from well? w many feet?	ft. to _	ft.
6	Blank casing diameter in. Casing height above or below land  GROUT PLUG MATERIAL:  Grout Plug Intervals: From  What is the nearest source of possib  Septic tank	Asbestos-Cement Was casing pulle surface  Neat cement ft. to ft  ole contamination: eepage pit it privy ewage lagoon eedyard	d? YesinCem	No N	If yes, ho  Benton  t. to  well Dir	w much  ite Other  _ft., From  Other (specify belovection from well? w many feet?	ft. to _	ft.
66	Blank casing diameter in. Casing height above or below land  GROUT PLUG MATERIAL:  Grout Plug Intervals: From  What is the nearest source of possib  Septic tank	Asbestos-Cement  Was casing pulle surface  Neat cement  ft. to ft  ole contamination: eepage pit it privy ewage lagoon eedyard	d? YesinCem	No N	If yes, ho  Benton  t. to  well  Dir  Ho	w much  ite Other  _ft., From  Other (specify belovection from well? w many feet?	ft. to _	ft.
6	Blank casing diameter in. Casing height above or below land  GROUT PLUG MATERIAL:  Grout Plug Intervals: From  What is the nearest source of possib  Septic tank	Asbestos-Cement  Was casing pulle surface  Neat cement  ft. to ft  ole contamination: eepage pit it privy ewage lagoon eedyard	d? YesinCem	No N	If yes, ho  Benton  t. to  well  Dir  Ho	w much  ite Other  _ft., From  Other (specify belovection from well? w many feet?	ft. to _	ft.
6	Blank casing diameter in. Casing height above or below land  GROUT PLUG MATERIAL:  Grout Plug Intervals: From  What is the nearest source of possib  Septic tank	Asbestos-Cement  Was casing pulle surface  Neat cement  ft. to ft  ole contamination: eepage pit it privy ewage lagoon eedyard	d? YesinCem	No N	If yes, ho  Benton  t. to  well  Dir  Ho	w much  ite Other  _ft., From  Other (specify belovection from well? w many feet?	ft. to _	ft.
6	Blank casing diameter in. Casing height above or below land  GROUT PLUG MATERIAL:  Grout Plug Intervals: From  What is the nearest source of possib  Septic tank	Asbestos-Cement  Was casing pulle surface  Neat cement  ft. to ft  ole contamination: eepage pit it privy ewage lagoon eedyard	d? YesinCem	No N	If yes, ho  Benton  t. to  well  Dir  Ho	w much  ite Other  _ft., From  Other (specify belovection from well? w many feet?	ft. to _	ft.
6	Blank casing diameter in. Casing height above or below land  GROUT PLUG MATERIAL:  Grout Plug Intervals: From  What is the nearest source of possib  Septic tank	Asbestos-Cement  Was casing pulle surface  Neat cement  ft. to ft  ole contamination: eepage pit it privy ewage lagoon eedyard	d? YesinCem	No N	If yes, ho  Benton  t. to  well  Dir  Ho	w much  ite Other  _ft., From  Other (specify belovection from well? w many feet?	ft. to _	ft.
6	Blank casing diameter in. Casing height above or below land  GROUT PLUG MATERIAL:  Grout Plug Intervals: From  What is the nearest source of possib  Septic tank	Asbestos-Cement  Was casing pulle surface  Neat cement  ft. to ft  ole contamination: eepage pit it privy ewage lagoon eedyard	d? YesinCem	No N	If yes, ho  Benton  t. to  well  Dir  Ho	w much  ite Other  _ft., From  Other (specify belovection from well? w many feet?	ft. to _	ft.
7	Blank casing diameter in. Casing height above or below land  GROUT PLUG MATERIAL:  Grout Plug Intervals: From  What is the nearest source of possib  Septic tank	Was casing pulle surface  Neat cement  ft. toft  ole contamination: eepage pit it privy ewage lagoon eedyard ivestock pens  GGING MATERIA  WNER'S CERTIF	d? Yesin	No N	If yes, ho  Benton  t. to  well Dir  Ho  TO	w much  ite	mg MATER	ft.
7	Blank casing diameter in. Casing height above or below land  GROUT PLUG MATERIAL:  Grout Plug Intervals: From  What is the nearest source of possib  Septic tank	Was casing pulle surface  Neat cement  ft. toft  ole contamination: eepage pit it privy ewage lagoon eedyard ivestock pens  GGING MATERIA  WNER'S CERTIF	d? Yesin	No N	If yes, ho  Benton  t. to  well Dir  Ho  TO	w much  ite	mg MATER	ft.
7 con We	Blank casing diameter in. Casing height above or below land  GROUT PLUG MATERIAL:  Grout Plug Intervals: From  What is the nearest source of possib  Septic tank	Asbestos-Cement  Was casing pulle surface  Neat cement  ft. toft  ole contamination: eepage pit it privy ewage lagoon eedyard ivestock pens  GGING MATERIA  WNER'S CERTIFar This Wa	d? Yesin.  Cem, From Fuel s Fertill Insect Abanc Oil we LS	No N	If yes, ho  Benton  It. to  Well Dir  Ho  TO  To  Tater well verto the best completed of	w much  ite	my jurisd and belief.	Iiction and Kansas W

KSA82a-1212

Revised 1/29/2014