LOCATION OF WATE bunty: Sealed was stance and direction from	R WELL:	Fraction						
stance and direction from			<1.1		Section Numb		_	Range Number
	)ich	<u>  5W 1/4</u>	3W 1/4	NW1/4		T 2	<b>8</b> s	R 4 (W)
クロンへを		n or city street ad	idress of well if lo	cated within cit	y?			
25, 25, C	-neney							
WATER WELL OWN	ER: Lann	A MAKILE	2 1/3.					
R#, St. Address, Box	* ፡ <del>ዜ</del>	6 3 34	,			Board of A	Agriculture,	Division of Water Resource
y, State, ZIP Code	: Ch	eney, Ks.	67025				n Number:	
LOCATE WELL'S LOC	ATION WITH	4 DEPTH OF CO	OMPLETED WEL	L	.O. ft. ELE	VATION:		
AN X IN SECTION	30X:	Depth(s) Groundw	vater Encountered	<del>ب</del> ر 1 ال	A	t. 2	<b>58</b> . ft. 3	الله و المنظم
!								7-16-93
\w	- NE	Pump	test data: Well	water was	ft	. after	. hours pu	mping gpm
[ '}'' [-	1							mping gpm
<b>X</b> i	1 .	Bore Hole Diamet	ter <b>[O</b> .in	. <b>to</b>	<b>. 7.0</b> .f	t., and	in	. to
W	- I	WELL WATER TO	D BE USED AS:	5 Public v	ater supply	8 Air conditioning	11	Injection well
544	!	1 Domestic	3 Feedlot	6 Oil field	water supply	9 Dewatering	12	Other (Specify below)
3W	- 35	2 Irrigation	4 Industrial	7 Lawn ar	d garden only	10 Monitoring well	I,	
		Was a chemical/ba	acteriological sam	ple submitted to	Department?	YesNo.X	; If yes	, mo/day/yr sample was sut
S		mitted			1	Water Well Disinfecte	ed? Yes 🎗	No
TYPE OF BLANK CA	SING USED:		5 Wrought iron	8 Co	ncrete tile	CASING JO	INTS: Giue	d Clamped
1 Steel	3 RMP (SR	3)	6 Asbestos-Cem	ent 9 Oth	er (specify be			ed
2 PVC_	4 ABS	•	7 Fiberglass				Threa	aded
ink casing diameter .	<b> 5</b> .	in. to	<b>5.</b> の ft., Dia	in.	to	ft., Dia		aded
sing height above land	J surface	18.	in., weight			s./ft. Wall thickness	or gauge N	o SDRR6
PE OF SCREEN OR		_	,		PVC		pestos-ceme	
1 Steel	3 Stainless		5 Fiberglass		RMP (SR)			····
2 Brass	4 Galvanize		6 Concrete tile		ABS		ne used (op	
REEN OR PERFORA				Sauzed wrapped			٠.	11 None (open hole)
1 Continuous slot		II slot		Vire wrapped		9 Drilled holes		· · · · · · · · · · · · · · · · · · ·
2 Louvered shutter		y punched		orch cut			W	
REEN-PERFORATED		From	50 "	to Color Cut	70		y)	o
GI IAVEE I AG	(INTERVALS:	From	ft.		-	rom		o
		From	ft.	to to	<b>7.0</b> .ft., F	rom	ft. t	o ft.
GROUT MATERIAL:	1 Neat co	From ement 2	ft. 2 Cement grout	to	<b>7.0</b> .ft., F ft., F	From	d-Hole	Plue
GROUT MATERIAL: out Intervals: From.	1 Neat co	From ement 2 ft. to	ft. 2 Cement grout	to	<b>7.0</b> .ft., F ft., F entonite t. to	From	d- Hole	o ft. 2 Plug ft. to ft.
GROUT MATERIAL: out Intervals: From. nat is the nearest sour	1 Neat conduction 1 Neat conduction 2 near the conduction 2 near t	From ement 2 ft. to	ft. 2 Cement grout 2 Cett., From	to	ft., F ft., F entonite t. to	From  4 Other Bokes  tt., From  vestock pens	d	o ft. 2 Plug
GROUT MATERIAL: out Intervals: From. nat is the nearest sour 1 Septic tank	1 Neat co 	From ement 2 ft. to	ft.  Cement grout  Ct., From  7 Pit privy	to	ft., F ft., F intonite t. to 10 Liv 11 Fu	From	ft. t d- //o(4 14 A 15 O	o ft.  Plug.  ft. toft. bandoned water well bil well/Gas well
GROUT MATERIAL: out Intervals: From. nat is the nearest sour  1 Septic tank 2 Sewer lines	1 Neat co 2	From ement 2 ft. to	ft.  Cement grout  Ct., From  7 Pit privy 8 Sewage	to	70 ft., F ft., F intonite t. to 10 Liv 11 Fu 12 Fe	From	ft. t d- //o(4 14 A 15 O	o ft. 2 Plug
GROUT MATERIAL: out Intervals: From. tat is the nearest sour  1 Septic tank 2 Sewer lines 3 Watertight sewer	1 Neat co	From ement 2 ft. to	ft.  Cement grout  Ct., From  7 Pit privy	to	70 ft., F ft., F intonite t. to	From 4 Other Boxes  tt., From restock pens el storage ritilizer storage secticide storage	ft. t d- //o(4 14 A 15 O	o ft.  Plug.  ft. toft. bandoned water well bil well/Gas well
GROUT MATERIAL: out Intervals: From. at is the nearest sour  1 Septic tank 2 Sewer lines 3 Watertight sewer ection from well?	1 Neat co	From ement 2 ft. to	ft.  Cement grout  Ct., From  7 Pit privy  8 Sewage  9 Feedya	to	10 ft., F ft., F ft., F ft., F ft., F ft., F 10 Liv 11 Fu 12 Fe 13 Ins	From	14 A 15 O	tt. to
GROUT MATERIAL: out Intervals: From. nat is the nearest sour  1 Septic tank 2 Sewer lines 3 Watertight sewer nection from well?	1 Neat co	From ement 2 ft. to	ft.  Cement grout  Ct., From  7 Pit privy  8 Sewage  9 Feedya	to	10 ft., F ft., F ft., F ft., F ft., F ft., F 10 Liv 11 Fu 12 Fe 13 Ins	From	14 A 15 O	o ft.  Plug.  ft. toft. bandoned water well bil well/Gas well
GROUT MATERIAL: out Intervals: From. at is the nearest sour  1 Septic tank 2 Sewer lines 3 Watertight sewer ection from well?	1 Neat co	From ement 2 ft. to	ft.  Cement grout  Ct., From  7 Pit privy  8 Sewage  9 Feedya	to	10 ft., F ft., F ft., F ft., F ft., F ft., F 10 Liv 11 Fu 12 Fe 13 Ins	From	14 A 15 O	tt. to
GROUT MATERIAL: out Intervals: From. at is the nearest sour  1 Septic tank 2 Sewer lines 3 Watertight sewer ection from well?	1 Neat co 3 ce of possible of 4 Latera 5 Cess lines 6 Seepa	From ement 2 ft. to	ft.  Cement grout  Ct., From  7 Pit privy  8 Sewage  9 Feedya	to	10 ft., F ft., F ft., F ft., F ft., F ft., F 10 Liv 11 Fu 12 Fe 13 Ins	From	14 A 15 O	tt. to
GROUT MATERIAL: out Intervals: From. nat is the nearest sour  1 Septic tank 2 Sewer lines 3 Watertight sewer ection from well?  ROM TO	1 Neat co 3. ce of possible of 4 Latera 5 Cess lines 6 Seepa	From ement 2 ft. to	ft.  Cement grout  Ct., From  7 Pit privy  8 Sewage  9 Feedya	to	10 ft., F ft., F ft., F ft., F ft., F ft., F 10 Liv 11 Fu 12 Fe 13 Ins	From	14 A 15 O	tt. to
GROUT MATERIAL: out Intervals: From. nat is the nearest sour  1 Septic tank 2 Sewer lines 3 Watertight sewer ection from well?  ROM TO	1 Neat co 3. ce of possible of 4 Latera 5 Cess lines 6 Seepa	From ement 2 ft. to	ft.  Cement grout  Ct., From  7 Pit privy  8 Sewage  9 Feedya	to	10 ft., F ft., F entonite t. to	From	14 A 15 O	tt. to
GROUT MATERIAL: out Intervals: From. at is the nearest sour  1 Septic tank 2 Sewer lines 3 Watertight sewer ection from well?	1 Neat co 3. ce of possible of 4 Latera 5 Cess lines 6 Seepa	From ement 2 ft. to	ft.  Cement grout  Ct., From  7 Pit privy  8 Sewage  9 Feedya	to	10 ft., F ft., F entonite t. to	From	14 A 15 O	tt. to
GROUT MATERIAL: out Intervals: From. at is the nearest sour  1 Septic tank 2 Sewer lines 3 Watertight sewer ection from well?	1 Neat co 3. ce of possible of 4 Latera 5 Cess lines 6 Seepa	From ement 2 ft. to	ft.  Cement grout  Ct., From  7 Pit privy  8 Sewage  9 Feedya	to	10 ft., F ft., F entonite t. to	From	14 A 15 O	tt. to
GROUT MATERIAL: out Intervals: From. at is the nearest sour  1 Septic tank 2 Sewer lines 3 Watertight sewer ection from well?	1 Neat co 3. ce of possible of 4 Latera 5 Cess lines 6 Seepa	From ement 2 ft. to	ft.  Cement grout  Ct., From  7 Pit privy  8 Sewage  9 Feedya	to	10 ft., F ft., F entonite t. to	From	14 A 15 O	tt. to
GROUT MATERIAL: out Intervals: From. at is the nearest sour  1 Septic tank 2 Sewer lines 3 Watertight sewer ection from well?	1 Neat co 3. ce of possible of 4 Latera 5 Cess lines 6 Seepa	From ement 2 ft. to	ft.  Cement grout  Ct., From  7 Pit privy  8 Sewage  9 Feedya	to	10 ft., F ft., F entonite t. to	From	14 A 15 O	tt. to
GROUT MATERIAL: tut Intervals: From. at is the nearest sour  1 Septic tank 2 Sewer lines 3 Watertight sewer ection from well?  CO	1 Neat co 3. ce of possible of 4 Latera 5 Cess lines 6 Seepa	From ement 2 ft. to	ft.  Cement grout  Ct., From  7 Pit privy  8 Sewage  9 Feedya	to	10 ft., F ft., F entonite t. to	From	14 A 15 O	tt. to
GROUT MATERIAL: tut Intervals: From. at is the nearest sour  1 Septic tank 2 Sewer lines 3 Watertight sewer ection from well?  CO	1 Neat co 3. ce of possible of 4 Latera 5 Cess lines 6 Seepa	From ement 2 ft. to	ft.  Cement grout  Ct., From  7 Pit privy  8 Sewage  9 Feedya	to	10 ft., F ft., F entonite t. to	From	14 A 15 O	tt. to
GROUT MATERIAL: out Intervals: From. at is the nearest sour  1 Septic tank 2 Sewer lines 3 Watertight sewer ection from well?	1 Neat co 3. ce of possible of 4 Latera 5 Cess lines 6 Seepa	From ement 2 ft. to	ft.  Cement grout  Ct., From  7 Pit privy  8 Sewage  9 Feedya	to	10 ft., F ft., F entonite t. to	From	14 A 15 O	tt. to
GROUT MATERIAL: out Intervals: From. at is the nearest sour  1 Septic tank 2 Sewer lines 3 Watertight sewer ection from well?	1 Neat co 3. ce of possible of 4 Latera 5 Cess lines 6 Seepa	From ement 2 ft. to	ft.  Cement grout  Ct., From  7 Pit privy  8 Sewage  9 Feedya	to	10 ft., F ft., F entonite t. to	From	14 A 15 O	tt. to
GROUT MATERIAL: out Intervals: From. nat is the nearest sour  1 Septic tank 2 Sewer lines 3 Watertight sewer ection from well?  ROM TO	1 Neat co 3. ce of possible of 4 Latera 5 Cess lines 6 Seepa	From ement 2 ft. to	ft.  Cement grout  Ct., From  7 Pit privy  8 Sewage  9 Feedya	to	10 ft., F ft., F entonite t. to	From	14 A 15 O	tt. to
GROUT MATERIAL: out Intervals: From. nat is the nearest sour  1 Septic tank 2 Sewer lines 3 Watertight sewer ection from well?  ROM TO	1 Neat co 3. ce of possible of 4 Latera 5 Cess lines 6 Seepa	From ement 2 ft. to	ft.  Cement grout  Ct., From  7 Pit privy  8 Sewage  9 Feedya	to	10 ft., F ft., F entonite t. to	From	14 A 15 O	tt. to
GROUT MATERIAL: out Intervals: From. nat is the nearest sour  1 Septic tank 2 Sewer lines 3 Watertight sewer ection from well?  ROM TO	1 Neat co 3. ce of possible of 4 Latera 5 Cess lines 6 Seepa	From ement 2 ft. to	ft.  Cement grout  Ct., From  7 Pit privy  8 Sewage  9 Feedya	to	10 ft., F ft., F entonite t. to	From	14 A 15 O	tt. to
GROUT MATERIAL: but Intervals: From. nat is the nearest sour  1 Septic tank 2 Sewer lines 3 Watertight sewer ection from well?  ROM TO  0 2 6 6 14 14 170	1 Neat of 3. Sce of possible of 4 Latera 5 Cess lines 6 Seepa South Share Shar	From ement 2 ft. to	ft.  Cement grout  Cot., From  7 Pit privy 8 Sewage 9 Feedya  OG	to	10 Liv. 11 Fu. 12 Fe 13 Ins. How I	From  4 Other Boke  ft., From  vestock pens el storage ritilizer storage many feet? 125	14 A 15 C 16 C	ft. to
GROUT MATERIAL: put Intervals: From. nat is the nearest sour  1 Septic tank 2 Sewer lines 3 Watertight sewer ection from well?  ROM TO  0 2 6 6 14 14 170	1 Neat co. 3. ce of possible of 4 Latera 5 Cess lines 6 Seepa Sandy Sand	From  ement 2 ft. to	ft.  Cement grout  Cot., From  7 Pit privy 8 Sewage 9 Feedya  OG	to	ft., F  ft., F	From  4 Other Boke  ft., From  vestock pens el storage ritilizer storage many feet? 125  P  econstructed, or (3) p  coord is true to the be-	14 A 15 O 16 O	ft. to
GROUT MATERIAL: put Intervals: From. at is the nearest sour  1 Septic tank 2 Sewer lines 3 Watertight sewer ection from well?  ROM TO  0 2 6 6 14 14 170	1 Neat co. 3. ce of possible of 4 Latera 5 Cess lines 6 Seepa Sandy Sand	From  ement 2 ft. to	ft.  Cement grout  Cot., From  7 Pit privy 8 Sewage 9 Feedya  OG	to	ft., F  ft., F	From  4 Other Bokes  tt., From  vestock pens el storage ritilizer storage many feet?  P  constructed, or (3)	14 A 15 O 16 O	tt. to