	T -D + OTTON	Water Well Record	Form WWC-5	KSA 82a-1212		T	
1 LOCATION OF WATER WELL:	FRACTION			Section Number	Township Number	Range Number	
Sedgwick		SW 1/4 ST	W 1/4	14	<u>т</u> 28 s	R 4W E/W	
Distance and direction frem nearest town or city street address of well if located within city?							
4600 S. 343rd W. Cheney, Kansas							
	ER, Scott					_	
•	2000 21 01014 (2			109)	•		
CITY, STATE, ZIP CODE: Cher	nev, Kansas		67025 Application Number:		r:		
3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:	4 DEPTH OF COME		40		EVATION:		
AN "X" IN SECTION BOA:	Depth(s) groundwate	_	1	ft.	2 ft.	3 ft.	
	WELL'S STATIC WA	_			RFACE MEASURED ON mo/day/yr	07/26/1993	
Pump test data: Well water was ft. after hours pumping gpm							
ا ا ا یو ا	Est. Yield	O1	ater was	=	after hours pum		
W W E			to 40	ft.,	and in.	to ft.	
"	WELL WATER TO BE		Public water s			njection well	
sp			Oil field wate		•	Other (Specify below)	
	2 III Igation		Lawn and gar	•	0 Monitoring well	_	
Was a chemical/bacteriological sample submitted to Department? Yes No 🗶 ; If yes, no/day/yr sample was							
S	submitted	.		Wat		X No	
5 TYPE OF CASING USED: 5 Wrought iron 8 Concrete tile CASING JOINTS: Glued X Clamped							
1 Steel 3 RMP (SR)		6 Asbestos-Cement	t 90	Other (Specify b		Velded	
2 PVC 4 ABS		7 Fiberglass	SD	R-26	T	'hreaded	
Blank casing Diameter 5	in. to 25	ft., Dia	in.	to	ft., Dia in.	to ft.	
Casing height above land surface 2		weight 2.			Wall thickness or gauge No.	.214	
TYPE OF SCREEN OR PERFORA				PVC	10 Asbestos-ceme		
1 Steel 3 Stainless Steel		5 Fiberglass		RMP (SR)	11 other (specify		
2 Brass 4 Galvanized stee	el (6 Concrete tile	9 A	ABS	12 None used (o)	•	
SCREEN OR PERFORATION OPE	ENING ARE:	5 Gauze	ed wrapped		8 Saw cut	11 None (open hole)	
1 Continous slot 3 Mill slo	lot	6 Wire w	wrapped		9 Drilled holes		
2 Louvered shutter 4 Key pu	unched	7 Torch	cut		10 Other (specify)		
SCREEN-PERFORATION INTERVALS: from 25 ft. to 40 ft., From ft. to ft.							
	from	ft. (ft., From		ft.	
GRAVEL PACK INTERVALS: from 24			to 40	ft., Fron		ft.	
	from	ft.	to	ft., Fron	n ft. to	ft.	
6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other							
Grout Intervals: From 4	ft. to 24	ft., From	ft. to	0	ft., From	ft. to ft.	
What is the nearest source of possible contamination:						bandon water well	
1 Septic tank 4 Later	al lines	7 Pit privy		11 Fuel storage 15 Oil well/Gas well			
2 Sewer lines 5 Cess	s pool	8 Sewage lagoo	n	12 Fertiliz	Other (specify below)		
3 Watertight sewer lines 6 Seepa	page pit	9 Feedyard		13 Insecu	cide storage None	Apparent	
Direction from well?	·····		<u>-</u>	·	How many feet?		
<u> </u>	LITHOLOGIC LOG		FROM	ТО	PLUGGING INTE	RVALS	
0 2 sandy to							
2 10 fine sil			ļ				
	to coarse sa	ınd	↓	↓			
35 40 red shal	re		ļ	ļ	•		
			↓	L			
				$oldsymbol{\perp}$	W-10-	×	
				<u> </u>			
				<u> </u>			
			<u> </u>	<u> </u>			
				<u> </u>			
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and							
was completed on (mo/day/year)							
Well Contractor's License No	236 т	his Water Well Re	cord was cor	mpleted on (m	n/dav/vr) 08/1	0/93	
Under the business name ofH.	arp Well & F	'ump Servi	.ce, In	C by (sign	atural -		
	641 Jane Frederick						