


1 LOCATION OF WATER WELL: County: <u>Sedgwick</u> Fraction: <u>SE 1/4 NE 1/4 SE 1/4</u> Section Number: <u>25</u> Township Number: <u>T 28 S</u> Range Number: <u>R 4</u> EW <u>4</u>	
Distance and direction from nearest town or city street address of well if located within city? <u>See Below</u>	
2 WATER WELL OWNER: <u>GARY Norris</u> RR#, St. Address, Box #: <u>6060 S. 311th W.</u> City, State, ZIP Code: <u>Cheney, KS 67025</u> Board of Agriculture, Division of Water Resources Application Number: _____	
3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX: 	4 DEPTH OF COMPLETED WELL: <u>125</u> ft. ELEVATION: _____ Depth(s) Groundwater Encountered: <u>16</u> ft. 2. _____ ft. 3. _____ ft. WELL'S STATIC WATER LEVEL: <u>16</u> ft. below land surface measured on mo/day/yr <u>7-5-94</u> Pump test data: Well water was _____ ft. after _____ hours pumping _____ gpm Est. Yield: <u>40</u> gpm; Well water was _____ ft. after _____ hours pumping _____ gpm Bore Hole Diameter: <u>11</u> in. to <u>125</u> ft., and _____ in. to _____ ft. WELL WATER TO BE USED AS: 1 Domestic <u>2</u> Irrigation 3 Feedlot 4 Industrial 5 Public water supply 6 Oil field water supply 7 Lawn and garden only 8 Air conditioning 9 Dewatering 10 Observation well 11 Injection well 12 Other (Specify below) _____ Was a chemical/bacteriological sample submitted to Department? Yes _____ No <u>X</u> ; If yes, mo/day/yr sample was submitted _____ Water Well Disinfected? Yes <u>X</u> No _____
5 TYPE OF BLANK CASING USED: 1 Steel 2 <u>PVC</u> 3 RMP (SR) 4 <u>ABS</u> 5 Wrought iron 6 Asbestos-Cement 7 Fiberglass 8 Concrete tile 9 Other (specify below) _____ Blank casing diameter: <u>5</u> in. to <u>10</u> ft., Dia. _____ in. to _____ ft., Dia. _____ in. to _____ ft. Casing height above land surface: <u>12</u> in., weight <u>2.40</u> lbs./ft. Wall thickness or gauge No. <u>#160PSI</u> TYPE OF SCREEN OR PERFORATION MATERIAL: 1 Steel 2 Brass 3 Stainless steel 4 Galvanized steel 5 Fiberglass 6 Concrete tile 7 <u>PVC</u> 8 RMP (SR) 9 ABS 10 Asbestos-cement 11 Other (specify) _____ 12 None used (open hole) _____ SCREEN OR PERFORATION OPENINGS ARE: 1 Continuous slot 2 Louvered shutter 3 <u>Mill slot</u> 4 Key punched 5 Gauzed wrapped 6 Wire wrapped 7 Torch cut 8 Saw cut 9 Drilled holes 10 Other (specify) _____ 11 None (open hole) _____ SCREEN-PERFORATED INTERVALS: From <u>10</u> ft. to <u>125</u> ft., From _____ ft. to _____ ft., From _____ ft. to _____ ft. GRAVEL PACK INTERVALS: From <u>16</u> ft. to <u>125</u> ft., From _____ ft. to _____ ft., From _____ ft. to _____ ft.	
6 GROUT MATERIAL: 1 Neat cement 2 <u>Cement grout</u> 3 Bentonite 4 Other _____ Grout Intervals: From <u>3</u> ft. to <u>16</u> ft., From _____ ft. to _____ ft., From _____ ft. to _____ ft. What is the nearest source of possible contamination: 1 <u>Septic tank</u> 2 Sewer lines 3 Watertight sewer lines 4 Lateral lines 5 Cess pool 6 Seepage pit 7 Pit privy 8 Sewage lagoon 9 Feedyard 10 Livestock pens 11 Fuel storage 12 Fertilizer storage 13 Insecticide storage 14 Abandoned water well 15 Oil well/Gas well 16 Other (specify below) _____ Direction from well? <u>East</u> How many feet? <u>100</u>	
FROM TO LITHOLOGIC LOG	FROM TO LITHOLOGIC LOG
0 2 Top Soil	
2 6 Clay	
6 11 gravel	
11 16 clay	
16 27 gravel	
27 125 Shale	
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) <u>7-5-94</u> and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. <u>318</u> This Water Well Record was completed on (mo/day/yr) <u>7-20-94</u> under the business name of <u>Weninger Drilling</u> by (signature) <u>Kerrina Morrissey</u> INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Bureau of Water Protection, Topeka, Kansas 66620-7320, Telephone: 913-862-9360. Send one to WATER WELL OWNER and retain one for your records.	

OFFICE USE ONLY

T

R

EW

SEC.

1/4

1/4

1/4