

County: Stanton Fraction SE SE SW Sec. 2 T 28 S R 40 E/W

CORRECTION(S) TO WATER WELL COMPLETION RECORD (WWC-5)

(to rectify lacking or incorrect information)

Owner: H & C Farms

Location was listed as:

Section-Township-Range: 2-29S-40W

Fraction (1/4 1/4 1/4): SE SE SW

Location changed to:

2-28S-40W

SE SE SW

Other changes: Initial statements: _____

Changed to: _____

Comments: _____

Verification method: Written & legal descriptions, water rights information in WIMAS database, and mapping tool on KGS website.

initials: DRJ date: 10/10/2012

Submitted by: Kansas Geological Survey, Data Resources Library, 1930 Constant Ave., Lawrence, KS 66047-3726

to: Kansas Dept of Health & Environment, Bureau of Water, 1000 SW Jackson, Suite 420, Topeka, KS 66612-1367.

WATER WELL RECORD Form WWC-5 KSA 82a-1212

1 LOCATION OF WATER WELL: | Fraction | Section Number | Township Number | Range Number
 COUNTY: 094 STANTON | SE 1/4 SE 1/4 SW 1/4 | 2 | T 29 S | R 40 W

Distance and direction from nearest town or city street address of well if located within city?
 APPROX. 5 MILES NORTH AND 5 1/2 ~~EAST~~ OF JOHNSON

2 WATER WELL OWNER: H & C FARMS
 RR#, St. Address, Box #: HCR 1 BOX 88 Board of Agriculture, Division of Water Resources
 City, State, ZIP code: JOHNSON, KS 67855- Application Number: 22913

3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX: | 4 DEPTH OF COMPLETED WELL 616 ELEVATION: 0
 Depth(s) Groundwater Encountered 1. 0 ft. 2. 0 ft. 3. 0 ft.

WELL'S STATIC WATER LEVEL 222 ft. below land surface measured on mo/day/yr 05/06/94
 Pump testdata: Well water was 347 ft. after 12 hours pumping 1366 gpm

Estimated Yield 1300 gpm: Well water was 0 ft. after 0 hours pumping 0 gpm

Bore Hole Diameter 24 in. to 222 ft., and in. to 0 ft.

WELL WATER TO BE USED AS: 02 IRRIGATION
 Was a chemical/bacteriological sample submitted to department? No ;
 If yes, mo/day/yr sample was submitted Water well disinfected? Yes

5 TYPE OF BLANK CASING USED: 01 STEEL CASING JOINTS: WELDED
 Blank casing diameter 16 in. to 616 ft., Dia in. to 0 ft., Dia in. to 0 ft.
 Casing height above land surface 12 in., weight 42 lbs/ft. Wall thickness or gauge No. .25
 TYPE OF SCREEN OR PERFORATION MATERIAL: 01 STEEL
 SCREEN OR PERFORATION OPENINGS ARE: 06 WIRE WRAPPED

SCREEN PERFORATED INTERVALS: From 248 ft. to 328 ft., From 513 ft. to 613 ft.
 From 364 ft. to 424 ft., From 0 ft. to 0 ft.
 GRAVEL PACK INTERVALS: From 20 ft. to 330 ft., From 0 ft. to 0 ft.
 From 330 ft. to 617 ft., From 0 ft. to 0 ft.

6 GROUT MATERIAL 03 BENTONITE
 Grout Intervals: From 0 ft. to 20 ft., From 0 ft. to 0 ft., From 0 ft. to 0 ft.
 What is the nearest source of possible contamination: 14 ABAND. WELL
 Direction from well? NORTHEAST How many feet? 280

FROM	TO	LITHOLOGIC LOG	FROM	TO	PLUGGING INTERVALS
0	2	02 SILT			
2	11	04 SANDY CLAY			
11	33	01 CLAY 04 SANDY CLAY			
33	90	04 SANDY CLAY 31 CALICHE 07 FINE SAND			
90	105	07 FINE SAND 08 MEDIUM SAND 01 CLAY			
105	114	04 SANDY CLAY			
114	129	07 FINE SAND 08 MEDIUM SAND 01 CLAY			
129	155	04 SANDY CLAY 01 CLAY 05 SAND			
155	205	04 SANDY CLAY 05 SAND 13 FINE GRAVEL			
205	221	01 CLAY 04 SANDY CLAY			

7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was Constructed under my jurisdiction and was completed on (mo/day/year) 05/05/94 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 145 This Water Well Record was completed on (mo/day/yr) 05/16/94 under the business name of HENKLE DRILLING & SUPPLY by (signature) *[Signature]*

(Continued)

WATER WELL RECORD Form WWC-5 KSA 82a-1212

1 LOCATION OF WATER WELL:	Fraction	Section Number	Township Number	Range Number
COUNTY: 094 STANTON	SE 1/4 SE 1/4 SW 1/4	2	T 29 S	R 40 W

2 WATER WELL OWNER:	H & C FARMS	Board of Agriculture, Division of Water Resources
RR#, St. Address, Box # :	HCR 1 BOX 88	Application Number: 22913
City, State, ZIP code :	JOHNSON, KS 67855-	

FROM	TO	LITHOLOGIC LOG
221	247	04 SANDY CLAY 05 SAND
247	266	07 FINE SAND 09 COARSE SAND 14 MED GRAVEL
266	278	05 SAND 08 MEDIUM SAND 13 FINE GRAVEL
278	298	04 SANDY CLAY 07 FINE SAND 08 MEDIUM SAND
298	318	05 SAND 13 FINE GRAVEL 04 SANDY CLAY
318	328	07 FINE SAND 08 MEDIUM SAND 04 SANDY CLAY
328	344	01 CLAY 04 SANDY CLAY
344	351	07 FINE SAND 08 MEDIUM SAND 04 SANDY CLAY
351	365	04 SANDY CLAY
365	377	28 ROCK 20 LIMESTONE 01 CLAY
377	385	01 CLAY
385	405	23 SANDSTONE 01 CLAY
405	423	23 SANDSTONE 01 CLAY
423	431	19 SHALE 23 SANDSTONE
431	446	23 SANDSTONE 19 SHALE 01 CLAY
446	471	19 SHALE 23 SANDSTONE
471	502	23 SANDSTONE 19 SHALE 01 CLAY
502	542	19 SHALE 01 CLAY 23 SANDSTONE
542	546	19 SHALE 23 SANDSTONE
546	579	23 SANDSTONE 01 CLAY
579	585	23 SANDSTONE
585	613	23 SANDSTONE
613	618	20 LIMESTONE

7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was Constructed under my jurisdiction and was completed on (mo/day/year) 05/05/94 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 145 This Water Well Record was completed on (mo/day/yr) 05/16/94 under the business name of HENKLE DRILLING & SUPPLY by (signature) 