

W	_	_	<b>RECORD</b>	-	WWC-5 1253			ion of Wat		W	Vall ID	
1		Original Record       Correction       Change in Well Use         LOCATION OF WATER WELL:       Fraction				Resources App. No.         Well ID           Section Number         Township Number         Range Number			ge Number			
•	County				1/4 1/4 1/4	1⁄4	been	ion round	01	T S	R	$\Box E \Box W$
2	2 WELL OWNER: Last Name: First: Street or Rural Add							re well is located (if ursection): If at owner's a		distance and		
3	LOCAT	E WELL					C.					
	WITH "	X" IN			<b>IPLETED WELL:</b> .							
w	Well water was ft.				Dry We ft. .yr) yr) t. gpm t.	/ Well       Datum: □ WGS 84 □ NAD 83 □ NAD 27         ft.       Source for Latitude/Longitude:          □ GPS (unit make/model:)						
	1		Estimated Y		s pumping	gpm	n <b>6 Elevation</b> :ft.			Ground	Level □ TOC	
I		S			gpm in. to	ft and		Source:  Land Survey  GPS  Topographic Map				
	1 n	-	Dore Hole I		in. to					Other		
7	WELL V	WATER T	O BE USED A	AS:								
2.	Domestic: Housel Lawn & Livesto Feedlo	c:       5. □ Public Water Supply: well ID         chold       6. □ Dewatering: how many wells?         & Garden       7. □ Aquifer Recharge: well ID         tock       8. □ Monitoring: well ID         tion       9. Environmental Remediation: well ID			) 	 	<ul> <li>10. Oil Field Water Supply: lease</li> <li>11. Test Hole: well ID</li> <li>Cased Ouncased Geotechnical</li> <li>12. Geothermal: how many bores?</li></ul>					
	Industr			Recovery	e 🗌 Soil Vapor I	LATIACTION		b) Open Loop □ Surface Discharge □ Inj. of Water 13. □ Other (specify):				
					-	Vac DI	No			nple was submitted:		
		disinfected					NO 1	II yes, uai	e sai	ipie was sublinued	•••••	
					C 🗆 Other	C	SING	G IOINTS	<u>з. г</u>	Glued Clamped	Welded	□ Threaded
8 TYPE OF CASING USED:       Steel       PVC       Other       CASING JOINTS:       Glued       Clamped       Welded       Threaded         Casing diameter       in. to       in. to       in. to       in. to       in. to       ft.         Casing height above land surface       in. Weight       in. to       in. to       ft.       Wall thickness or gauge No.         TYPE OF SCREEN OR PERFORATION MATERIAL:												
SC										ft., From	ft. to	ft.
										ft., From		
					ft., From	ft. to		ft., From		ft. to	ft.	
	Nearest source of possible contamination:         Septic Tank       Lateral Lines       Pit Privy       Livestock Pens       Insecticide Storage         Sewer Lines       Cess Pool       Sewage Lagoon       Fuel Storage       Abandoned Water Well         Watertight Sewer Lines       Seepage Pit       Feedyard       Fertilizer Storage       Oil Well/Gas Well         Other (Specify)       Distance from well?       Distance from well?       ft.											
	FROM	TO		ITHOLOG		FROM				HO. LOG (cont.) or PL	UGGIN	GINTERVALS
10	110101	10				INON	•	10			00000	
						1						
		Notes:										
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed, reconstructed, or plugged under my jurisdiction and was completed on (mo-day-year) and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No This Water Well Record was completed on (mo-day-year)												
1	Send one copy to WATER WELL OWNER and retain one for your records. Fee of \$5.00 for each constructed well. KS Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-3565.											
	Visit us at <u>http://www.kdheks.gov/waterwell/index.html</u> KSA 82a-1212											

Form	WWC5				
Contractor	Hydro Resources Mid Continent, Inc.				
Well Owner					
Doc ID	1253053				

## Litholgy

From	То	LithologicLog
0	20	brown clay
20	40	med clay & brown strips
40	100	brown clay
100	160	clay and sand
160	180	gravel and sand
180	230	gravel
230	240	fine sand and clay
240	250	sand and brown clay
250	280	gravel
280	290	gravel w/ fine sand
290	300	sand and strips of brown clay
300	310	gravel
310	320	brown clay w/ yellow strips
320	330	brown clay
330	340	black shale w/ hard spots
340	390	black shale
390	400	white sand w/ strips of brown sand
400	440	white sand
440	450	white sand w/ hard spots
450	460	fine sand
460	480	fine sand
480	500	fine sand w/ strips of brown sand

Form	WWC5				
Contractor	Hydro Resources Mid Continent, Inc.				
Well Owner					
Doc ID	1253053				

## Litholgy

From	То	LithologicLog
500	520	fine sand
520	540	fine sand w/ strips of white sand
540	560	fine sand
560	580	fine brown sand
580	600	brown fine sand w/ strips of white sand
600	620	brown fine sand
620	645	fine brown sandy w/ strips of white sand
645	664	red clay w/ some brown rock mix
664	669	red bed