USE TYPEWRITER OR BALL POINT PEN-PRESS FIRMLY, PRINT CLEARLY.

WATER WELL RECORD KSA 82a-1201-1215

Kansas Department of Health and Environment-Division of Environment (Water well Contractors) Topeka, Kansas 66620

	County	Fraction		Section number		Township number	Range number		
1. Location of well:	STANTON	NE VANE VASE 1	1/4	/		1 28 s	R 49	E/W	
2. Distance and direction from nearest town or city:					ner of well: ERWIN FEIRE TAY				
I Street address of well location if in city					street: 8601 5 HANNON ENPLY ste, zip code: WICHITA KS,				
4. Locate with "X" i	in section below:	Sketch map:	<u> </u>	,,			Completion date	2.7.7	
N		·				Well depth 337 ft.			
ig:	-	<i>7</i> •				7 Cable tool Rotary			
	NE	. •	•		ŀ	B. Use: Domestic Pul		se rotary	
	- 						blic supply Indu r conditioning Stoo	, ,	
sw	i SE					· · · · · · · · · · · · · · · · · · ·	l field water Oth	—	
	1	*5-	in.			9. Casing: Material TTE E		olow in.	
S		• •			ĺ	RMP PVC	Weight	_lbs./ft.	
1 M		••	. 1	C	,	Dia. in. to 335 ft. dept		hes or	
5. Type and color of	material FINE SAND)	ř	From	ڻو	10. Screen: Manufacturer's n	ame BROWN		
FINE	TO MED SAKID	VC/BIACTUC	ļ	90	41	Type 10 %			
200				<i>,</i>	12	Slot/gauze	Dia. 6 Length 80		
MED	TOCOADS ES	ANDA CLAYS	7/2	40	60	Set betweenft. or	ft, and	ft.	
MEDTO	COARSFSAV	DaclayST/45		60	50	Gravel pack? Size ran		2aux	
C - NOCE	こ マカルハ コラルカノ	F)		80)	100	11. Static water level:		/day/yr.	
COARSE	SAND ZYKNU				100	236 ft. below land surf		-/-	
COMPSE	SAW DA SHN/E	LL CLAY STA	ا کا	100	<u> </u>	12. Pumping level below land ft. after h	_	g.p.m.	
BROWN	CLAUSTKS	CIARSESAN	120	120	140	ft. after h	rs. pumping	g.p.m.	
anglish		CART CAND		141	160	Estimated maximum yield 13. Water sample submitted:	mo.,	-g.p.m. /day/yr.	
	CLON 1955THSC	OFICESTAVE			100	· /	Date		
COARSI	FSANDA SRA	VEL		160	180	14. Well head completion:	In dear also a		
SOBRSE	SANNITRN	ELXCLAYSTM	ی	180	200	Pitless adapter 15. Well grouted?	Inches above g	J GGE	
		·		100	990	With: Neat cement		Concrete	
(C) 14 (C) 1		ELLSLAGSTA				Depth: From ft. to ,			
COARS	ESANDISADU	ELLCLAYSTE	45	720	240	16. Nearest source of possible ft Direction			
MEDTO	DEABOTEAND	LCCAUSTIN	<u>- </u>	240	260	Well disinfected upon comple	• • •	No	
men			,	<i>I</i> 60	957	17. Pump: Manufacturer's name	Not installed	,	
TIEUS	AND KIJELL	ous congs Th	(F)		181	Model number	_ HP Volt		
MEO	FINE SANDA	GELLOWC CX	24	280	300	Length of drop pipe	ft. capacity	g.p.m.	
1151	LOWARCIE	CLAUS	/	300	320	Type: Submersible	Turbine		
21.	ESUME LRO) C (C) heet if needed)		_	3/4	Jet	Reciprod		
18. Elevation:	19. Remarks:	neer if needed)		320	241	Centrifugal	Other		
.o. Elevation:	res naturales;					20. Water well contractor's c This well was drilled under my		report	
Topography:						is true to the best of my know	ledge and belief.	-	
Hill		-				Business name	Lice	ense No.	
Slope		2 a 5			·	Address ————		\$	
Upland		;				Signed ————————————————————————————————————	Date -	— _{\\rights}	