USE TYPEWRITER OR BALL
POINT PEN-PRESS FIRMLY,
PRINT CLEARLY.

## WATER WELL RECORD KSA 82a-1201-1215

Kansas Department of Health and Environment-Division of Environment (Water well Contractors) Topeka, Kansas 66620

						Topeka, Kansas 66620				
County	Fraction	Section	number	Township number Range number						
1. Location obwell: Stanton	SE <sub>1/4</sub> SE <sub>1/4</sub> SE	1/4	24	T 23	28 <sub>s</sub>	R	42	E/W		
2. Distanting and direction from flearest town or city:	l:	Mat Jay F	iggins	;						
Street address with Samuel 1 Johnson, Ks.  5 West 1 northof R.R. or street: City, state, zip code:				Johnson, Kansas 67855						
4. Locate with "X" in section below:	Cl. 1 I			6. Bore hole dia.	9½ in.	Completio	on date			
N	لح کے	0.		Well depth _3				<u>6                                    </u>		
4. Locare with "A" in section below:  N  N  N  N  N  N  N  N  N  N  N  N  N			,	7 Cable tool X_ Rotary Driven Dug Hollow rod Jetted Bored Reverse rotary						
	Ligar	dln	8. Use: X Domestic Public supply Industry Irrigation Air conditioning Stock Lawn Oil field water Other							
# W										
SW SE	alduna	1								
! Stawitt Lip				9. Casing: Material Styrate@ht: &bove or below  Threaded Welded Surface in  RMP PVC Weight lbs./ft						
5 1 Mile				RMP P\ Dia in, to _3	/C 00tdent	¦Weight _ -b!Wall Thi	ckness: inch	lbs./ft. nes or		
5. Type and color of material		From	То	Dia in. to	ft.dept	h gage No	.320			
Sure Co. o.			12	10. Screen: Manu				er_		
Surface		0	2	Type sty Slot/gauze 1/1	rene	_ Dia	5" 60"fee	<del></del>		
Sandy clay		2	59	Slot/gauze <u>1/1</u> Set between <u>3</u>	00	_ Length ft and	360	<u>ft.</u>		
Brown clay		59	83	Gravel pack? _X	ft. a	nd		ft.		
-				11. Static water le		ige of male		day/yr.		
Fine sand w/clay strips		83	179	<u>210</u> ft. belo	ow land surf	***************************************				
Medium to coarse sand w/clay	breakers	179	360	12. Pumping level				g.p.m.		
				ft. after	h	rs. pumping	9	g.p.m.		
				Estimated maximum		50		g.p.m. day/yr.		
			<u> </u>	'		Date				
				14. Well head com	pletion:					
				X Pitless adapt		Incl	hes above g	aae		
				With:Neat o	ement _X			oncrete		
				Depth: From						
			<u> </u>	16. Nearest source ft. <u>180</u> Dir	ection S	CONTAMINA	ype Sy	[14.		
				Well disinfected u	pon comple			No		
				17. Pump: Manufacturer's na		<b>X</b> — Not				
				Model number			Volts			
				Length of drop pip Type:	· ———	_ п. сара		a·b·w.		
			ļ	Submersible	•	_	Turbine Reciproc	atina		
(Use a second	sheet if needed)			Centrifuga	l		Other	-ung		
18. Elevation: 19. Remarks:				20. Water well co						
				This well was drill is true to the best	•			eport		
Topography: Hill				Houck	Bros.	Drlg.	164			
Slope				Business name BOX Address	487,	Ulyss	es, "K	se No.		
Upland Valley			7	Signed Aut	horized rep	esentative	<u> </u>   <u>  2</u>	2/7K		
valley				L Aur	morred reb					