	WA	TER WELL REC	ORD Form	WWC-5	KSA 82a-1	1212 ID No	D			
1 LOCATION OF WAT		Fraction			Sec	tion Number	Township Numb	oer	Range Number	
County: Kingman	***	SW 1/4	NW 1/4	SW 1/4		2	T 28	s	R 5W E/W	
Distance and direction fr 5S of Mt. V			ddress of well	if located w	ithin city?					
2 WATER WELL OWN	•		S:	terlina	Drilli	ng Compai	ıv Ti	p Top #	#5	
<del>-</del>	1 Day	k Ave.		. 0. Bo			_			
RR#, St. Address, Box # City, State, ZIP Code	Hills:	boro, KS 6	7063 Pi	ratt, K	s. 6712	4	Application Nu	mber: 200	sion of Water Resources 060003	
3 LOCATE WELL'S LOC		4 DEPTH OF C	OMPLETED V	VELL		ft. ELEVA	TION: unknown			
AN "X" IN SECTION E	BOX:	Depth(s) Groun	dwater Encou	ntered 1	12	ft.	2	ft. 3	ft.	
	i	WELL'S STATIO	D WATER LEV	Well water	tt. belo	w land surfac	e measured on mo/da	bours num	/.10/.06gpm	
	i i	Est. Yield	gpm:	Well water	was was	ft. a	after	hours pur	ping gpm	
NW NE WELL WATER TO BE USED AS: 5 Public water s							8 Air conditioning		ction well	
1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below								` ' '		
W i	E	2 Irrigation	4 Industr	ial 7 D	omestic (law	n & garden)	10 Monitoring well	•••••		
X -										
Was a chemical/bacteriological sample submitted to Department? Yes; If yes, mo/day/yrs sample was sul										
mitted Water Well Disinfected? Yes No										
S										
5 TYPE OF BLANK C			5 Wrought in		8 Concre				Clamped	
1 Steel 2 PVC	3 RMP (S 4 ABS	R)	6 Asbestos-6 7 Fiberglass			(specify below	)		led	
		in to							in. toft.	
									NoSch40	
1 -	III., weigii	٠ <u>ح.،،</u> .0	7 PV							
TYPE OF SCREEN OR PERFORATION MATERIAL:  1 Steel 3 Stainless Steel			5 Fiberglass			U MP(SR)		10 Asbestos-Cement 11 Other (Specify)		
2 Brass	zed Steel	6 Concrete tile		9 ABS `			used (oper			
SCREEN OR PERFOR	ATION OPENII	NGS ARE:		5 Guaze	d wrapped		8 Saw cut	1	1 None (open hole)	
1 Continuous slot		6 Wire w			9 Drilled holes		, ,			
2 Louvered shutter 4 Key punched 7 Torch cut 10 Other (specify)ft.										
SCREEN-PERFORATE	D INTERVALS	: From	31	ft. to	51	ft., From		ft. to	ft.	
									ft.	
GRAVEL PAC	CK INTERVALS								ft.	
		F10111		11. 10	•••••	16., FIOIII		11. 10		
6 GROUT MATERIAL		at cement	2 Cement		3 Bent					
Grout Intervals: From	10	ft. to20	ft., Fro	m	ft. t	o	ft., From		ft. toft.	
What is the nearest source of possible contamination:						10 Lives	tock pens	14 Aba	andoned water well	
1 Septic tank 4 Lateral lines			7	Pit privy		11 Fuel storage		<u>15 Oil </u>	well/Gas well	
2 Sewer lines 5 Cess pool			8	Sewage la	goon 12 Fertilizer sto		zer storage	16 Oth	er (specify below)	
3 Watertight sewer	page pit theast	9	Feedyard		13 Insecticide storage					
Direction from well?				How mar	ny feet? 90					
FROM TO		LITHOLOGI	LOG		FROM	ТО	PLUG	GING INTE	ERVALS	
0 2	top soi	1								
2 25	clay									
25 43		d gravel								
43 51	shale									
7										
									r my jurisdiction and was	
completed on (mo/day/y	ear)0.	1.7.107.00				and this re	ecord is true to the bes	t of my know	wledge and belief. Kansa	
Water Well Contractor's	Licence No	18b	Joll C	inis Water	vveii Hecord	was complete	ea on (mo/day/yr)	.01./.1.4/.	n Houd	
under the business nam	iso VEII	y s water	well Serv	ice, If	IC	БУ	(Signature)	(nur	n Matour	

INSTRUCTIONS: Use typewriter or ball point pen. <u>PLEASE PRESS FIRMLY</u> and <u>PRINT</u> clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-5522. Send one to WATER WELL OWNER and retain one for your records. Fee of \$5.00 for each <u>constructed</u> well.