KOLAR Document ID: 1472076

WATER WELL RECORD Form WWC-5 Original Record Correction Correction Change in Well Use						Division of Water Resources App. No. Well ID					
								Township Numb	Well ID	ga Numbar	
1 LOCATION OF WATER WELL: Fr County:				1⁄4	1/4 Sec	tion Numb	ber	T S	R R	ge Number $\Box \to \Box W$	
county!						treet or Rural Address where well is located (if unknown, distance and					
Business:		rection from nearest town or intersection): If at owner's address, check here:									
Address:											
Address:											
City:	T	State:	ZIP:								
3 LOCATE WELL	4 DEPTH	OF COM	IPLETED WELL	:	ft	5 Lati	tude	:		(decimal degrees)	
WITH "X" IN SECTION BOX:	Depth(s) Gr										
N SECTION BOX.		ft		Dry Well Datum: WGS 84 NAD 83 NAD 27							
	WELL'S ST		Source for Latitude/Longitude.								
		/r)		GPS (unit make/model:)			,				
NW NE	D above land surface, measured on (mo-day-yr) Pump test data: Well water was ft.						(WAAS enabled? Yes No)			(o)	
	-	after				Land Survey					
W E	unter	Well water was ft.									
SWSE	after hours pumping										
	Estimated Yield:gpm				-	6 Elevation:ft. Ground Level TOC					
S	Bore Hole Diameter: in. to					Source: \Box Land Survey \Box GPS \Box Topographic Map					
1 mile	in. to ft.										
7 WELL WATER TO BE USED AS:											
1. Domestic: ☐ Household	5. Deutstering: how mony wells?										
Lawn & Garden	6. □ Dewatering: how many wells? 7. □ Aquifer Recharge: well ID										
Livestock	8. Monitoring: well ID							al: how many bores			
2. Irrigation	9. Environmental Remediation: well ID							Loop Horizont			
3. 🗌 Feedlot	☐ Air Sparge ☐ Soil Vapor Ext				xtraction	b) Open Loop 🗌 Surface Discharge 📋 Inj. of Water					
4. 🗌 Industrial		13. 🗌 Other (specify):									
Was a chemical/bacteriological sample submitted to KDHE? Yes No If yes, date sample was submitted:											
Water well disinfected? Ves No											
8 TYPE OF CASING USED: Steel PVC Other CASING JOINTS: Glued Clamped Welded Threaded											
Casing diameter in. to ft., Diameter in. to ft., Diameter in. to ft.											
Casing height above land surface in. Weight lbs./ft. Wall thickness or gauge No											
TYPE OF SCREEN OR PERFORATION MATERIAL:											
Steel Stainless Steel PVC Other (Specify)											
Brass Galvanized Steel None used (open hole) SCREEN OR PERFORATION OPENINGS ARE: Image: Comparison of the sector of											
□ Continuous Slot □ Mill Slot □ Gauze Wrapped □ Torch Cut □ Drilled Holes □ Other (Specify)											
□ Louvered Shutter □ Key Punched □ Wire Wrapped □ Saw Cut □ None (Open Hole)											
SCREEN-PERFORATED INTERVALS: From ft. to ft., From ft., From ft. to ft.											
GRAVEL PACK INTERVALS: From ft. to ft., From ft. to ft. to ft.											
9 GROUT MATERIAL: Deat cement Cement grout Bentonite Other											
Grout Intervals: From	ft. to		ft., From	f	t. to	ft., Fron					
Nearest source of possibl			potential source of c								
Septic Tank		Lateral Line				Livestock P			ide Storage		
Sewer Lines Cess Pool Sewage Lagoon Fuel Storage Abandoned Water Well Watertight Sewer Lines Seepage Pit Feedyard Fertilizer Storage Oil Well/Gas Well											
□ Watertight Sewer Lin						refunzer S	lorage		n/Gas wen		
Direction from well? ft.											
10 FROM TO		ITHOLO			FROM	ТО		THO. LOG (cont.) or		G INTERVALS	
							 				
							<u> </u>				
<u> </u>					Notes:						
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed, reconstructed, or plugged											
under my jurisdiction and was completed on (mo-day-year) and this record is true to the best of my knowledge and belief.											
Kansas Water Well Contractor's License No											
under the business name	<u>e of</u>	<u></u>		<u> </u>	<u></u>	<u></u>		······	<u></u>		
WG D	under the business name of										
KS Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-3565. Visit us at http://www.kdheks.gov/waterwell/index.html KSA 82a-1212											