KOLAR Document ID: 1607585

	WELL R			WWC-5			sion of Wate						
		Correction		e in Well Use		1	irces App. N			Well ID			
1 LOCATION OF WATER WELL:			Fraction	raction $\frac{1}{4}$ $\frac{1}{4}$ $\frac{1}{4}$ $\frac{1}{4}$ Sect			on Number Township Numb T S			ige Number			
						$\frac{14}{14}$ T S R \square E treet or Rural Address where well is located (if unknown, distance							
							rection from nearest town or intersection): If at owner's address, check here:						
Address:								rection nonn nearest town of intersection). If at owner 5 address, eneck here.					
Address:													
City:			State:	ZIP:									
3 LOCAT		4 DEPTH	OF COM	IPLETED WELL:		ft.	5 Latit	nde.			(decimal degrees)		
WITH "X" IN SECTION BOX: 4 Det III OF COMI LETED WELL. Depth(s) Groundwater Encountered: 1)						0					-		
	N 2) ft. 3) ft., or								WGS 84 INAI		IAD 27		
		WELL'S ST				Source for Latitude, Longitude.							
I	X	 below land surface, measured on (mo-day-yr) above land surface, measured on (mo-day-yr) 											
NW	NE	Pump test data: Well water was ft.				•••••	······ (WAAS enabled? ☐ Yes ☐ No) ☐ Land Survey ☐ Topographic Map				io)		
w	Е	after hours pumping											
		Well water was ft.					Online Mapper:						
SW	SE	after hours pumping gp					6 Elevation & Cound Level D TOC						
		Estimated Yield:gpm				6 Elevation:ft. □ Ground Level □ TO Source: □ Land Survey □ GPS □ Topographic Ma							
	S milo	Bore Hole Diameter: in. to											
7 WELL WATER TO BE USED AS: 1. Domestic: 5. Public Water Supply: well ID 10. Oil Field Water Supply: lease 													
	$\Box \text{ Household} \qquad \qquad$												
				Recharge: well ID				Cased Uncased Geotechnical					
	Livestock 8. Monitoring: well ID							12. Geothermal: how many bores?					
	2. Irrigation 9. Environmental Remediation: well ID								Loop Horizont				
3.				-			b) Open Loop \Box Surface Discharge \Box Inj. of Water						
4. Industrial Recovery Injection 13. Other (specify):													
Was a chemical/bacteriological sample submitted to KDHE? \Box Yes \Box No If yes, date sample was submitted:													
Water well disinfected? Yes No													
8 TYPE OF CASING USED: Steel PVC Other CASING JOINTS: Glued Clamped Welded Threaded Casing diameter													
Casing diameter in. to it., Diameter in. to it., Diameter it. Diameter it. Casing height above land surface in. Weight lbs./ft. Wall thickness or gauge No.													
TYPE OF SCREEN OR PERFORATION MATERIAL:													
\Box Steel \Box Stainless Steel \Box PVC \Box Other (Specify)													
Brass Galvanized Steel None used (open hole)													
SCREEN OR PERFORATION OPENINGS ARE:													
□ Continuous Slot □ Mill Slot □ Gauze Wrapped □ Torch Cut □ Drilled Holes □ Other (Specify)													
		Key Punch			Saw Cut		one (Open H			ft to	ft		
SCREEN-PERFORATED INTERVALS: From ft. to ft., From ft. to ft., From ft. to ft. or ft. to ft. ft. ft. ft. ft. ft. ft. ft. ft.													
				Cement grout \Box H									
				ft., From									
		e contaminatio		potential source of co									
Septic '			ateral Line				Livestock Pe			cide Storage			
			Cess Pool	Sewage L			Fuel Storage			oned Water			
	ight Sewer Lin		eepage Pit			ЦF	Fertilizer Sto	orage	∐ Oil We	ll/Gas Well			
Direction from well? ft.													
10 FROM	TO		ITHOLO		FRO		TO		HO. LOG (cont.) or		G INTERVALS		
					Note	s:							
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was a constructed, reconstructed, or plugged													
under mv i	urisdiction ar	id was compl	eted on (n	no-day-year)		and f	his record i	is tri	ie to the best of m	y knowled	ge and belief.		
Kansas Wa	ter Well Con	tractor's Lice	nse No	This W	Vater We	1 Reco	ord was con	nple	ted on (mo-day-ye	ear)			
under the business name of													
Send one copy to WATER WELL OWNER and retain one for your records. Fee of \$5.00 for each constructed well. KS Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-3565.													
		ks.gov/waterwell					, Sano 720,	- opc	, 1		SA 82a-1212		