

1 LOCATION OF WATER WELL: County: Kingman		Fraction SE 1/4 SW 1/4 SE 1/4		Section Number 29		Township Number T 28 S		Range Number R 7 E																																																																																					
Distance and direction from nearest town or city street address of well if located within city? 3Miles South, 1/2 Mile West, 1Mile South 3/4 Mile East of Kingman, Kans.																																																																																													
2 WATER WELL OWNER: Mike & Mandi Garrison RR#, St. Address, Box # : 315 West C, Apt 301 City, State, ZIP Code : Kingman, Kans. 67068 Board of Agriculture, Division of Water Resources Application Number:																																																																																													
3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:			4 DEPTH OF COMPLETED WELL: 93' ft. ELEVATION:																																																																																										
			Depth(s) Groundwater Encountered 1. 33' ft. 2. _____ ft. 3. _____ ft. WELL'S STATIC WATER LEVEL 31' ft. below land surface measured on mo/day/yr OCT. 28, 1996 Pump test data: Well water was _____ ft. after _____ hours pumping _____ gpm Est. Yield 35 gpm: Well water was NA ft. after _____ hours pumping _____ gpm Bore Hole Diameter 7 7/8 in. to 93' ft. and _____ in. to _____ ft. WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well 1 Domestic ☒ 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below) 2 Irrigation 4 Industrial 7 Lawn and garden only 10 Monitoring well _____ Was a chemical/bacteriological sample submitted to Department? Yes _____ No ☒ If yes, mo/day/yr sample was submitted _____ Water Well Disinfected? Yes ☒ No _____																																																																																										
			5 TYPE OF BLANK CASING USED:																																																																																										
			1 Steel 3 RMP (SR) 5 Wrought iron 8 Concrete tile CASING JOINTS: Glued ☒ Clamped _____ 2 PVC ☒ 4 ABS 6 Asbestos-Cement 9 Other (specify below) Welded _____ 7 Fiberglass _____ Threaded _____ Blank casing diameter 5 in. to 83' ft. Dia _____ in. to _____ ft. Dia _____ in. to _____ ft. Casing height above land surface 14 in. weight 2.355 lbs./ft. Wall thickness or gauge No. SDR 26 TYPE OF SCREEN OR PERFORATION MATERIAL: ☒ PVC 10 Asbestos-cement 1 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR) 11 Other (specify) _____ 2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS 12 None used (open hole) SCREEN OR PERFORATION OPENINGS ARE: 5 Gauzed wrapped 8 Saw cut ☒ 11 None (open hole) 1 Continuous slot 3 Mill slot 6 Wire wrapped 9 Drilled holes 2 Louvered shutter 4 Key punched 7 Torch cut 10 Other (specify) _____ SCREEN-PERFORATED INTERVALS: From 93' ft. to 83' ft. From _____ ft. to _____ ft. From _____ ft. to _____ ft. From _____ ft. to _____ ft. GRAVEL PACK INTERVALS: From _____ ft. to _____ ft. From _____ ft. to _____ ft. From 93 ft. to 33' ft. From _____ ft. to _____ ft.																																																																																										
			6 GROUT MATERIAL: 1 Neat cement 2 Cement grout ☒ Bentonite 4 Other _____ Grout Intervals: From 33' ft. to 5' ft. From _____ ft. to _____ ft. From _____ ft. to _____ ft. What is the nearest source of possible contamination: ☒ 10 Livestock pens 14 Abandoned water well 1 Septic tank 4 Lateral lines 7 Pit privy 11 Fuel storage 15 Oil well/Gas well 2 Sewer lines 5 Cess pool 8 Sewage lagoon 12 Fertilizer storage 16 Other (specify below) 3 Watertight sewer lines 6 Seepage pit 9 Feedyard 13 Insecticide storage _____ Direction from well? SW How many feet? App: 1200'																																																																																										
<table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th style="width:10%;">FROM</th> <th style="width:10%;">TO</th> <th style="width:40%;">LITHOLOGIC LOG</th> <th style="width:10%;">FROM</th> <th style="width:10%;">TO</th> <th style="width:20%;">PLUGGING INTERVALS</th> </tr> </thead> <tbody> <tr> <td>0'</td> <td>7'</td> <td>Top soil.</td> <td></td> <td></td> <td></td> </tr> <tr> <td>7'</td> <td>12'</td> <td>Fine Dry Sand.</td> <td></td> <td></td> <td></td> </tr> <tr> <td>12'</td> <td>19'</td> <td>Sandy Clay.</td> <td></td> <td></td> <td></td> </tr> <tr> <td>19'</td> <td>27'</td> <td>Clay w/clay strips.</td> <td></td> <td></td> <td></td> </tr> <tr> <td>27'</td> <td>34'</td> <td>Clay.</td> <td></td> <td></td> <td></td> </tr> <tr> <td>34'</td> <td>46'</td> <td>Fine sand.</td> <td></td> <td></td> <td></td> </tr> <tr> <td>46'</td> <td>54'</td> <td>Brown Clay.</td> <td></td> <td></td> <td></td> </tr> <tr> <td>54'</td> <td>63'</td> <td>Fine Brown Sand.</td> <td></td> <td></td> <td></td> </tr> <tr> <td>63'</td> <td>71'</td> <td>Medium Course Sand.</td> <td></td> <td></td> <td></td> </tr> <tr> <td>71'</td> <td>80'</td> <td>Clay.</td> <td></td> <td></td> <td></td> </tr> <tr> <td>80'</td> <td>90'</td> <td>Course Sand.</td> <td></td> <td></td> <td></td> </tr> <tr> <td>90'</td> <td>91'</td> <td>Course Sand & Fine Gravel.</td> <td></td> <td></td> <td></td> </tr> <tr> <td>91'</td> <td>93'</td> <td>Red Bed.</td> <td></td> <td></td> <td></td> </tr> </tbody> </table>										FROM	TO	LITHOLOGIC LOG	FROM	TO	PLUGGING INTERVALS	0'	7'	Top soil.				7'	12'	Fine Dry Sand.				12'	19'	Sandy Clay.				19'	27'	Clay w/clay strips.				27'	34'	Clay.				34'	46'	Fine sand.				46'	54'	Brown Clay.				54'	63'	Fine Brown Sand.				63'	71'	Medium Course Sand.				71'	80'	Clay.				80'	90'	Course Sand.				90'	91'	Course Sand & Fine Gravel.				91'	93'	Red Bed.			
FROM	TO	LITHOLOGIC LOG	FROM	TO	PLUGGING INTERVALS																																																																																								
0'	7'	Top soil.																																																																																											
7'	12'	Fine Dry Sand.																																																																																											
12'	19'	Sandy Clay.																																																																																											
19'	27'	Clay w/clay strips.																																																																																											
27'	34'	Clay.																																																																																											
34'	46'	Fine sand.																																																																																											
46'	54'	Brown Clay.																																																																																											
54'	63'	Fine Brown Sand.																																																																																											
63'	71'	Medium Course Sand.																																																																																											
71'	80'	Clay.																																																																																											
80'	90'	Course Sand.																																																																																											
90'	91'	Course Sand & Fine Gravel.																																																																																											
91'	93'	Red Bed.																																																																																											
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) Oct. 28 - 1996 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 112 This Water Well Record was completed on (mo/day/yr) Nov. 14 1996 under the business name of Wells Drilling Co. by (signature) <i>Sal Wells</i>																																																																																													