		TER WELL RECORD FO			
LOCATION OF WATER WE		SE 14 SW	Section Number	Township Number	Range Number
Distance and direction from n	· •		Street address of well if	T 28 S	R / E(W)
Distance and direction from n	NIZEAL	AM ROB	Other address of well if		
WATER WELL OWNER:	FLOYD 5	raber	4 - 4	1	
City, State, ZIP Code	Kingn	nankah	cas 6706	Board of Agriculture Application Number:	Division of Water Resources
DEPTH OF COMPLETED				7)	in. to ft.
Well Water to be used as:	5 Public water		8 Air conditioning	11 Injection we	
1 Domestic 3 Feedlot	6 Oil field water	11.2	9 Dewatering	12 Other (Spec	
2 Irrigation 4 Industria		•	10 Observation well	٠٠٠٠٠٠٠ وحد	
Well's static water level . 1.6					
Pump Test Data Est. Yield 2	: Well water was. gpm: Well water was			hours pumping	gpm   gpm
4 TYPE OF BLANK CASING	G USED:	5 Wrought iron	8 Concrete tile	Casing Joints Glu	gpm
1 Steel 3	RMP (SR)	6 Asbestos-Cement	9 Other (specify below	v) We	ded
	4 ABS	7 Fiberglass	<u></u>	Thr	ded
Blank casing dia 5	in. to	ft., Dia	📆 in. to 5 2	, ft., Dia	in. to ft.
Casing height above land sur		in., weight	lbs	/ft. Wall thickness or gauge	No. 2. 5. 1.
TYPE OF SCREEN OR PERI	FORATION MATERIAL:	•	7 PVC	10 Asbestos-cen	nent
	3 Stainless steel	5 Fiberglass	8 RMP (SR)	11 Other (specification)	<i>(</i> )
4	4 Galvanized steel	6 Concrete tile	9 ABS	12 None used (d	, ,
Screen or Perforation Opening	•	5 Gauzed	• •	8 Saw cut	11 None (open hole)
1 Continuous slot	3 Mill slot	6 Wire wr	• •	9 Drilled holes	
2 Louvered shutter	4 Key punched	7 Torch cu		, , , , , , , , , , , , , , , , , , , ,	· · · · · · · · · · · · · · · · · · ·
Screen-Perforation Dia		_ <del></del>			in to
Screen-Perforated Intervals:					
Gravel Pack Intervals:	From / . 3	ft. to 3.2	ft., From	ft. to	
	From	ft. to	ft., From	ft. to	ft.i
			10., 110111		
5 GROUT MATERIAL:	1 Neat cement	2 Cement grout	3 Bentonite 4	Other	
	1 Neat cement	2 Cement grout	3 Bentonite 4	Other	ft. to
Grouted Intervals: From What is the nearest source of	3 ft. to	2 Cement grout	3 Bentonite 4	Other ft., Fromstorage 14	ft. toft. Abandoned water well
Grouted Intervals: From What is the nearest source of 1 Septic tank	f possible contamination: 4 Cess pool	2 Cement grout 1.5 ft., From 7 Sewage lagoor	3 Bentonite 4ft. to 10 Fuel n 11 Fertil	Other	ft. to ft. Abandoned water well Oil well/Gas well
Grouted Intervals: From	f possible contamination: 4 Cess pool 5 Seepage pit	2 Cement grout 1.5 tt., From 7 Sewage lagoon 8 Feed yard	3 Bentonite 4	Other	ft. toft. Abandoned water well
Grouted Intervals: From What is the nearest source of 1 Septic tank 2 Sewer lines 3 Lateral lines	f possible contamination: 4 Cess pool 5 Seepage pit 6 Pit privy	2 Cement grout 1.5 tt., From 7 Sewage lagoor 8 Feed yard 9 Livestock pens	3 Bentonite 4ft. to 10 Fuel n 11 Fertil 12 Insec	Other	ft. to
Grouted Intervals: From  What is the nearest source of 1 Septic tank 2 Sewer lines 3 Lateral lines  Direction from well	f possible contamination: 4 Cess pool 5 Seepage pit 6 Pit privy	2 Cement grout 1.5 tt., From 7 Sewage lagoor 8 Feed yard 9 Livestock pens w many feet	3 Bentonite 4	Other	ft. to
Grouted Intervals: From  What is the nearest source of 1 Septic tank 2 Sewer lines 3 Lateral lines  Direction from well  Was a chemical/bacteriologica	f possible contamination: 4 Cess pool 5 Seepage pit 6 Pit privy Ho al sample submitted to De	2 Cement grout 1.5tt., From 7 Sewage lagoor 8 Feed yard 9 Livestock pens w many feet	3 Bentonite 4	Other	ft. to
Grouted Intervals: From  What is the nearest source of 1 Septic tank 2 Sewer lines 3 Lateral lines  Direction from well  Was a chemical/bacteriological was submitted	f possible contamination: 4 Cess pool 5 Seepage pit 6 Pit privy Ho al sample submitted to Do	2 Cement grout 1.5 tt., From 7 Sewage lagoor 8 Feed yard 9 Livestock pens w many feet epartment? Yes	3 Bentonite 4	Other	ft. to
Grouted Intervals: From  What is the nearest source of 1 Septic tank 2 Sewer lines 3 Lateral lines  Direction from well	f possible contamination: 4 Cess pool 5 Seepage pit 6 Pit privy Ho al sample submitted to Domonth name	2 Cement grout 1.5 tt., From 7 Sewage lagoor 8 Feed yard 9 Livestock pens w many feet epartment? Yes	3 Bentonite 4	Other	ft. to
Grouted Intervals: From  What is the nearest source of 1 Septic tank 2 Sewer lines 3 Lateral lines Direction from well  Was a chemical/bacteriological was submitted	f possible contamination: 4 Cess pool 5 Seepage pit 6 Pit privy  Ho al sample submitted to Do month name	2 Cement grout 1.5 ft., From 7 Sewage lagoor 8 Feed yard 9 Livestock pens w many feet epartment? Yes day ft.	3 Bentonite 4  10 Fuel 11 Fertil 12 Insecting 13 Water 2 Water Note that the property of the p	Other  tt., From  storage 14  zer storage 15 ticide storage 16 rtight sewer lines  Well Disinfected? Yes  d? Yes HP	ft. to
Grouted Intervals: From  What is the nearest source of 1 Septic tank 2 Sewer lines 3 Lateral lines  Direction from well	f possible contamination: 4 Cess pool 5 Seepage pit 6 Pit privy Ho al sample submitted to Domonth	2 Cement grout 1.5 tt., From 7 Sewage lagoor 8 Feed yard 9 Livestock pens w many feet epartment? Yes day ft. 2 Turbine 3	3 Bentonite 4	Other  ft., From  storage 14  zer storage 15  ticide storage 16  rtight sewer lines  Well Disinfected? Yes  d? Yes  HP  rifugal 5 Reciprocat	ft. to
Grouted Intervals: From  What is the nearest source of 1 Septic tank 2 Sewer lines 3 Lateral lines  Direction from well  Was a chemical/bacteriological was submitted  If Yes: Pump Manufacturer's Depth of Pump Intake  Type of pump:  GONTRACTOR'S OR LAN	f possible contamination: 4 Cess pool 5 Seepage pit 6 Pit privy Ho al sample submitted to Do month name  1 Submersible NDOWNER'S CERTIFICA	2 Cement grout	3 Bentonite 4  ft. to  10 Fuel  11 Fertili  12 Insect  13 Water  Water  Note  year: Pump Installe  Model No	Other	ft. to
Grouted Intervals: From.  What is the nearest source of 1 Septic tank 2 Sewer lines 3 Lateral lines  Direction from well	f possible contamination: 4 Cess pool 5 Seepage pit 6 Pit privy  Ho al sample submitted to Do month name  1 Submersible  NDOWNER'S CERTIFICA	2 Cement grout  7 Sewage lagoon 8 Feed yard 9 Livestock pens w many feet epartment? Yes day  ft.  2 Turbine 3 TION: This water well was	3 Bentonite 4	Other	ft. to
Grouted Intervals: From  What is the nearest source of 1 Septic tank 2 Sewer lines 3 Lateral lines  Direction from well  Was a chemical/bacteriological was submitted  If Yes: Pump Manufacturer's Depth of Pump Intake  Type of pump:  CONTRACTOR'S OR LAN completed on  and this record is true to the	f possible contamination: 4 Cess pool 5 Seepage pit 6 Pit privy Ho al sample submitted to Do month name  1 Submersible NDOWNER'S CERTIFICA best of my knowledge ar	2 Cement grout  7 Sewage lagoon 8 Feed yard 9 Livestock pens w many feet epartment? Yes day ft. 2 Turbine 3 TION: This water well was month d belief. Kansas Water We	3 Bentonite 4  ft. to  10 Fuel  11 Fertili  12 Insect  13 Water  Water  Note  year: Pump Installe  Model No.  Pumps Capacity rated at  Jet 4 Cent  (1) constructed, (2) rect  day  Il Contractor's License N	Other  tt., From  storage 14  zer storage 15 ticide storage 16 rtight sewer lines  Well Disinfected? Yes  d? Yes  HP  rifugal 5 Reciprocat onstructed, or (3) plugged u	ft. to
Grouted Intervals: From.  What is the nearest source of 1 Septic tank 2 Sewer lines 3 Lateral lines  Direction from well	ft. to f possible contamination: 4 Cess pool 5 Seepage pit 6 Pit privy Ho al sample submitted to Do month name  1 Submersible NDOWNER'S CERTIFICA best of my knowledge ar completed on	2 Cement grout  1. From  7 Sewage lagoon 8 Feed yard 9 Livestock pens w many feet epartment? Yes day  ft.  2 Turbine 3 ITION: This water well was month d belief. Kansas Water We	3 Bentonite 4  ft. to  10 Fuel  11 Fertil  12 Insect  13 Water  Water  Note  year: Pump Installe  Model No.  Pumps Capacity rated at  Jet 4 Cent  s (1) constructed, (2) recondance  day  Il Contractor's License N	Other  ft., From  storage 14  zer storage 15  ticide storage 16  rtight sewer lines  Well Disinfected? Yes  d? Yes  HP  rifugal 5 Reciprocate  onstructed, or (3) plugged under  day	ft. to
Grouted Intervals: From.  What is the nearest source of 1 Septic tank 2 Sewer lines 3 Lateral lines  Direction from well	ft. to f possible contamination: 4 Cess pool 5 Seepage pit 6 Pit privy Ho al sample submitted to Do month name  1 Submersible NDOWNER'S CERTIFICA best of my knowledge ar completed on Y	2 Cement grout  1. From  7 Sewage lagoon 8 Feed yard 9 Livestock pens w many feet epartment? Yes day  ft.  2 Turbine 3 ITION: This water well was month d belief. Kansas Water We	3 Bentonite 4  ft. to  10 Fuel 11 Fertil 12 Insect 13 Water 2 Water Note 2 year: Pump Installe Model No. Pumps Capacity rated at Jet 4 Cent 3 (1) constructed, (2) rect day Il Contractor's License Note (signature)	Other  ft., From  storage 14  zer storage 15  ticide storage 16  rtight sewer lines  Well Disinfected? Yes  d? Yes  HP  rifugal 5 Reciprocat  onstructed, or (3) plugged u  day	ft. to
Grouted Intervals: From.  What is the nearest source of 1 Septic tank 2 Sewer lines 3 Lateral lines  Direction from well	ft. to f possible contamination: 4 Cess pool 5 Seepage pit 6 Pit privy  Ho al sample submitted to De month name  1 Submersible NDOWNER'S CERTIFICA best of my knowledge ar completed on  Y	2 Cement grout  7 Sewage lagoon 8 Feed yard 9 Livestock pens w many feet epartment? Yes day ft. 2 Turbine 3 ITION: This water well was month d belief. Kansas Water We	3 Bentonite 4  ft. to  10 Fuel 11 Fertil 12 Insect 13 Water 2 Water Note 2 year: Pump Installe Model No. Pumps Capacity rated at Jet 4 Cent 3 (1) constructed, (2) rect day Il Contractor's License Note (signature)	Other  ft., From  storage 14  zer storage 15  ticide storage 16  rtight sewer lines  Well Disinfected? Yes  d? Yes  HP  rifugal 5 Reciprocat  onstructed, or (3) plugged u  day	ft. to
Grouted Intervals: From.  What is the nearest source of 1 Septic tank 2 Sewer lines 3 Lateral lines  Direction from well	ft. to f possible contamination: 4 Cess pool 5 Seepage pit 6 Pit privy  Ho al sample submitted to Do month name  1 Submersible NDOWNER'S CERTIFICA best of my knowledge ar completed on  Y Y Y C TO ION FROM TO	2 Cement grout  7 Sewage lagoon 8 Feed yard 9 Livestock pens w many feet epartment? Yes day ft. 2 Turbine 3 ITION: This water well was month d belief. Kansas Water We	3 Bentonite 4  ft. to  10 Fuel 11 Fertil 12 Insect 13 Water 2 Water Note 2 year: Pump Installe Model No. Pumps Capacity rated at Jet 4 Cent 3 (1) constructed, (2) rect day Il Contractor's License Note (signature)	Other  ft., From  storage 14  zer storage 15  ticide storage 16  rtight sewer lines  Well Disinfected? Yes  d? Yes  HP  rifugal 5 Reciprocat  onstructed, or (3) plugged u  day	ft. to
Grouted Intervals: From.  What is the nearest source of 1 Septic tank 2 Sewer lines 3 Lateral lines Direction from well.  Was a chemical/bacteriological was submitted.  If Yes: Pump Manufacturer's in Depth of Pump Intake.  Type of pump:  CONTRACTOR'S OR LAN completed on	ft. to f possible contamination: 4 Cess pool 5 Seepage pit 6 Pit privy  Ho al sample submitted to Do month name  1 Submersible NDOWNER'S CERTIFICA best of my knowledge ar completed on  Y Y Y C TO ION FROM TO	2 Cement grout  7 Sewage lagoon 8 Feed yard 9 Livestock pens w many feet epartment? Yes day ft. 2 Turbine 3 ITION: This water well was month d belief. Kansas Water We	3 Bentonite 4  ft. to  10 Fuel 11 Fertil 12 Insect 13 Water 2 Water Note 2 year: Pump Installe Model No. Pumps Capacity rated at Jet 4 Cent 3 (1) constructed, (2) rect 4 day Il Contractor's License Nonth. (signature) CLOG FROM	Other  ft., From  storage 14  zer storage 15  ticide storage 16  rtight sewer lines  Well Disinfected? Yes  d? Yes  HP  rifugal 5 Reciprocat  onstructed, or (3) plugged u  day	ft. to
Grouted Intervals: From  What is the nearest source of 1 Septic tank 2 Sewer lines 3 Lateral lines  Direction from well  Was a chemical/bacteriological was submitted  If Yes: Pump Manufacturer's Depth of Pump Intake  Type of pump:  GONTRACTOR'S OR LAN completed on	ft. to f possible contamination: 4 Cess pool 5 Seepage pit 6 Pit privy  Ho al sample submitted to Do month name  1 Submersible NDOWNER'S CERTIFICA best of my knowledge ar completed on  Y Y Y C TO ION FROM TO	2 Cement grout  7 Sewage lagoon 8 Feed yard 9 Livestock pens w many feet epartment? Yes day ft. 2 Turbine 3 ITION: This water well was month d belief. Kansas Water We	3 Bentonite 4  ft. to  10 Fuel 11 Fertil 12 Insect 13 Water 2 Water Note 2 year: Pump Installe Model No. Pumps Capacity rated at Jet 4 Cent 3 (1) constructed, (2) rect day Il Contractor's License Note (signature)	Other  ft., From  storage 14  zer storage 15  ticide storage 16  rtight sewer lines  Well Disinfected? Yes  d? Yes  HP  rifugal 5 Reciprocat  onstructed, or (3) plugged u  day	ft. to
Grouted Intervals: From  What is the nearest source of 1 Septic tank 2 Sewer lines 3 Lateral lines  Direction from well  Was a chemical/bacteriological was submitted  If Yes: Pump Manufacturer's in Depth of Pump Intake  Type of pump:  GONTRACTOR'S OR LAN completed on	ft. to f possible contamination: 4 Cess pool 5 Seepage pit 6 Pit privy  Ho al sample submitted to Do month name  1 Submersible NDOWNER'S CERTIFICA best of my knowledge ar completed on  Y Y Y C TO ION FROM TO	2 Cement grout  7 Sewage lagoon 8 Feed yard 9 Livestock pens w many feet epartment? Yes day ft. 2 Turbine 3 ITION: This water well was month d belief. Kansas Water We	3 Bentonite 4  ft. to  10 Fuel 11 Fertil 12 Insect 13 Water 2 Water Note 2 year: Pump Installe Model No. Pumps Capacity rated at Jet 4 Cent 3 (1) constructed, (2) rect 4 day Il Contractor's License Nonth. (signature) CLOG FROM	Other  ft., From  storage 14  zer storage 15  ticide storage 16  rtight sewer lines  Well Disinfected? Yes  d? Yes  HP  rifugal 5 Reciprocat  onstructed, or (3) plugged u  day	ft. to
Grouted Intervals: From  What is the nearest source of 1 Septic tank 2 Sewer lines 3 Lateral lines  Direction from well  Was a chemical/bacteriological was submitted  If Yes: Pump Manufacturer's Depth of Pump Intake  Type of pump:  GONTRACTOR'S OR LAN completed on	f possible contamination:  4 Cess pool  5 Seepage pit  6 Pit privy  Ho al sample submitted to De month name  1 Submersible  NDOWNER'S CERTIFICA  best of my knowledge ar completed on  Y DYC TO ON  FROM TO ON  7  7  7  7  7  7  7  7  7  7  7  7  7	2 Cement grout  7 Sewage lagoon 8 Feed yard 9 Livestock pens w many feet epartment? Yes day ft. 2 Turbine 3 ITION: This water well was month d belief. Kansas Water We	3 Bentonite 4  ft. to  10 Fuel 11 Fertil 12 Insect 13 Water 2 Water Note 2 year: Pump Installe Model No. Pumps Capacity rated at Jet 4 Cent 3 (1) constructed, (2) rect 4 day Il Contractor's License Nonth. (signature) CLOG FROM	Other  ft., From  storage 14  zer storage 15  ticide storage 16  rtight sewer lines  Well Disinfected? Yes  d? Yes  HP  rifugal 5 Reciprocat  onstructed, or (3) plugged u  day	ft. to
Grouted Intervals: From  What is the nearest source of 1 Septic tank 2 Sewer lines 3 Lateral lines  Direction from well  Was a chemical/bacteriological was submitted  If Yes: Pump Manufacturer's in Depth of Pump Intake  Type of pump:  GONTRACTOR'S OR LAN completed on	f possible contamination:  4 Cess pool  5 Seepage pit  6 Pit privy  Ho al sample submitted to De month name  1 Submersible  NDOWNER'S CERTIFICA  best of my knowledge ar completed on  Y DYC TO ON  FROM TO ON  7  7  7  7  7  7  7  7  7  7  7  7  7	2 Cement grout  7 Sewage lagoon 8 Feed yard 9 Livestock pens w many feet epartment? Yes day ft. 2 Turbine 3 ITION: This water well was month d belief. Kansas Water We	3 Bentonite 4  ft. to  10 Fuel 11 Fertil 12 Insect 13 Water 2 Water Note 2 year: Pump Installe Model No. Pumps Capacity rated at Jet 4 Cent 3 (1) constructed, (2) rect 4 day Il Contractor's License Nonth. (signature) CLOG FROM	Other  ft., From  storage 14  zer storage 15  ticide storage 16  rtight sewer lines  Well Disinfected? Yes  d? Yes  HP  rifugal 5 Reciprocat  onstructed, or (3) plugged u  day	ft. to
Grouted Intervals: From  What is the nearest source of 1 Septic tank 2 Sewer lines 3 Lateral lines  Direction from well  Was a chemical/bacteriological was submitted  If Yes: Pump Manufacturer's in Depth of Pump Intake  Type of pump:  GONTRACTOR'S OR LAN completed on  and this record is true to the This Water Well Record was name of  TOCATE WELL'S LOCATE WITH AN "X" IN SECTION BOX:	f possible contamination:  4 Cess pool  5 Seepage pit  6 Pit privy  Ho al sample submitted to De month name  1 Submersible  NDOWNER'S CERTIFICA  best of my knowledge ar completed on  Y DYC TO ON  FROM TO ON  7  7  7  7  7  7  7  7  7  7  7  7  7	2 Cement grout  7 Sewage lagoon 8 Feed yard 9 Livestock pens w many feet epartment? Yes day ft. 2 Turbine 3 ITION: This water well was month d belief. Kansas Water We	3 Bentonite 4  ft. to  10 Fuel 11 Fertil 12 Insect 13 Water 2 Water Note 2 year: Pump Installe Model No. Pumps Capacity rated at Jet 4 Cent 3 (1) constructed, (2) rect 4 day Il Contractor's License Nonth. (signature) CLOG FROM	Other  ft., From  storage 14  zer storage 15  ticide storage 16  rtight sewer lines  Well Disinfected? Yes  d? Yes  HP  rifugal 5 Reciprocat  onstructed, or (3) plugged u  day	ft. to
Grouted Intervals: From  What is the nearest source of 1 Septic tank 2 Sewer lines 3 Lateral lines  Direction from well  Was a chemical/bacteriological was submitted  If Yes: Pump Manufacturer's in Depth of Pump Intake  Type of pump:  GONTRACTOR'S OR LAN completed on  and this record is true to the This Water Well Record was name of  TOCATE WELL'S LOCATE WITH AN "X" IN SECTION BOX:	f possible contamination:  4 Cess pool  5 Seepage pit  6 Pit privy  Ho al sample submitted to De month name  1 Submersible  NDOWNER'S CERTIFICA  best of my knowledge ar completed on  Y DYC TO ON  FROM TO ON  7  7  7  7  7  7  7  7  7  7  7  7  7	2 Cement grout  7 Sewage lagoon 8 Feed yard 9 Livestock pens w many feet epartment? Yes day ft. 2 Turbine 3 ITION: This water well was month d belief. Kansas Water We	3 Bentonite 4  ft. to  10 Fuel 11 Fertil 12 Insect 13 Water 2 Water Note 2 year: Pump Installe Model No. Pumps Capacity rated at Jet 4 Cent 3 (1) constructed, (2) rect 4 day Il Contractor's License Nonth. (signature) CLOG FROM	Other  ft., From  storage 14  zer storage 15  ticide storage 16  rtight sewer lines  Well Disinfected? Yes  d? Yes  HP  rifugal 5 Reciprocat  onstructed, or (3) plugged u  day	ft. to
Grouted Intervals: From  What is the nearest source of 1 Septic tank 2 Sewer lines 3 Lateral lines  Direction from well  Was a chemical/bacteriological was submitted  If Yes: Pump Manufacturer's Depth of Pump Intake  Type of pump:  GONTRACTOR'S OR LAN completed on	f possible contamination:  4 Cess pool  5 Seepage pit  6 Pit privy  Ho al sample submitted to De month name  1 Submersible  NDOWNER'S CERTIFICA  best of my knowledge ar completed on  Y DYC TO ON  FROM TO ON  7  7  7  7  7  7  7  7  7  7  7  7  7	2 Cement grout  7 Sewage lagoon 8 Feed yard 9 Livestock pens w many feet epartment? Yes day ft. 2 Turbine 3 ITION: This water well was month d belief. Kansas Water We	3 Bentonite 4  ft. to  10 Fuel 11 Fertil 12 Insect 13 Water 2 Water Note 2 year: Pump Installe Model No. Pumps Capacity rated at Jet 4 Cent 3 (1) constructed, (2) rect 4 day Il Contractor's License Nonth. (signature) CLOG FROM	Other  ft., From  storage 14  zer storage 15  ticide storage 16  rtight sewer lines  Well Disinfected? Yes  d? Yes  HP  rifugal 5 Reciprocat  onstructed, or (3) plugged u  day	ft. to
Grouted Intervals: From.  What is the nearest source of 1 Septic tank 2 Sewer lines 3 Lateral lines  Direction from well	f possible contamination:  4 Cess pool  5 Seepage pit  6 Pit privy  1 Contamination:  4 Cess pool  5 Seepage pit  6 Pit privy  1 Contamination:  1 Submersible NDOWNER'S CERTIFICATION  2 Submersible NDOWNER'S CERTIFICATION  1 Submersible NDOWNER'S CERTI	2 Cement grout  7 Sewage lagoon 8 Feed yard 9 Livestock pens w many feet epartment? Yes day  ft. 2 Turbine 3 TION: This water well was month d belief. Kansas Water We  LITHOLOGIC  S A A A C	3 Bentonite 4 ft. to  10 Fuel 11 Fertil 12 Insect 13 Water Water Wear: Pump Installe Model No. Pumps Capacity rated at Jet 4 Cent (1) constructed, (2) rect Model No. Pumps Capacity rated at Jet 5 Cent Section (1) Constructed (2) rect Constructed (2) rect Model No. FROM Constructed (2) FROM The Constructed (3) FROM The Constructed (4) FROM The Constructed (5) FROM The Constructed (6) FROM The Constructed (7) FROM The C	Other  ft., From  storage 14  zer storage 15  ticide storage 16  rtight sewer lines  Well Disinfected? Yes  d? Yes  HP  rifugal 5 Reciprocat  onstructed, or (3) plugged u  day  TO	ft. to
Grouted Intervals: From.  What is the nearest source of 1 Septic tank 2 Sewer lines 3 Lateral lines  Direction from well	f possible contamination:  4 Cess pool  5 Seepage pit  6 Pit privy  1 Ho  al sample submitted to De  month  name  1 Submersible  NDOWNER'S CERTIFICA  best of my knowledge ar completed on  Y  DON  FROM  TO  TO  TO  TO  TO  TO  TO  TO  TO	2 Cement grout  7 Sewage lagoon 8 Feed yard 9 Livestock pens w many feet epartment? Yes day  ft.  2 Turbine 3 ITION: This water well was month d belief. Kansas Water We  LITHOLOGIC  STORMAN  LITHOLOGIC  ACT  ACT  ACT  ACT  ACT  ACT  ACT  A	3 Bentonite 4 ft. to  10 Fuel 11 Fertil 12 Insect 13 Water Water Wear: Pump Installe Model No. Pumps Capacity rated at Jet 4 Cent (1) constructed, (2) rect (2) rect (3) Contractor's License Nonth (4) Cignature) CLOG FROI	Other  ft., From  storage 14  zer storage 15  ticide storage 16  rtight sewer lines  Well Disinfected? Yes  d? Yes  HP  rifugal 5 Reciprocat  onstructed, or (3) plugged u  TO  (Use a second s	ft. to