WATER WELL REC		Form V	WC-5	Division of Wate	er Resources App. No	
1 LOCATION OF WATER WELL:		Fraction	-	Section Number	Township No.	Range Number
County: Kingman Street/Rural Address of Well Location; i		1/4 NE 1/4 NE	= 14.SE 1/4	34		R 7 □E 🗷 W
from nearest town or intersection: If at owner's address, check here . Latitude:						
Playstion						
Then EAST 3/4 Then N.12 mile & WEST into				Datum: WGS 84, NAD 83, NAD 27		
2 WATER WELL OV	Corporation Co	mM:55:70	Collection Method:	1, 141 D 05,	TAD 21	
RR#, Street Address,	N. ROCK Rd. :	ste. 601	GPS unit (Make/Model:)			
City, State, ZIP Code Wichitta, KS 67226			☐ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey  Est. Accuracy: ☐ <3 m, ☐ 3-5 m, ☐ 5-15 m, ☐ >15 m			
3 LOCATE WELL			5-15 m, ∐ >15 m			
WITH AN "X" IN 4 DEPTH OF COMPLETED WELL // S						
SECTION BOX:						
N WELL'S STATIC WATER LEVELft. below land surface measured on mo/day/yr						
Pump test data: Well water wasft. after hours pumping g						
W Bore Hole Diameter						
W   E   Bore Hole Diameter Z. S in. to ft., and ft., and ft.						
WELL WATER TO BE USED AS: Public water supply Geothermal Injection well						
SWSE Domestic Feedlot Oil field water supply Dewatering Other (Specify below)						
Was a chemical/bacteriological sample submitted to Department? Yes No  If yes, mo/day/yr sample was submitted						
1 mile  Water well disinfected?  Yes No						
5 TYPE OF CASING USED: Steel PVC Other						
CASING JOINTS: Glued Clamped Welded Threaded Casing diameter 5.5.5 in. to						
Casing diameterin. toin. to						
TVDE OF SCREEN OR REDEORATION MATERIAL.						
Steel Stainless Steel PVC Other (Specify)						
Brass Galvanized Steel None used (open hole)						
SCREEN OR PERFORATION OPENINGS ARE:						
Continuous slot Mill slot Gauze wrapped Torch cut Drilled holes None (open hole)						
Louvered shutter Key punched Wire wrapped Saw cut Other (specify)  SCREEN-PERFORATED INTERVALS: From ft. to ft., From ft. to ft.						
From						
GRAVEI PACI						
GRAVEL PACK INTERVALS:       From						
6 GROUT MATERIAL: Neat cement Cement grout Bentonite Other						
Grout Intervals: From						
What is the nearest source of possible contamination:						
Septic tank						r (specify below)
Sewer lines Cesspool Sewage lagoon Fuel stor Watertight sewer lines Seepage pit Feedyard Fertilizer				Abandoned	water well Pastu	re Ground
Direction from well	nes Seepage p	it reedyard	Distance	orage 🔲 Oil well/ga from well	s well 999	
FROM TO	LITHOLOG		FROM			GING INTERVALS
0 10' FINE	<i>c</i> 1 4			W/Depth POOR		Rounded Oxidation
STAIN		Clay Conter		feet	JA 17 14 346	Conece Ox Suffice
10' 16' Silt	r clar spee			STEAT IN PL	1000 < 5 f	was Small
16' 25' Com	/=/		200. 25 h	,	Sub- Anglum	
25' 40' Red	Shorte Sin	<del></del>		reen shale		
En D	Rommy WAS	7.	1		2.2	
Air	Deilling					
40' 115' Red	/	the gray Sire	aks			
		, , ,				
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was X constructed, $\square$ reconstructed, or $\square$ plugged						
under my jurisdiction and was completed on (mo/day/year)						
Kansas Water Well Contractor's License No. 44.5 This Water Well Record was completed on (mo/day/year) 5-17-10						
under the business name of PRATT Well Service, Inc. by (signature) Steven Egill						
INSTRUCTIONS: Use typewriter or ball point pen. <u>PLEASE PRESS FIRMLY</u> and <u>PRINT</u> clearly. Please fill in blanks and check the correct answers. Send three copies (white, blue, pink) to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367.						
Telephone 785-296-5522. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Visit us at						
http://www.kdheks.gov/waterwell/index.html.						
KGA 922 1212						