Water Well Contractor's License No. ____under the business name of

MW-9 **GSI Job No. 087015** KSA 82a-1212 ID No. WATER WELL RECORD Form WWC-5 Township Number Range Number Fraction Section Number 1 LOCATION OF WATER WELL: SW ¼ 28 R 7 Kingman Distance and direction from nearest town or city street address of well if located within city? 410 N. Main - Kingman 2 WATERWELL OWNER: BP Products North America, Inc. RR#, St. Address, Box # : 150 St. Peters Centre Blvd., Ste. C Board of Agriculture, Division of Water Resources City, State, ZIP Code : St. Peters, MO 63376 Application Number: 3 LOCATE WELL'S LOCATON WITH 4 DEPTH OF COMPLETED WELL 25 ft. ELEVATION: 1509.13 (TOC) ft. 2 ft. 3 ft. Depth(s) Groundwater Encountered 1 WELL'S STATIC WATER LEVEL 16.16 ft. below land surface measured on mo/day/yr 01/24/12 -- NF -Pump test data: Well water was ft. after hours pumping gpm Est. Yield gpm: Well water was ft. after hours pumping gpm
Bore Hole Diameter 8.25 in. to 25 ft. and in. to ft.
WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well 1 Domestic 3 Feed lot 6 Oil field water supply 9 Dewatering 12 Other (Specify below) W 2 Irrigation 4 Industrial 7 Lawn and garden (domestic) 10 Monitoring well Was a chemical/bacteriological sample submitted to Department? Yes No X If yes, mo/day/yr sample was Water Well Disinfected? Yes No X submitted 5 Wrought Iron CASING JOINTS: Glued Clamped 5 TYPE OF BLANK CASING USED: 8 Concrete tile 6 Asbestos-Cernent 9 Other (specify below) Welded 3 RMP (SR) 1 Steel Threaded **Flush** 4 ABS 7 Fiberglass 2 PVC Blank casing diameter 2 in. to 15 ft., Dia in. to ft., Dia in. to ft.

Casing height above land surface 0 in., weight 0.703 lbs./ft. Wall thickness or gauge No. SCH. 40 7 PVC 10 Asbestos-cement TYPE OF SCREEN OR PERFORATION MATERIAL: 5 Fiberglass 8 RMP (SR) 11 Other (specify)
6 Concrete tile 9 ABS 12 None used (open hole)
5 Gauzed wrapped 8 Saw cut 11 None (open hole)
6 Wire wrapped 9 Drilled holes 3 Stainless steel 1 Steel 4 Galvanized steel 2 Brass SCREEN OR PERFORATION OPENINGS ARE: 3 Mill slot 1 Continuous slot 10 Other (specify) 7 Torch cut 4 Key punched 2 Louvered shutter SCREEN-PERFORATED INTERVALS: From 15 ft. to 25 ft. From ft. to ft.
 From
 ft. to
 ft. From
 ft. to
 ft.

 From
 13
 ft. to
 25
 ft. From
 ft. to
 ft.
 GRAVEL PACK INTERVALS:
 From
 ft. to
 ft. From
 ft. to
 ft.

 6 GROUT MATERIAL:
 1 Neat cement
 2 Cement grout
 3 Bentonite
 4 Other

 Grout Intervals
 From
 1 ft. to
 15 ft. From
 ft. to
 ft. From
 ft. From
 ft. ft.
 10 Livestock pens 14 Abandoned water well What is the nearest source of possible contamination: 7 Pit privy 11 Fuel storage 15 Oil well/ Gas well 4 Lateral lines 1 Septic tank 12 Fertilizer storage 16 Other (specify below) 8 Sewage lagoon 5 Cess pool 2 Sewer lines 13 Insecticide storage 3 Watertight sewer lines 9 Feedvard 6 Seepage pit How many feet? Direction from well? LITHOLOGIC LOG TO FROM PLUGGING INTERVALS FROM 3 Topsoil 0 16 Clay, silty, dark brown 3 16 Sand, medium grained, brown 25 Clay, red-brown, with fine silt GPS: Datum WGS 84 Latitude: 37.645164 N Longitude: 98.113308 W 7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/yr)

O2/08/12

Water Well Contractor's License No.

O2/08/12

and this record is true to the best of my knowledge and belief. Kansas

This Water Well Record was completed on (mo/day/yr)

O3/20/12