GSI Job	No. 12735	57									004	0740		MV	N-8R
1 LOCATIO	ON OF WATE	D WELL:	Fraction		WELL RI	ECORD	Form WWC-5		A 82a-12 umber		No. 004		Rang	e Numb	er.
			NE		NW	14 N	E 1/4		t t		28	S	-	7	w
			town or city s												
509 E. Av	∕e. "D" – K	ingman													
	WELL OWNE														
RR#, St. Add	dress, Box#	: 1000	SW. Jac	kson S	t., Ste.	. 410				Board	of Agricul	lture, Divi:	sion of Wa	ter Reso	ources
City, State, Z	ZIP Code	: Тор	eka, KS 6	6612						Applic	ation Nun	nber:			
3 AN "X" IN	SECTION B	OX:	TH 4 DEPT	H OF CO	MPLETE	D WELL	22.	15 ft	. ELEVA	ATION:		1510	.78 (TO	C)	
A		Χİ	Depth(s)	Groundw	ater Enco	ountered	1 1	3	ft.	2		ft.	3	- 3	ft.
	NW	- NE	WELL'S	STATIC V	VATER LI	EVEL	13.68 f	. below	land su	rface me	asured on	mo/day/y	yr 12	2/16/13	3
1	i	i					er was								
₩ W		+	E Est. Yield		gpm:	Well wat	er was		ft.	after		hours p	umping		gpm
ī			Bore Hole	e Diamete	r 8.2	25 in. to	Public water Oil field water	3	1	t. and		in.	. to	,	ft.
	-sw	- SE	WELL W	ATER TO	BE USE	DAS: 5	Public water:	supply	,	8 Air 9 Dev	conditionii	ng 11 12	Injection Other (Si	well necify he	elow)
Ų L			2 10	rigation	4 Indus	etrial 7	Lawn and gar	den (d	omestic)	10 M	onitoring v	Ve 11		poony be	2.011)
	S						submitted to								
			submitted		icteriologi	icai sampie	s submitted to	Depair					illorday/yi		
5 TYPE OF	BLANK CAS	ING LISE			5 Wrou	aht Iron	8 Conc	rete tile							
	el		л. Р (SR)				nt 9 Othe				10 00 1111	Welde		Jampeu	
2 PVC		4 ABS			7 Fiber			٠.	•	•			ed	Flush	1
		_													
Casing beigh	ulameter	eurface	in. to 0	in	weight	ла	0.703		lhe /ft V	Vall thick	naes or de	auge No	"". to	CH. 40	["]
TYPE OF SO	REEN OR P	FREORAT	ION MATERI	''' Al :	., weight		7	PVC	105.7tt. V	vali tilick	10 Asbest	tos-cemer			
1 Stee			inless steel		5 Fiber	glass	8	RMP	(SR)		11 Other	(specify)	•••••		
2 Bras	ss	4 Gal	vanized steel		6 Cond	rete tile	9	ABS		1	2 None i	used (ope	n hole)		
SCREEN OF	R PERFORAT	ION OPEN	NINGS ARE:			5 Gau	zed wrapped						11 None	(open ho	ole)
	tinuous slot		3 Mill slot								d holes				
	vered shutter		4 Key punch				ch cut			10 Othe	r (specify	"			
SCREEN-PE	RFORATED	INTERVAL					23								
CBA	VEL BACK IN	ITEDVALS	From S: Erom			. IL 10	23	-	IL FIG)III		ft. tc	,		^{IL}
GRA	VEL PACK IN	NIERVALS													
6 GROUT N	AATERIAL:	1 Ne:	at coment	2 0	ement ar	mut.	3 Be	ntonite	1 4	Other		76. 60			
Grout Interva	de From	3	ft to	6	ft From	m	ft	to	,	A A	From		ft to		fi
What is the n	earest source	of possible	le contaminat	ion:	_ 11. 110	'''		10	Livesto	ck pens		14 Aba	ndoned wa	ter well	
1 Sept		or possible	4 Latera			7 Pit priv			Fuel sto				vell/ Gas w		
2 Sew	er lines		5 Cess	pool		8 Sewag	e lagoon	12	Fertilize	er storage	е	16 Othe	er (specify	below)	
3 Wate	ertight sewer	lines	6 Seepa	ige pit		9 Feedya	ard	13	Insectio	ide stora	ige				
Direction from		0005		1711010	010100				many fe	et?	DI 110	OINO IN	TEDVALO		
FROM 0	2.5	CODE	Clay, dark b	ITHOLO	GIC LOG		FROM		0		PLUG	GING IN	TERVALS		
2.5	15		Sand, brow		o coarse	grained		+-							
15	23		shale, red			3									
								-							
								+-							
								1		.,					
										Survey date: 01/20/14 Northing: 4624.26					
								-							
								+-		restin(g: 1968	.30			
7 CONTRAC	CTOR'S OR I	ANDOWN	IFR'S CERTII	FICATION	V: This w	rater well w	as (1) constru	cted. (2) recons	tructed	or (3) pluge	ged under	my jurisdic	tion and	was
				12/16/		LC. HGII W							e and belie		- 1
completed on Water Well C					531						completed			01/20/	
under the bus			GSI	Engine		LLC		y (signa			5	(XXV	-1/1/		
INSTRU	CTIONS Plea	ase fill in bla	nks and circle	the correct	answers.	Send three	copies to Kan	sas Der	partment o	of Health	and Enviror	ment, Bur	eau of Wate	er, 1000 S	s w
Jackson	St., Ste. 420, 7	Fopeka, Kan	sas 66612-136	37. Teleph	one: 913	-296-5545.	Send one to W	ATER \	WELL ON	/NER and	retain one	for your re	ecords.		