1 LOCATION OF WATER WELL:	Fraction			Section Number	er Township I	Number	Range Numbe	r
County: Kingman	NE 1/4	NW 1/4	NE ¼	5	T 28	S	R 7	W
County: Kingman Distance and direction from nearest town of 509 E. Ave. "D" – Kingman	or city street add	ress of well if	located within	city?				
2 WATER WELL OWNER: KDHE								
RR#, St. Address, Box # : 1000 SW	. Jackson 9	St., Ste. 41	10		Board of Agr	iculture Divi	sion of Water Resou	ırces
City, State, ZIP Code : Topeka,	KS 66612	J., O.O. 4			Application N		Sion of Water Nesot	""
3 LOCATE WELL'S LOCATON WITH 4								\neg
AN X IN SECTION BOX		OMPLETED V	VELL .	24.33 ft. ELE	EVATION:	1514	.41 (TOC)	
Y D	epth(s) Groundw	vater Encount	ered 1		ft 2	ft.	3 yr 12/16/13	ft. 3
NWNE W	ELL'S STATIC \	WATER LEVE	L 14.47	ft. below land	surface measured	on mo/day/	yr 12/16/13	···- }
	Pump	test data: v	veli water was		it. aiter	nours p	umping	ğpm ج
₩ 	st. Yield	gpm: V	Vell water was		ft. after	hours p	umping	gpm ñ
i i Bo	ore Hole Diamet	er 8.25	in. to	25	ft. and	in 11	to Injection well Other (Specify bel	gpm C
SW SE W	ELL WATER IC	3 Feed lot	S: 5 Public v	vater supply water supply	9 Dewaterin	g 12	Other (Specify bel	low)
↓ 	2 Irrigation	4 Industrial	l 7 lawn ar	nd garden (domes	tic) 10 Monitorir	ng weil		
S							mo/day/yr sample v	vas
i	ibmitted	acteriological	sample submit		Vater Well Disinfect			143
5 TYPE OF BLANK CASING USED:		5 Wrought	Iron 8	Concrete tile			d Clamped	
1 Steel 3 RMP (SR		-		Other (specify bei		Welde		
	•							
2 PVC 4 ABS		7 Fiberglas					led Flush	
Blank casing diameter 2 in	1. to 10	t., Dia	0.703	in. to	π., Dia	N-	In. to	π.
Casing height above land surface	U II	n., weight	0.70	DS./π	t. vvail thickness o	r gauge No.	30n. 40	
TYPE OF SCREEN OR PERFORATION N		E Fiberales	_		10 Ast			
1 Steel 3 Stainless 2 Brass 4 Galvanize	ed steel	6 Concrete	os a tile	9 ARS	12 Nor	ne used (one	en hole)	
SCREEN OR PERFORATION OPENINGS	S ARE:	U CONGRE	5 Gauzed wra	pped	8 Saw cut	io doca (ope	en hole) 11 None (open hol	ie)
	li slot		6 Wire wrappe	ed	9 Drilled hole	S		
	y punched		7 Torch cut		10 Other (spe	cify)		
SCREEN-PERFORATED INTERVALS:	From	10 ft.	to	25 ft.	From	ft. to	0	_ft.
	From	ft.	to	ft.	From	ft. to		ft. _
GRAVEL PACK INTERVALS:	From	8 ft.	to	25 ft.	From	ft. to	0	_ft.
			to.	A	From	fi to	2	#
6 GROUT MATERIAL: 1 Neat cerr			:	3 Bentonite	4 Other		ft. to	
Grout Intervals From 3 ft.				ft. to	ft. From		ft. to	ft.
What is the nearest source of possible con				10 Live	estock pens	14 Aba	indoned water well	
		7			l storage			
2 Sewer lines 5	Cess pool	8	Sewage lagoo			16 Oth	er (specify below)	
3 Watertight sewer lines 6	Seepage pit	9	Feedyard		ecticide storage			
Direction from well?	LITUOLO	2010 1 00		How man		UGGING IN	TEDVAL C	
FROM TO CODE Clay,	, dark brown	OGIC LOG		ROM TO		.UGGING IN	TENVALO	
	, brown							
	, brown, coar	se grained						
15 17 Clay,	red brown							
17 25 Shale	e, red							
		Survey date: 01/20/14				4		
					Northing: 48			
					Westing: 16	67.25		
7 CONTRACTOR'S OR LANDOWNER'S								
completed on (mo/day/yr)	12/16	/13		and this record is	true to the best of	my knowled	ge and belief. Kans	as
Water Well Contractor's License No.		531		This Water Well F	Record was comple	eted of (mo/	day/yr) 01/20/	14
Water Well Contractor's License No.	GSI Engir	neering, L	LC	by (signature)		PS CT		- 1
INSTRUCTIONS: Please fill in blanks ar Jackson St., Ste. 420, Topeka, Kansas 6				to Kansas Departmente to WATER WELL	ent of Health and En OWNER and retain	vironmen(, Bu one for your r	reau of Water, 1000 S ecords.	w