MI	N-6	77	21093	WATE	R WELL RECORD	Form WWC-5	KSA 82a	n-1212		
	ON OF WA			action		Sec	tion_Number	Township Nur	nber	Range Number
County:	Kingmo	en (048 S	E 1/4	NW 1/4 Su		3	↑ 28	S	R 7 E Ø
					iddress of well if locate			,		
7747	s. Main	Kingm	ian 41	4 2°C	42'W, of SU	N. cor. of	carwis	<u>ん</u>		
WATE	R WELL OW	NER: Lai	ngley Oi	19605	.Inc.					
RR#, St.	Address, Bo	× # : 21 4	is. Muin					Board of Ag	riculture,	Division of Water Resources
City, State, ZIP Code : King man, W					67608			Application Number:		
LOCAT	E WELL'S L	OCATION V	VITH A DEF	TH OF C	COMPLETED WELL	12.5	. ft. ELEVA	TION:		
AN A	IIV SECTIO	N BOX.	Depting	s) Ground	iwater Ericountered	<u>1</u> . • • • •	III. i	2 <i></i>	11. 3). <u></u>
ī	!	!	WELL'S							2-14-95
_	NW	NE	.							ımping gpm
1	1	1	1 1		~ · ~				-	ımping gpm
	11		⊣		•					. to
\[\text{\bar{\text{\tin}\exiting{\text{\te}\tint{\text{\text{\text{\text{\text{\text{\text{\text{\texi}\tex{\text{\text{\texi}\text{\texi{\texi{\texi{\texi{\texi{\texi{\ter{\texi{\texi{\texi{\texi{\texi{\texi{\texi}\texi{\texi{\texi{\texi{\texi{\texi{\texi{\texi{\texi{\texi{\texi{\texi{\texi{	ا کتا	Ì	1 1		TO BE USED AS:	5 Public wate		8 Air conditioning		Injection well
1 -	SW	SE	-1	Domestic				9 Dewatering	12	Other (Specify below)
	1	1		Irrigation	4 Industrial					
<u> </u> L	1	<u> </u>		chemical/	bacteriological sample	submitted to De				, mo/day/yr sample was sub-
- -	25.51.4414.4	2401110 1101	mitted		C 14/			ater Well Disinfected		No X
	OF BLANK (5 Wrought iron	8 Concre				d Clamped
1 St 2 PV		3 HM 4 AB	IP (SR)		6 Asbestos-Cement		(specify below	•		aded flush
					7 Fiberglass			ft Die		
Casina ha	ing diameter	and curface	Flush		ft., Dia	3		ft. Wall thickness or		154
			ATION MATE		.m., weight•. • .•.	(7 PV			stos-cem	
1 St			inless steel		5 Fiberglass		P (SR)		(specify)	
2 Br			ivanized stee	ı	6 Concrete tile	. 9 AB	. ,			pen hole)
			ENINGS ARI			zed wrapped	_	8 Saw cut	4004 (0)	11 None (open hole)
	ontinuous slo		3 Mill slot			wrapped		9 Drilled holes		(opan nana)
	uvered shut		4 Key punc	hed	7 Torc	• •				
	PERFORAT			m ኢ ፡	ج ft. to .	12.5	ft., Fro	· · · · · · · · · · · · · · · · · · ·		toft.
			Fro	m *	/-					toft.
(GRAVEL PA	CK INTERV	'ALS: Fro	m 🞝 🗟	ft. to .	12.5	ft., Fro	m	ft.	toft.
			Fro	m	ft. to		ft., Fro	m	ft.	to ft.
grou	T MATERIAL	4	Veat cement		2 Cement grout	3 Bente				
Grout Inte	rvals: Fro	m ३५	ft. to .	0.5	ft., From	ft.	to	ft., From		ft. toft.
What is th	e nearest so	ource of pos	sible contam	ination:				stock pens	14 A	bandoned water well
1 Se	eptic tank	4	Lateral lines		7 Pit privy		11 Fuel	storage	15 (Dil well/Gas well
	ewer lines		Cess pool		8 Sewage lag	goon		lizer starage	16 0	Other (specify below)
			Seepage pit		9 Feedyard			cticide storage		
		V.E.		101.0010	100	55014		iny feet?" 80	ICCINC	INTERVALS
FROM	3.0	S. 0		OLOGIC		FROM	то	FLC	JUGING	INTERVALO
0.0	7.0	C. P	Silty Silty, (,						
3.0 7.0	1									y
7. 0	12.5	Junu,	m - V, C	grain						
									-	
										.
7 CONT	BACTOR'S	OR LANDON	NNER'S CER	RTIFICAT	ION: This water well u	was (1) constru	cted (2) reco	onstructed or (3) pla	laged un	der my jurisdiction and was
	on (mo/day		- 14-95							nowledge and belief. Kansas
		, ,	lo. G.G	. 53	1 This Water \					
	business na		GST		, IIIIS Water	Noonu wa	by (signa	~ ~ ~ · · · · · · · · · · · · · · · · ·	Clim	stran
			point pen PLFA	SE PRESS F	FIRMLY and PRINT clearly P	lease fill in blanks		00	nd ton three	copies to Kansas Department
					20-0001. Telephone: 913-296					
	-									1.69.63