

1 LOCATION OF WATER WELL		Fraction	Section Number	Township Number	Range Number				
County: <u>Kingman</u>		<u>SW 1/4 NE 1/4 NE 1/4</u>	<u>27</u>	<u>T 28 S</u>	<u>R 9 EW</u>				
Distance and direction from nearest town or city? <u>10 N OF ZENDA, KS</u>			Street address of well if located within city?						
2 WATER WELL OWNER: <u>James Rohlman</u>									
RR#, St. Address, Box # :			Board of Agriculture, Division of Water Resources						
City, State, ZIP Code : <u>Kingman, Kansas</u>			Application Number:						
3 DEPTH OF COMPLETED WELL: <u>80</u> ft. Bore Hole Diameter: <u>30</u> in. to <u>80</u> in. to . ft.									
Well Water to be used as:									
1 Domestic		3 Feedlot	5 Public water supply	8 Air conditioning	11 Injection well				
2 Irrigation		4 Industrial	6 Oil field water supply	9 Dewatering	12 Other (Specify below)				
7 Lawn and garden only		10 Observation well							
Well's static water level: <u>36.5</u> ft. below land surface measured on <u>Feb</u> month <u>26</u> day <u>80</u> year									
Pump Test Data: Well water was <u>56</u> ft. after <u>1</u> hours pumping: <u>700</u> gpm									
Est. Yield <u>900</u> gpm: Well water was <u>59</u> ft. after <u>1</u> hours pumping: <u>791</u> gpm									
4 TYPE OF BLANK CASING USED:									
1 Steel		3 RMP (SR)	5 Wrought iron	8 Concrete tile	Casing Joints: Glued Clamped				
2 PVC		4 ABS	6 Asbestos-Cement	9 Other (specify below)	Welded <u>X</u>				
			7 Fiberglass		Threaded				
Blank casing dia: <u>16</u> in. to <u>60</u> ft. Dia: in. to ft. Dia: in. to ft.									
Casing height above land surface: <u>12</u> in., weight <u>32.7</u> lbs./ft. Wall thickness or gauge No. <u>.188</u>									
TYPE OF SCREEN OR PERFORATION MATERIAL:									
1 Steel		3 Stainless steel	5 Fiberglass	8 RMP (SR)	11 Other (specify)				
2 Brass		4 Galvanized steel	6 Concrete tile	9 ABS	12 None used (open hole)				
Screen or Perforation Openings Are:									
1 Continuous slot		3 Mill slot	5 Gauzed wrapped	8 Saw cut	11 None (open hole)				
2 Louvered shutter		4 Key punched	6 Wire wrapped	9 Drilled holes					
			7 Torch cut	10 Other (specify)					
Screen-Perforation Dia: <u>16</u> in. to ft. Dia: in. to ft. Dia: in. to ft.									
Screen-Perforated Intervals: From <u>60</u> ft. to <u>80</u> ft. From ft. to ft. From ft. to ft.									
Gravel Pack Intervals: From <u>10</u> ft. to <u>80</u> ft. From ft. to ft. From ft. to ft.									
5 GROUT MATERIAL:									
1 Neat cement		2 Cement grout	3 Bentonite	4 Other					
Grouted Intervals: From <u>0</u> ft. to <u>10</u> ft. From ft. to ft. From ft. to ft.									
What is the nearest source of possible contamination:									
1 Septic tank		4 Cess pool	7 Sewage lagoon	10 Fuel storage	14 Abandoned water well				
2 Sewer lines		5 Seepage pit	8 Feed yard	11 Fertilizer storage	15 Oil well/Gas well				
3 Lateral lines		6 Pit privy	9 Livestock pens	12 Insecticide storage	16 Other (specify below)				
				13 Watertight sewer lines	<u>NONE</u>				
Direction from well How many feet ? Water Well Disinfected? Yes <u>X</u> No									
Was a chemical/bacteriological sample submitted to Department? Yes No <u>X</u> If yes, date sample was submitted month day year: Pump Installed? Yes No									
If Yes: Pump Manufacturer's name <u>Simmons</u> Model No. <u>S1160</u> HP <u>60</u> Volts									
Depth of Pump Intake <u>75</u> ft. Pumps Capacity rated at <u>750</u> gal./min.									
Type of pump: 1 Submersible 2 Turbine 3 Jet 4 Centrifugal 5 Reciprocating 6 Other									
6 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was 1 constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on <u>MARCH</u> month <u>19</u> day <u>80</u> year <u>80</u>									
and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. <u>325</u>									
This Water Well Record was completed on <u>June</u> month <u>26</u> day <u>80</u> year under the business name of <u>Central Well & Pump Inc. Pratt, Kansas</u> by (signature) <u>St. Honore</u>									
7 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:		FROM	TO	LITHOLOGIC LOG	FROM	TO	LITHOLOGIC LOG		
		0	5	Sandy silt	56	80	Sand, fine to coarse and medium gravel, loose		
		5	10	Clay, tan					
		10	44	Sand, very fine to coarse and medium gravel	80	95	Clay, tan and red with silty sand streaks		
		44	46	Clay, tan	95	102	Sand, fine to coarse and fine gravel, silty		
		46	48	Sand, fine to coarse and fine gravel	102	105	Shale, red		
		48	49	Clay, tan					
		49	55	Sand, fine to coarse and fine gravel					
		55	56	Clay, tan					
		ELEVATION:							
		Depth(s) Groundwater Encountered		1. <u>36.5</u> ft.	2. ft.	3. ft.	4. ft.	(Use a second sheet if needed)	

INSTRUCTIONS: Use typewriter or ball point pen, please press firmly and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Division of Environment, Water Well Contractors, Topeka, KS 66620. Send one to WATER WELL OWNER and retain one for your records.