


USE TYPEWRITER OR BALL
POINT PEN-PRESS FIRMLY,
PRINT CLEARLY.

WATER WELL RECORD
KSA 82a-1201-1215

Kansas Department of Health and
Environment-Division of Environment
(Water well Contractors)
Topeka, Kansas 66620

1. Location of well:		County Kingman	Fraction <input checked="" type="checkbox"/> nw 1/4 nw 1/4 NE W 1/4	Section number 28	Township number T 28 S	Range number R 9W E W
2. Distance and direction from nearest town or city: 9n 1w 1/2 n Zenda			3. Owner of well: Rocky McKenna R.R. or street: Kingman, Kas. City, state, zip code:			
4. Locate with "X" in section below:		Sketch map:		6. Bore hole dia. 8 in. Completion date 12/24/76 Well depth 82 ft.		
				7. <input checked="" type="checkbox"/> Cable tool <input checked="" type="checkbox"/> Rotary <input type="checkbox"/> Driven <input type="checkbox"/> Dug <input type="checkbox"/> Hollow rod <input type="checkbox"/> Jetted <input type="checkbox"/> Bored <input type="checkbox"/> Reverse rotary		
5. Type and color of material		From	To	8. Use: <input checked="" type="checkbox"/> Domestic <input type="checkbox"/> Public supply <input type="checkbox"/> Industry <input type="checkbox"/> Irrigation <input type="checkbox"/> Air conditioning <input type="checkbox"/> Stock <input type="checkbox"/> Lawn <input type="checkbox"/> Oil field water <input type="checkbox"/> Other		
fine sand		0	7	9. Casing: Material <input type="checkbox"/> Height: Above or below Threaded <input type="checkbox"/> Welded <input type="checkbox"/> Surface 15 in. RMP <input type="checkbox"/> PVC <input checked="" type="checkbox"/> Weight 155 lbs./ft.		
clay		7	9	Dia. 4 in. to 82 ft. depth; Wall Thickness: inches or Dia. <input type="checkbox"/> in. to <input type="checkbox"/> ft. depth; gage No. 12?		
fine sand		9	18	10. Screen: Manufacturer's name Peelless Type pvc Dia. 4 Slot/gauze .035 Length 5 Set between 77 ft. and 82 ft. ft. and <input type="checkbox"/> ft.		
clay		18	19	Gravel pack? <input checked="" type="checkbox"/> Size range of material 1/2 in		
red sand		19	46	11. Static water level: <input type="checkbox"/> mo./day/yr. 42 ft. below land surface Date 12/24/76		
med to coarse sand		46	82	12. Pumping level below land surfaces: <input type="checkbox"/> ft. after <input type="checkbox"/> hrs. pumping <input type="checkbox"/> g.p.m. <input type="checkbox"/> ft. after <input type="checkbox"/> hrs. pumping <input type="checkbox"/> g.p.m. Estimated maximum yield 50 g.p.m.		
				13. Water sample submitted: <input type="checkbox"/> mo./day/yr. Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> Date		
				14. Well head completion: <input checked="" type="checkbox"/> Pitless adapter 15 inches above grade		
				15. Well grouted? <input checked="" type="checkbox"/> With: <input checked="" type="checkbox"/> Neat cement <input type="checkbox"/> Bentonite <input type="checkbox"/> Concrete Depth: From 4 ft. to 14 ft.		
				16. Nearest source of possible contamination: ft. 100 Direction E Type Barrel Well disinfected upon completion? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No		
				17. Pump: <input type="checkbox"/> Not installed Manufacturer's name JACUZZI Model number 5540 HP 1/2 Volts 230 Length of drop pipe 63 ft. capacity 15 g.p.m. Type: <input checked="" type="checkbox"/> Submersible <input type="checkbox"/> Turbine <input type="checkbox"/> Jet <input type="checkbox"/> Reciprocating <input type="checkbox"/> Centrifugal <input type="checkbox"/> Other		
18. Elevation:		19. Remarks:		20. Water well contractor's certification:		
Topography: <input type="checkbox"/> Hill <input type="checkbox"/> Slope <input type="checkbox"/> Upland <input type="checkbox"/> Valley		chl 350 Slab to be poured by customer		This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief. Lyman Bros. 140 Business name License No. Address Med Lodge Signed W. H. Lyman Date 12-30 Authorized representative		