WATER WELL RECORD	Form WWC-5	5	Division	n of Wate	er Resources; A	<sub>pp. No.</sub> L		
1 LOCATION OF WATER WELL: County: XIM3 MM	Fraction SE'/4 SE'/4 S	<u>E1/4</u>	Section N	umber <b>2</b>	Township N		Range Number R E/W	
Distance and direction from nearest town or cit	y street address of wel	ll if G			Systems (dec	imal degr	ees, min. of 4 digits)	
located within city? BN 3W Z	enda, KS	. ]	Latitude: Longitud					
2 WATER WELL OWNER: A UIL	Klausmey	(LV)	Elevation	ı:				
RR#, St. Address, Box # :	Klausmey 1925W60	57	Datum:					
City, State, ZIP Code : Cunnin	shamiks 6	70.33	Data Col	lection 1	Method:			
3 LOCATE WELL'S 4 DEPTH OF COME	LETED WELL	•••••	•••••	ft.				
WITH AN "X" IN Depth(s) Groundwater I	Empountaned (1)	55	Δ	(2)	Δ	(2)	0	
SECTION BOX: WELL'S STATIC WA'	TER LEVEL .5	5 ft t	II. selow land	(Z) Lsurface	II. measured on	(3)	vr 1-20-07	
N Pump test data:	WELL'S STATIC WATER LEVEL55ft. below land surface measured on mo/day/yr/-20-07  Pump test data: Well water was							
Est. Yield. 2.0.gpm:	Est. Yield. 20.gpm: Well water was							
WELL WATER TO BE								
W     E   I Domestic 3 Feed	E 1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below) 2 Irrigation 4 Industrial 7 Domestic (lawn & garden) 10 Monitoring well							
	istriai / Domestic	(lawn &	garden)	10 Mor	iltoring well	••••		
Was a chemical/bacteriological sample submitted to Department? Yes No								
Sample was submitted								
S								
5 TYPE OF CASING USED: 5 Wrought In						-	Clamped	
1 Steel 3 RMP (SR) 6 Asbestos-0								
2 PVC 4 ABS 7 Fiberglass Threaded								
Blank casing diameter								
TYPE OF SCREEN OR PERFORATION MATER	RIAL:				or god	<b>50</b> 1101 11		
1 Steel 3 Stainless Steel 5 Fiberglass 7 PVC 9 ABS 11 Other (Specify)								
2 Brass 4 Galvanized Steal 6 Concr		10 A	sbestos-C	ement	12 None use	ed (open l	hole)	
SCREEN OR PERFORATION OPENINGS ARE: 1 Continuous slot 3 Mill slot 5 Gu.		rch cut	9 Drille	d holes	11 None	(onen ho	le)	
1 Continuous slot 3 Mill slot 5 Guazed wrapped 7 Torch cut 9 Drilled holes 11 None (open hole) 2 Louvered shutter 4 Key punched 6 Wire wrapped 8 Saw Cut 10 Other (specify)								
SCREEN-LEGI ORATED INTERVALS. TIOII								
From GRAVEL PACK INTERVALS: From	ft. to		ft.,	From		ft. to	ft.	
GRAVEL PACK INTERVALS: From	ft. to ft. to	7Z	ft.,	From		ft. to	ft.	
rioiii	11. 10		11.,	F10III		11. 10	11.	
6 GROUT MATERIAL: 1 Neat cement 2 C								
Grout Intervals: From 5 ft. to	2.3 ft., From	fi	t. to	fi	t., From	• • • • • • • • • • • • • • • • • • • •	ft. toft.	
What is the nearest source of possible contamination 1 Septic tank 4 Lateral lines 7		) Livestor	ek nenc	13 Inc	secticide Stora	œ ·	16 Other (specify	
1 Septic tank 4 Lateral lines 7 Pit privy 10 Livestock pens 13 Insecticide Storage 16 Other (specify 2 Sewer lines 5 Cess pool 8 Sewage lagoon 11 Fuel storage 14 Abandoned water well below)								
Watertight sewer lines 6 Seepage pit 9 Feedyard 12 Fertilizer Storage 15 Oil well/gas well								
Direction from well?	Но		feet?	/.	100			
FROM TO LITHOLOGIC	LOG	FROM	TO		PLUGGIN	NG INTE	RVALS	
0 2 50//								
4 21 airty Sand								
26 43 Sand.								
43 49 Brown Clay								
26 43 Sand. O 26 43 Sand. O 43 49 Brown Clay 49 70 Sand. 90 89 Brown Clay								
70 89 Brown Clay	•							
89 92 Sand.								
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged								
under my jurisdiction and was completed on (mo/day/year)								
Kansas Water Well Contractor's License No								
under the business name of								
INSTRUCTIONS: Use typewriter or ball point pen. <u>PLEAS</u> three copies to Kansas Department of Health and Environment	E PRESS FIRMLY and PR. Bureau of Water. Geology	INT clearly Section. 1	. Please fil 000 SW Jac	i in blanks kson St., S	s, underline or cit Suite 420. Toneks	cle the cor L Kansas 6	rect answers. Send top 6612-1367. Telephone	
785-296-5522. Send one to WATER WELL OWNER and retain one for your records. Fee of \$5.00 for each constructed well. Visit us at								
http://www.kdhe.state.ks.us/geo/waterwells.  KSA 82a-1212								