		LL RECORD	Form WWC-5	Division of Water Resources App. No.
1 LOC	ATION	OF WATER WELL:	Fraction	Section Number Township No. Range Number
	ity: King		NC 1/4 SW 1/4 1/4	1/4 27 T 28 S R 9 □E 🗹 W
Street/Rural Address of Well Location; if unknown, distance & direction Global Positioning System (GPS) information:				
from	nearest t	own or intersection: If at	owner's address, check here	
fron	n Calista	: 4.5 mi S, .75 mi W		Longitude: (in decimal degrees)
				Elevation:
2 WA	TER W	ELL OWNER: Pauline	Harbert	Datum: WGS 84, NAD 83, NAD 27
		_ radiirio	N 90th Ave	Collection Method: GPS unit (Make/Model:)
	, State, Z	ID C-1-	nham, KS 67035	☐ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey
			(nam, NS 07033	Est. Accuracy:
3 LOCATE WELL WITH AN "X" IN 4 DEPTH OF COMPLETED WELL 105 ft.				
	H AN "X	"IN 4 DEPTH OF	COMPLETED WELL .199.	tt.
SEC.	SECTION BOX: Depth(s) Groundwater Encountered (1).40			ft. (2) ft. (3) ft.
Pump test data: Well water was			test data: Well water was	ft. below land surface measured on mo/day/yr.1/21/11 t. after
EST VIELD 1000 amm Well water was				ft. after
W NW - - NE - EST. TIELD. (000).gpm. Well water was				ft and in to ft
WELL WATER TO BE USED AS: ☐ Public water supply ☐ Geothermal ☐ Injection well				
Domestic				
☐ Irrigation ☐ Industrial ☐ Domestic-lawn & garden ☐ Monitoring well				
Was a chemical/bacteriological sample submitted to Department? ☐ Yes ☑ No				
S If yes, mo/day/yr sample was submitted				
Water well disinfected? ✓ Yes □ No				
5 TYPE OF CASING USED: Steel PVC Other				
CASING JOINTS: ☑ Glued ☐ Clamped ☐ Welded ☐ Threaded				
Casing diameter .16" in. to .65 ft., Diameter in. to ft., Diameter ft.				
Casing height above land surface. 12 in., Weight .16 lbs./ft., Wall thickness or gauge NoSch40				
TYPE OF SCREEN OR PERFORATION MATERIAL:				
☐ Steel ☐ Stainless Steel ☐ PVC ☐ Other (Specify)				
☐ Brass ☐ Galvanized Steel ☐ None used (open hole) SCREEN OR PERFORATION OPENINGS ARE:				
☐ Continuous slot ☐ Mill slot ☐ Gauze wrapped ☐ Torch cut ☐ Drilled holes ☐ None (open hole)				
☐ Louvered shutter ☐ Key punched ☐ Wire wrapped ✓ Saw cut ☐ Other (specify)				
SCREEN-PERFORATED INTERVALS: From. 65 ft. to105 ft., From ft. to				
From ft. to ft., From ft. to ft.				
GRAVEL PACK INTERVALS: From. 20 ft. to105 ft., From ft. to ft.				
From				
Grout Intervals: From .3 ft. to .20 ft., From ft. to ft. to ft. to ft. to ft. to				
What is the nearest source of possible contamination:				
Septic tank Lateral lines Pit privy Livestock pens Insecticide storage Other (specify below)				
☐ Sewer lines ☐ Cesspool ☐ Sewage lagoon ☐ Fuel storage ▼ Abandoned water well				
☐ Watertight sewer lines ☐ Seepage pit ☐ Feedyard ☐ Fertilizer storage ☐ Oil well/gas well				
				ince from well55'.
FROM	TO	LITHOLOG	FROM	TO LITHO. LOG (cont.) or PLUGGING INTERVALS
0	6	Clay		
6 35	35 68	Gypsum Clay		
68	69	Coarse Sand		
69	105	Clay Coarse Sand		
09	103	Coarse Sanu		
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was ✓ constructed, ☐ reconstructed, or ☐ plugged				
under my jurisdiction and was completed on (mo/day/year) .1/21/11 and this record is true to the best of my knowledge and belief.				
Kansas Water Well Contractor's License No. 238 This Water Well Record was completed or (mo/day/year) 2/2/11				
under the business name of Premier Pump and Well Service, Inc. by (signature) fature (Allari				
INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks and check the correct answers. Send three copies				
(white, blue, pink) to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-5522. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Visit us at				
http://www.kdheks.gov/waterwell/index.html.				
KSA 82a-1212 Check: ☑White Copy, ☐ Blue Copy, ☐ Pink Copy				