NW well

47829 Division of Water Resources App. No. Form WWC-5 WATER WELL RECORD Range Number Section Number Township No. Fraction 1 LOCATION OF WATER WELL: Т 28 R 9 1/4 NW 1/4 SE 1/4 SW 1/4 County: Kingman Global Positioning System (GPS) information: Street/Rural Address of Well Location; if unknown, distance & direction Latitude: (in decimal degrees) from nearest town or intersection: If at owner's address, check here . Longitude: (in decimal degrees) 3 North, 1 1/2 West of Willowdale Elevation: Datum: WGS 84, NAD 83, NAD 27 WATER WELL OWNER: Collection Method: Brian Stauffer GPS unit (Make/Model: RR#, Street Address, Box #: 20918 West Pretty Prairie Road ☐ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey Est. Accuracy: ☐ <3 m, ☐ 3-5 m, ☐ 5-15 m, ☐ >15 m City, State, ZIP Code Arlington, Ks. 67514 3 LOCATE WELL 4 DEPTH OF COMPLETED WELL 105 ft. WITH AN "X" IN SECTION BOX: Pump test data: Well water was 81ft. after 2.1/2 hours pumping. 384 gpm EST. YIELD 410 ... gpm. Well water was 83 ... ft. after 3 ... hours pumping 410 ... gpm - NW - -Bore Hole Diameter 40 in. to .105 ft., andin. toft. W WELL WATER TO BE USED AS:
Public water supply

Geothermal
Domestic
Domestic ☐ Industrial ☐ Domestic-lawn & garden ☐ Monitoring well **✓** Irrigation Was a chemical/bacteriological sample submitted to Department? Yes V No If yes, mo/day/yr sample was submitted..... S ---l mile-----Water well disinfected? ✓ Yes ☐ No Other **▼** PVC ☐ Steel 5 TYPE OF CASING USED: CASING JOINTS: Glued Clamped Welded Threaded Casing diameter .16. in. to .105 ft., Diameter in. to ft., Diameter ft. Casing height above land surface. 18 in., Weight Sch 40 lbs./ft., Wall thickness or gauge No. TYPE OF SCREEN OR PERFORATION MATERIAL: Other (Specify) Stainless Steel ☐ Steel **✓** PVC Galvanized Steel None used (open hole) Brass SCREEN OR PERFORATION OPENINGS ARE: Gauze wrapped Torch cut ☐ Drilled holes ☐ None (open hole)
☐ Other (specify) None (open hole) ☐ Continuous slot ☐ Mill slot Louvered shutter Key punched Wire wrapped Saw cut Other (specify)

SCREEN-PERFORATED INTERVALS: From 105 ft. to .75 ft., From ft. to . ft. GRAVEL PACK INTERVALS: From 105 ft. to 20 ft., From ft. to ft. From....... ft. to ft., From ft. to ft. What is the nearest source of possible contamination: Other (specify below) ☐ Pit privy ☐ Livestock pens ☐ Sewage lagoon ☐ Fuel storage ☐ Insecticide storage ☐ Septic tank
☐ Sewer lines Lateral lines Pit privy Abandoned water well Cesspool None Fertilizer storage Oil well/gas well Watertight sewer lines Seepage pit Feedyard Distance from well Direction from well LITHO. LOG (cont.) or PLUGGING INTERVALS FROM TO LITHOLOGIC LOG FROM TO Sand & gravel- small 81 69 0 1 Top soil Sandy tan clay 81 94 1 5 Ash Sand & gravel- small 100 94 5 14 Tan & gray clay 105 Red bed 25 100 Sand & gravel 14 Sandy tan clay with streaks of 35 25 ash & gravel Sand & gravel- med, coarse 35 55 55 56 Tan clav 64 Sand & gravel-small 56 Sandy reddish brown clay 64 7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was

✓ constructed, ☐ reconstructed, or ☐ plugged under my jurisdiction and was completed on (mo/day/year) .6/5/12.......... and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 134 This Water Well Record was completed on (mo/day/year) 6/14/12 under the business name of Rosencrantz-Bemis by (signature) by (signature).

INSTRUCTIONS: Use ty pewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks and check the correct answers. Send three copies (white, blue, pink) to Kansas Department of Health and E nvironment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-5524. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Vi sit us at http://www.kdheks.gov/waterwell/index.html. Check: X White Copy, Blue Copy, Pink Copy

1 . 1

KSA 82a-1212