VAVA TEUR	) <b>\</b> \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	L RECORD	Form WV	NC 5	D:		uth Well	47829	
		OF WATER WELL:	Fraction	WC-3		on Number	r Resources App. No.  Township No.	Range Number	
Coun	County: Kingman		1/4 NW 1/4 SE			32	T 28 S	R 9 □E ☑W	
Street	t/Rural A	ddress of Well Location;	f unknown, distance &	direction	Global Positioning System (GPS) information:				
from	from nearest town or intersection: If at owner's address, check l					Latitude: (in decimal degrees)			
3 North, 1 1/2 West of Willowdale					Longitude: (in decimal degrees)				
					Elevation:				
2 WATER WELL OWNER: Brian Stauffer					Collection Method:				
RR#, Street Address, Box #: 20918 West Pretty Prair				oad	GPS unit (Make/Model:)				
City, State, ZIP Code : Arlington.			n, Ks. 67514			☐ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey			
Est. Accuracy:									
3 LOCATE WELL WITH AN "X" IN 4 DEPTH OF COMPLETED WELL 101 ft.									
	Depth(s) Groundwater Encountered (1) ft. (2) ft. (3) ft. WELL'S STATIC WATER LEVEL37 ft. below land surface measured on mo/day/yr. 4/30/12  Pump test data: Well water was .56ft 5" ft. after .2.1/2 hours pumping .468 gpm EST. YIELD. 584gpm. Well water was .62 ft. after .3 hours pumping .584 gpm Bore Hole Diameter 40 in. to .101 ft., and in. to ft.								
f T									
NW									
W									
	WELL WATER TO BE USED AS:  Public water supply  Geothermal Injection well  Domestic Feedlot Oil field water supply Dewatering Other (Specify below)								
SW	/   SI								
	✓ Irrigation ☐ Industrial ☐ Domestic-lawn & garden ☐ Monitoring well								
	Was a chemical/bacteriological sample submitted to Department? ☐ Yes ✓ No  If yes, mo/day/yr sample was submitted								
	Water well disinfected? Ves No								
5 TYPE OF CASING USED: ☐ Steel ☑ PVC ☐ Other									
Casing diameter .16 in. to .10.1 ft., Diameter ft., Diameter ft., Diameter ft.									
Casing height above land surface. 18. in., Weight Sch 40. lbs./ft., Wall thickness or gauge No.									
TYPE OF SCREEN OR PERFORATION MATERIAL:									
☐ Steel ☐ Stainless Steel ☐ Other (Specify)									
Brass Galvanized Steel None used (open hole)									
SCREEN OR PERFORATION OPENINGS ARE:  Continuous slot									
Louvered shutter Key punched Wire wrapped Saw cut Other (specify)									
SCREEN-PERFORATED INTERVALS: From									
From									
GRAVEL PACK INTERVALS: From									
From ft to ft., From ft to ft.									
6 GROUT MATERIAL: Neat cement Cement grout Denotite Other									
What is	the neare	est source of possible contr	amination:	.77.5	10.00		P10III	11. 1011.	
Septic tank									
Sewer lines Cesspool Sewage lagoon					rage Abandoned water well				
		ht sewer lines		Fertilizer s		Oil well/ga			
FROM	TO	n wellLITHOLOG		FROM	TO TO			JGGING INTERVALS	
0	1	Top soil	IIC LOG		79		·	JOUING INTERVALS	
1	4	Ash			94	Sand & gra		, 1	
4	17	Tan & gray clay			99	Sand & gra			
17	25	Sand & gravel			101	Red bed	avor oman		
25	35	Sandy tan clay with str		··· ₹. ·······					
		ash & gravel						. :	
35	55	Sand & gravel- med, coarse							
55	60	Tan clay							
60	64	Sand & gravel- small							
64	69	Sandy reddish brown clay							
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was   ☐ constructed, ☐ reconstructed, or ☐ plugged									
under my jurisdiction and was completed on (mo/day/year) .6/5/12									
Kansas Water Well Contractor's License No. 134 This Water Well Record was completed on (mo/day/year) 6/14/12									
under the business name of Rosencrantz-Bemis by (signature) by (signature) INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks and check the correct answers. Send three copies									
(white, blue, pink) to Kansas Depar tment of Health and E nvironment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 666 12-1367.									
Telephone 785-296-5524. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Vi sit us at									
http://www.kdheks.gov/waterwell/index.html.  KSA 82a-1212 Check: White Copy.  Blue Copy.  Pink Copy.									
KSA 82a-1212 Check: White Copy, Blue Copy, Pink Copy									