

WATER WELL RECORD Form WWC-5

☒ Original Record ☐ Correction ☐ Change in Well UseDivision of Water
Resources App. No.

Well ID

1 LOCATION OF WATER WELL: County: <u>Kingman</u>	Fraction: <u>N 1/4 SW 1/4 NW</u>	Section Number: <u>23</u>	Township Number: <u>T 29 S</u>	Range Number: <u>R 9 E NW</u>
---	----------------------------------	---------------------------	--------------------------------	-------------------------------

2 WELL OWNER: Last Name: <u>Wedman</u> Business: <u>18601 Midland Dr.</u> Address: <u>Shawnee Mission KS</u> City: <u>IP: 66218</u>	First: <u>PH</u> Street or Rural Address where well is located (if unknown, distance and direction from nearest town or intersection): If at owner's address, check here: <input type="checkbox"/> <u>10 No Zenda, KS</u>
--	---

3 LOCATE WELL WITH "X" IN SECTION BOX: N W E S 1 mile	4 DEPTH OF COMPLETED WELL: <u>82</u> ft. Depth(s) Groundwater Encountered: 1) <u>41</u> ft. 2) <u>41</u> ft. 3) <u>41</u> ft. or 4) <u>41</u> ft. Dry Well WELL'S STATIC WATER LEVEL: <u>41</u> ft. <input checked="" type="checkbox"/> below land surface, measured on (mo-day-yr) <u>6-21-18</u> <input type="checkbox"/> above land surface, measured on (mo-day-yr) <u>6-21-18</u> Pump test data: Well water was <u>19</u> ft. after <u>10</u> hours pumping <u>82</u> gpm Well water was <u>19</u> ft. after <u>10</u> hours pumping <u>82</u> gpm Estimated Yield: <u>19</u> gpm Bore Hole Diameter: <u>10</u> in. to <u>82</u> ft. and <u>10</u> in. to <u>82</u> ft.	5 Latitude: (decimal degrees) Longitude: (decimal degrees) Horizontal Datum: <input type="checkbox"/> WGS 84 <input type="checkbox"/> NAD 83 <input type="checkbox"/> NAD 27 Source for Latitude/Longitude: <input type="checkbox"/> GPS (unit make/model:) (WAAS enabled? <input type="checkbox"/> Yes <input type="checkbox"/> No) <input type="checkbox"/> Land Survey <input type="checkbox"/> Topographic Map <input type="checkbox"/> Online Mapper:
		6 Elevation: ft. <input type="checkbox"/> Ground Level <input type="checkbox"/> TOC Source: <input type="checkbox"/> Land Survey <input type="checkbox"/> GPS <input type="checkbox"/> Topographic Map <input type="checkbox"/> Other

7 WELL WATER TO BE USED AS: 1. Domestic: <input type="checkbox"/> Household <input type="checkbox"/> Lawn & Garden <input checked="" type="checkbox"/> Livestock 2. <input type="checkbox"/> Irrigation 3. <input type="checkbox"/> Feedlot 4. <input type="checkbox"/> Industrial	5. <input type="checkbox"/> Public Water Supply: well ID 6. <input type="checkbox"/> Dewatering: how many wells? 7. <input type="checkbox"/> Aquifer Recharge: well ID 8. <input type="checkbox"/> Monitoring: well ID 9. Environmental Remediation: well ID <input type="checkbox"/> Air Sparge <input type="checkbox"/> Soil Vapor Extraction <input type="checkbox"/> Recovery <input type="checkbox"/> Injection	10. <input type="checkbox"/> Oil Field Water Supply: lease 11. Test Hole: well ID <input type="checkbox"/> Cased <input type="checkbox"/> Uncased <input type="checkbox"/> Geotechnical 12. Geothermal: how many bores? a) Closed Loop <input type="checkbox"/> Horizontal <input type="checkbox"/> Vertical b) Open Loop <input type="checkbox"/> Surface Discharge <input type="checkbox"/> Inj. of Water 13. <input type="checkbox"/> Other (specify):
---	--	---

Was a chemical/bacteriological sample submitted to KDHE? ☐ Yes ☒ No If yes, date sample was submitted:
Water well disinfected? ☒ Yes ☐ No

8 TYPE OF CASING USED: ☐ Steel ☒ PVC ☐ Other CASING JOINTS: ☒ Glued ☐ Clamped ☐ Welded ☐ Threaded
Casing diameter 5 in. to 82 ft. Diameter 160 in. to ft. Diameter in. to ft.
Casing height above land surface 24 in. Weight 160 lbs./ft. Wall thickness or gauge No.

TYPE OF SCREEN OR PERFORATION MATERIAL:
☐ Steel ☐ Stainless Steel ☐ Fiberglass ☒ PVC ☐ Other (Specify)
☐ Brass ☐ Galvanized Steel ☐ Concrete tile ☐ None used (open hole)

SCREEN OR PERFORATION OPENINGS ARE:
☐ Continuous Slot ☐ Mill Slot ☐ Gauze Wrapped ☐ Torch Cut ☐ Drilled Holes ☐ Other (Specify)
☐ Louvered Shutter ☐ Key Punched ☐ Wire Wound ☒ Saw Cut ☐ None (Open Hole)

SCREEN-PERFORATED INTERVALS: From 72 ft. to 75 ft., From 78 ft. to 82 ft., From ft. to ft.
GRAVEL PACK INTERVALS: From 20 ft. to 45 ft., From 42 ft. to 82 ft., From ft. to ft.

9 GROUT MATERIAL: ☐ Neat cement ☐ Cement grout ☒ Bentonite ☐ Other
Grout Intervals: From 0 ft. to 20 ft., From 45 ft. to 47 ft., From ft. to ft.

Nearest source of possible contamination:
☐ Septic Tank ☐ Lateral Lines ☐ Pit Privy ☐ Livestock Pens ☐ Insecticide Storage
☐ Sewer Lines ☐ Cess Pool ☐ Sewage Lagoon ☐ Fuel Storage ☒ Abandoned Water Well
☐ Watertight Sewer Lines ☐ Seepage Pit ☐ Feedyard ☐ Fertilizer Storage ☐ Oil Well/Gas Well
☐ Other (Specify) W Distance from well? 1000 ft.

10 FROM	TO	LITHOLOGIC LOG	FROM	TO	LITHO. LOG (cont.) or PLUGGING INTERVALS
0	2	Soil			
2	19	Dark Sand			
19	22	Red Clay			
22	44	Fine Sand			
44	57	Tan Clay			
57	65	Fine Sand			
65	75	Sand			
75	78	Fine Sand			
78	82	Sand			

Notes:

11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was ☒ constructed, ☐ reconstructed, or ☐ plugged under my jurisdiction and was completed on (mo-day-yr) 6-21-18 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 160 This Water Well Record was completed on (mo-day-yr) 6-29-18 under the business name of Lyman's Inc. Signature: Lyman