

1 LOCATION OF WATER WELL: Sedgwick		FRACTION NW 1/4 NW 1/4 NW 1/4		SECTION NUMBER 23		TOWNSHIP NUMBER T 29 S		RANGE NUMBER R 1W E/W																																																																																																							
Distance and direction from nearest town or city street address of well if located within city? 9650 S. Hoover Clearwater, Kansas																																																																																																															
2 WATER WELL OWNER: RR#,ST. ADDRESS,BOX #: CITY, STATE:		HAWKINS, David 9650 S. Hoover Clearwater, Kansas				Board of Agriculture, Division of Water Resource		Application Number:																																																																																																							
3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX: N E S W SW SE NE NW 1 Mile W E		4 DEPTH OF COMPLETED WELL: 70 ft. ELEVATION: Depth of groundwater Encountered: _____ ft. WELL'S STATIC WATER LEVEL 30 FT. BELOW LAND SURFACE MEASURED ON mo/day/yr: 8/4/03 Pump test data: Well water was _____ ft. after _____ hours of pumping @ _____ gpm Est. Yield: gpm Well water was _____ ft. after _____ hours of pumping @ _____ gpm Bore Hole Diameter 12 in. to 70 ft. and in. to ft. WELL WATER TO BE USED AS: ☒ Domestic ☐ Feedlot ☐ Public water supply ☐ Lawn and garden only ☐ Dewatering ☐ Injection well ☐ Irrigation ☐ Industrial ☐ Oil field water supply ☐ Air conditioning ☐ Monitoring well ☐ Other (Specify below) Was a chemical/bacteriological sample submitted to Department? YES NO ; If yes, what mo/day/yr was sample submitted? YES NO Was Water Well Disinfected? YES NO																																																																																																													
5 TYPE OF CASING USED: 1. Steel 3. RPM (SR) 5. Wrought Iron 7. Fiberglass 9. Other (Specify below) CASING JOINTS: ☒ Glued Threaded ☒ PVC 4. ABS 6. Asbestos-Cement 8. Concrete tile SDR-26 Welded Clamped Blank casing diameter 5 in. to 50 ft., Dia. in. to ft., Dia. in. to ft. Casing height above land surface: 12 in., Weight: 2.35 lbs. / ft. Wall thickness or gauge No. .214 TYPE OF SCREEN OR PERFORATION MATERIAL: 1. Steel 3. Stainless Steel 5. Fiberglass ☒ 7. PVC 9. ABS 11. Other (specify) 2. Brass 4. Galvanized 6. Concrete Tile 8. RMP (SR) 10. Asbestos-Cement 12. None used (open hole)																																																																																																															
SCREEN OR PERFORATION OPENINGS ARE: 1. Continuous slot 3. Mill slot 5. Gauzed wrapped 7. Torch cut 9. Drilled holes 11. None (open hole) 2. Louvered shutter 4. Key punched 6. Wire wrapped ☒ 8. Saw cut 10. Other (specify)																																																																																																															
SCREEN - PERFORATION INTERVAL From 50 ft. to 70 ft., From ft. to ft. From ft. to ft., From ft. to ft. GRAVEL PACK INTERVALS: From 24 ft. to 70 ft., From ft. to ft. From ft. to ft., From ft. to ft.																																																																																																															
6 GROUT MATERIALS: 1. Neat cement ☒ 2. Cement Grout 3. Bentonite Other bentonite hole plug Grout Intervals: From 4 ft. to 24 ft., From ft. to ft., From ft. to ft. What is the nearest source of possible contamination: 1. Septic tank 4. Lateral lines 7. Pit privy 10. Livestock pens 13. Insecticide storage 15. Oil well/Gas well 2. Sewer lines 5. Cess Pool 8. Sewage lagoon 11. Fuel storage 14. Abandon water well 16. Other (specify below) 3. Watertight sewer line 6. Seepage pit 9. Feed yard 12. Fertilizer storage None Apparent Direction from well? How many feet?																																																																																																															
<table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th>From</th> <th>To</th> <th>LITHOLOGIC LOG</th> <th>From</th> <th>To</th> <th>LITHOLOGIC LOG</th> </tr> </thead> <tbody> <tr> <td>0</td> <td>3</td> <td>fill</td> <td></td> <td></td> <td></td> </tr> <tr> <td>3</td> <td>20</td> <td>clay</td> <td></td> <td></td> <td></td> </tr> <tr> <td>20</td> <td>27</td> <td>fine sand</td> <td></td> <td></td> <td></td> </tr> <tr> <td>27</td> <td>40</td> <td>sand with streaks of clay</td> <td></td> <td></td> <td></td> </tr> <tr> <td>40</td> <td>45</td> <td>fine sand</td> <td></td> <td></td> <td></td> </tr> <tr> <td>45</td> <td>50</td> <td>clay</td> <td></td> <td></td> <td></td> </tr> <tr> <td>50</td> <td>62</td> <td>medium sand</td> <td></td> <td></td> <td></td> </tr> <tr> <td>62</td> <td>70</td> <td>shale</td> <td></td> <td></td> <td></td> </tr> <tr><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td></tr> </tbody> </table>										From	To	LITHOLOGIC LOG	From	To	LITHOLOGIC LOG	0	3	fill				3	20	clay				20	27	fine sand				27	40	sand with streaks of clay				40	45	fine sand				45	50	clay				50	62	medium sand				62	70	shale																																																			
From	To	LITHOLOGIC LOG	From	To	LITHOLOGIC LOG																																																																																																										
0	3	fill																																																																																																													
3	20	clay																																																																																																													
20	27	fine sand																																																																																																													
27	40	sand with streaks of clay																																																																																																													
40	45	fine sand																																																																																																													
45	50	clay																																																																																																													
50	62	medium sand																																																																																																													
62	70	shale																																																																																																													
7 Contractor's or Landowner's Certification: This water well was 1. ☒ constructed 2. reconstructed or 3. plugged under my jurisdiction and was completed on (mo/day/year) 8/4/2003 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 236 This water well record was completed on (mo/day/year) 8/6/2003 under the business name of Harp Well & Pump Service Inc. by (signature) Todd S. Harp																																																																																																															