WATER WELL R		WWC-5 ge in Well Use		ion of Water rces App. N		Well ID Well ID	
1 LOCATION OF WA		Fraction	Secti	ion Number			
County: Sed 9		1/4 E 1/4 NW 1/48	E 1/4		т э9 s		
2 WELL OWNER: Last Name: First: Street or Rural Address where well is located (if unknown, distance and							
Business: Q a No. VO W Stra VE direction from powered tourn or intersection): If at owner's address check here. [
mulicis. Lag & School house II Will 5 School house II						L PI	
Address:	15VILE State: KS	710: 157MAN		Haysville, KS 47060			
					1112		
3 LOCATE WELL 'WITH "X" IN	4 DEPTH OF COM						
SECTION BOX:	Depth(s) Groundwater		Longitude:(decimal degrees)				
N	2) ft.	3) ft., or 4) □	Dry Well	Datum	: 🗌 WGS 84 🔲 NA	AD 83 NAD 27	
	WELL'S STATIC WA	TER LEVEL: 2.	tt.		for Latitude/Longitude		
	below land surface	r)	□GI)		
NW NE	Pump test data: Well v	r)		(WAAS enabled?			
***	after hour	nm		ind Survey Topog			
E				nine iviapper			
SW SE	Well water was ft. after hours pumping gpm						
	Estimated Yield: 2.6	r			ft. Ground Level TOC		
S	Bore Hole Diameter:	ft. and	Source		GPS Topographic Map		
1 mile		in. to ft.					
7 WELL WATER TO BE USED AS:							
1. Domestic:		ater Supply: well ID				lease	
☐ Household	6. 🔲 Dewaterii		11. Test Hole: well ID				
Lawn & Garden	7. Aquifer R		☐ Cased ☐ Uncased ☐ Geotechnical				
Livestock		ng: well ID			12. Geothermal: how many bores?		
2. Irrigation	9. Environment		a) Closed Loop ☐ Horizontal ☐ Vertical b) Open Loop ☐ Surface Discharge ☐ Inj. of Water				
3. Feedlot	☐ Air Sparg		xtraction				
Was a chemical/bacteriological sample submitted to KDHE? Yes Vo If yes, date sample was submitted:							
Water well disinfected? ▼Yes □ No 8 TYPE OF CASING USED: □ Steel ▼PVC □ Other							
8 TYPE OF CASING	USED: ☐ Steel ☐PV	/C □ Other	CASIN	G JOINTS:	: MGlued ☐ Clamp	ed Welded Threaded	
Casing diameter							
Casing height above land surface							
TYPE OF SCREEN OR PERFORATION MATERIAL: □ Steel □ Stainless Steel □ Fiberglass □ □ PVC □ Other (Specify)							
☐ Brass ☐ Galvanized Steel ☐ Concrete tile ☐ None used (open hole)							
SCREEN OR PERFORATION OPENINGS ARE:							
☐ Continuous Slot ☐ Mill Slot ☐ Gauze Wrapped ☐ Torch Cut ☐ Drilled Holes ☐ Other (Specify)							
☐ Louvered Shutter ☐ Key Punched ☐ Wire Wrapped ☐ Saw Cut ☐ None (Open Hole)							
SCREEN-PERFORATED INTERVALS: From							
GRAVEL PACK INTERVALS: From							
9 GROUT MATERIAL: Neat cement Cement grout Bentonite Other							
Grout Intervals: From							
Nearest source of possible contamination:							
☐ Septic Tank	☐ Lateral Lin			Livestock Pe		ticide Storage	
Sewer Lines	Cess Pool	☐ Sewage Lag		Fuel Storage		doned Water Well	
Watertight Sewer Lines							
Other (Specify) Direction from well? Distance from well?							
10 FROM TO	LITHOLO		FROM			or PLUGGING INTERVALS	
10 FROM 10	1700 SQ1	GIC LOG	FRON	10	LITTO, LOG (coll.)	OLI POGOTIJO ILITEKAVIPO	
1 15	day						
15 20.		ind	 	+			
						AND THE STOCK STOC	
25 35	Fine San	£7 day	+ +			***************************************	
35 40						A	
52 50 med - black							
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed, reconstructed, or plugged							
under my jurisdiction and was completed on (mo-day-year)							
Kansas Water Well Contractor's License No This Water Well Record was completed on (morday-year)							
under the business name	e of LUPINICE	W. Dallin	YX.LLC	φ ¹⁰⁰⁰	IVOVIS LL	HOR	
INSTRUCTIONS: Send one copy to WATER WELL OWNER and retain one copy for your records. Submit fee of \$5.00 for each constructed well along with one (white) copy to Kansas							
Department of He	ealth and Environment, Bureau o	of Water, Geology Section, 1000	SW Jackson St., S	uite 420, Topek	a, Kansas 66612-1367. Tele	phone (785) 296-3565.	
Visit us at http://www.kdl	neks.gov/waterwell/index.html		KSA 82a-12	:12		Revised 9/10/2012	