WATER WELL RE	CORD	Form W	WC-5	Division of Wat	er Resources App. No		
1 LOCATION OF WATER WELL:		Fraction		Section Number	Township No.	Range Number	
County: Sedgwick		NE 1/4 NE 1/4 SV			T 29 S	R 1 DE VW	
Street/Rural Address of Well Location; if unknown, distance & direction from nearest town or intersection: If at owner's address, check here				Global Positioning System (GPS) information: Latitude: .37.48610 (in decimal degrees)			
From Clearwater 2E 1 1/4 S WSR				Longitude: 097.46455 (in decimal degrees)			
Profit Clearwater 2E 1 1/4 3 WSIX				Elevation: 1255			
2 WATER WELL OWNER: Vivian Maechtlen				Datum: WGS 84, NAD 83, NAD 27 Collection Method:			
RR#, Street Address, Box #: 9760 S. Tyler Rd.				GPS unit (Make/Model: Garmin 62s			
City, State, ZIP Code		iter, Kansas 67026		☐ Digital Map/Photo,			
3 LOCATE WELL				Est. Accuracy:	<3 m, ∠ 3-5 m, ∟	5-15 m, >15 m	
WITH AN "X" IN	4 DEPTH OF	COMPLETED WEL	L 43	ft	•		
SECTION BOX:	Depth(s) Groundwater Encountered (1)						
N	WELL'S STATIC WATER LEVEL. 9ft. below land surface measured on mo/day/yr. 2/10/2015 Pump test data: Well water wasft. afterhours pumping						
	ECT VICE D Well water was frafter hours numning gpm						
w NW NE E	Bore Hole Diameter 30in. to .43ft., andin. toft.						
	WELL WATER TO BE USED AS: Public water supply Geothermal Injection well						
SW SE	SE Domestic						
	✓ Irrigation						
S If yes, mo/day/yr sample was submitted							
1 mile Water well disinfected?							
5 TYPE OF CASING USED: Steel PVC Other							
CASING IOINTS: M Glued Clamped Welded Threaded							
Casing diameter .16 in. to .23 ft., Diameter in. to ft., Diameter ft. Casing height above land surface .24							
TYPE OF SCREEN OR PERFORATION MATERIAL:							
☐ Steel ☐ Stainless Steel							
Brass Galvanized Steel None used (open hole) SCREEN OR PERFORATION OPENINGS ARE:							
Continuous slot Mill slot Gauze wrapped Torch cut Drilled holes None (open hole)							
Louvered shutter Key punched Wire wrapped Saw cut Other (specify)							
SCREEN-PERFORATED INTERVALS: From 23 ft. to 43 ft., From ft. to ft. from ft. to ft.							
GRAVEL PACK INTERVALS: From							
From ft to ft From ft toft.							
6 GROUT MATERIAL: Neat cement Cement grout Bentonite Other.							
Grout Intervals: From .15 ft. to .0 ft., From ft. to ft., From ft. to ft. what is the nearest source of possible contamination:							
☐ Septic tank ☐ Lateral lines ☐ Pit privy ☐ Livestock pens ☐ Insecticide storage ☑ Other (specify below)							
Sewer lines Cesspool Sewage lagoon Fuel storage Abandoned water well Watertight sewer lines Seepage pit Feedyard Fertilizer storage Oil well/gas well N/A							
		pit LI reedyard	Management of the Control of the Con	from well	545 11011	••••••	
FROM TO	LITHOLO		FROM			JGGING INTERVALS	
0 3 Top s							
	n clay	- your subject, a subsequence quantum advantable to providing a contribution of the co	_		and the same of th		
The state of the s	l-med. sand n clay	ntakana miyot kon Amali uu ka ka asaaya a a ka a Alde riakan adan dari uyun ar a inibaan ayadayan daran a	-				
	med. sand	and the state of t					
The state of the s	n clay						
36 39 Med.	-fine sand						
	sand, rock, shale)					
42 43 Shale	2	менения допументнуй принут принут в порти в порти при пере пере принут п					
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was ✓ constructed, ☐ reconstructed, or ☐ plugged							
under my jurisdiction and was completed on (mo/day/year) .2/10/2015 and this record is true to the best of my knowledge and belief.							
Kansas Water Well Contractor's License No. 134 This Water Well Record was completed on (mo/day/year) 2/16/2015							
under the business name of Rosencrantz-Bemis Ent. by (signature) Rosen							
(white, blue, pink) to Kansas Depar tment of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 666 12-1367.							
Telephone 785-296-5524. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Vi sit us at http://www.kdheks.gov/waterwell/index.html.							
KSA 82a-1212 Check: ✓ White Copy, ☐ Blue Copy, ☐ Pink Copy							