KOLAR Document ID: 1375917

				WWC-5		vision of Wat			Wall ID		
Original Record Correction Change in Well 1 LOCATION OF WATER WELL: Fraction				Fraction	Resources App. N Section Numbe			Township Numb	Well ID	ge Number	
$\begin{array}{c c} I & LOCATION OF WATER WELL: \\ County: & 1/4 & 1/4 & 1/4 \\ \end{array}$						T S R \square E \square W					
2 WELL O	st Name:				reet or Rural Address where well is located (if unknown, distance and						
						irection from nearest town or intersection): If at owner's address, check here:					
Address:	Address: Address:										
City: State: ZIP:											
3 LOCATE WELL											
4 DEPTH OF COMPLETED WELL: SECTION BOX. Depth(s) Groundwater Encountered: 1)											
SECTION	BOX:										
N		2) ft. 3) ft., or 4) Dry WELL'S STATIC WATER LEVEL:				Source for Latitude/Longitude:					
				yr)		GPS (unit make/model:)					
NW	- NE			yr)		(WAAS enabled? ☐ Yes ☐ No)					
		Pump test data: Well water was ft. after hours pumping gpm					\Box Land Survey \Box Topographic Map				
W	Y E	alter	Well v			Online Mapper:					
SW	- SÊ	after	hours								
		Estimated Y			6 Elevation:ft. Ground Level TOC						
S		Bore Hole D			Source: \Box Land Survey \Box GPS \Box Topographic Map						
1 mile in. to ft.											
7 WELL WATER TO BE USED AS: 1. Domestic: 5. Public Water Supply: well ID 10. Oil Field Water Supply: lease 											
□ Household											
Lawn &											
	Livestock 8. Monitoring: well ID					12. Geothermal: how many bores?					
	2. Irrigation 9. Environmental Remediation: well ID					a) Closed Loop					
				-	Extraction	traction b) Open Loop □ Surface Discharge □ Inj. of Wate 13. □ Other (specify):					
Was a chemical/bacteriological sample submitted to KDHE? \Box Yes \Box No If yes, date sample was submitted:											
8 TYPE OF CASING USED: Steel PVC Other CASING JOINTS: Glued Clamped Welded Threaded											
Casing diameter in. to ft., Diameter in. to ft., Diameter in. to ft.											
Casing height above land surface in. Weight lbs./ft. Wall thickness or gauge No											
TYPE OF SCREEN OR PERFORATION MATERIAL:											
□ Steel □ Stainless Steel □ Fiberglass □ PVC □ Other (Specify)											
Brass Galvanized Steel Concrete tile None used (open hole)											
SCREEN OR PERFORATION OPENINGS ARE:											
□ Louvered Shutter □ Key Punched □ Wire Wrapped □ Saw Cut □ None (Open Hole)											
SCREEN-PERFORATED INTERVALS: From ft. to ft., From ft., From ft. to ft.											
GRAVEL PACK INTERVALS: From ft. to ft., From ft. to ft., From ft. to ft.											
9 GROUT MATERIAL: Neat cement Cement grout Bentonite Other											
Grout Intervals: From ft. to ft., From ft. to ft., From ft. to ft.											
Nearest source of possible contamination: Septic Tank Lateral Lines Pit Privy Livestock Pens Insecticide Storage											
Sewer Li			Cess Pool	es 🗌 Pit Privy 🗌 Sewage Lag		Fuel Storage			•		
	Sewer Lines Cess Pool Sewage Lagoon Fuel Storage Abandoned Water Well Watertight Sewer Lines Seepage Pit Feedyard Fertilizer Storage Oil Well/Gas Well										
\Box Other (Specify)											
				Distance from we							
10 FROM	TO	L	ITHOLOG	GIC LOG	FROM	TO	LIT	HO. LOG (cont.) or	PLUGGIN	G INTERVALS	
<u> </u>							1				
<u> </u>											
					Notes:						
		<u></u>				<u></u>	_				
11 CONTR	ACTOR'S	d was comm	WNER'S	S CERTIFICATION	: This wate	r well was		onstructed, \square reco	instructed,	or \square plugged	
Kansas Wate	r Well Con	u was completer was completer the second sec	ense No	no-day-year) 	ter Well Red	cord was co	ns ut mnle	ted on (mo-day-ve	y Knowledg ear)	se and bener.	
under the bus	siness name	of	<u></u>	/ELL OWNER and retain of	<u></u>	<u></u>	<u></u>		<u></u>		
KCD	S	Send one copy to	WATER W	ELL OWNER and retain of	one for your rec	ords. Fee of \$	5.00 f	or each <u>constructed</u> we		795 204 2545	
KS Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-3565. Visit us at http://www.kdbeks.gov/waterwell/index.html KSA 82a-1212.											