KOLAR Document ID: 1429226

	WELL R	ECORD Correction		WWC-5 e in Well Use		vision of Wat ources App.			Well ID		
		ATER WEL		Fraction		ction Numb		Fownship Numb		ige Number	
County: $\frac{1}{4}$ $\frac{1}{4}$ $\frac{1}{4}$							$\begin{array}{c c} T & S & R & \Box E & \Box W \end{array}$				
2 WELL Business: Address: Address: City:	OWNER: L		State:			treet or Rural Address where well is located (if unknown, distance and irection from nearest town or intersection): If at owner's address, check here:					
3 LOCATE WELL											
WITH "Y" IN 4 DEPTH OF COMPLETED WELL:											
	SECTION BOX: Depth(s) Groundwater Encountered: 1) 2) ft. 3) ft., or 4) \Box										
N	N WELL'S STATIC WATER LEVEL:										
				·yr)		GPS (unit make/model:)					
NW	NE			yr)		(WAAS enabled? ☐ Yes ☐ No)					
		Pump test da				□ Land Survey □ Topographic Map □ Online Mapper:					
W	E	after	well v								
SW	SE	after	hours								
		Estimated Y		er	6 Elevation:ft. Ground Level TOC						
-	S	Bore Hole D			Sour	Source: Land Survey GPS Topographic Map					
1 n	1	DELICED		in. to							
7 WELL WATER TO BE USED AS: 1. Domestic: 5. Public Water Supply: well ID 10. Oil Field Water Supply: lease 											
	☐ Household						11. Test Hole: well ID				
	$\Box Lawn \& Garden 7. \Box Aquifer Recharge: we$										
	Livestock 8. Monitoring: well ID							: how many bores			
	2. Irrigation 9. Environmental Remediation: well ID.						a) Closed Loop 🗌 Horizontal 🗌 Vertical				
					Extraction	traction b) Open Loop □ Surface Discharge □ Inj. of Wa 13. □ Other (specify):					
Was a chemical/bacteriological sample submitted to KDHE? \Box Yes \Box No If yes, date sample was submitted:											
8 TYPE OF CASING USED: Steel PVC Other CASING JOINTS: Glued Clamped Welded Threaded											
Casing diameter in. to ft., Diameter in. to ft., Diameter in. to ft.											
Casing height above land surface in. Weight lbs./ft. Wall thickness or gauge No											
TYPE OF SCREEN OR PERFORATION MATERIAL:											
□ Steel □ Stainless Steel □ Fiberglass □ PVC □ Other (Specify)											
☐ Brass ☐ Galvanized Steel ☐ Concrete tile ☐ None used (open hole) SCREEN OR PERFORATION OPENINGS ARE:											
Continuous Slot Mill Slot Gauze Wrapped Torch Cut Drilled Holes Other (Specify)											
\Box Louvered Shutter \Box Key Punched \Box Wire Wrapped \Box Saw Cut \Box None (Open Hole)											
SCREEN-PERFORATED INTERVALS: From ft. to ft., From ft., From ft. to ft.											
GRAVEL PACK INTERVALS: From ft. to ft., From ft. to ft., From ft. to ft.											
9 GROUT MATERIAL: Neat cement Cement grout Bentonite Other											
		ft. to l e contaminati e		ft., From			n	ft. to	ft.		
Septic 7			ateral Line	potential source of conses Pit Privy		Livestock P	Pens	□ Insectic	ide Storage		
Sewer I			Cess Pool		goon 🗌	Fuel Storag			ned Water		
□ Watertight Sewer Lines □ Seepage Pit □ Feedyard □ Fertilizer Storage □ Oil Well/Gas Well											
Direction from well? ft.											
10 FROM	TO		ITHOLO		FROM	ТО			DUCCIN	G INTERVALS	
IU FROM	10	L	IIIIOLO	JIC LUG	гком	10		0. LOG (cont.) of	FLUUUIIN	JINTERVALS	
					Notes:						
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was a constructed, a reconstructed, or a plugged											
under mv iu	under my jurisdiction and was completed on (mo-day-year)										
Kansas Wa	ter Well Cor	ntractor's Lice	nse No	This Wa	ater Well Red	cord was co	omplete	ed on (mo-day-ye	ear)		
under the b	usiness nam	<u>e of</u>	WATED	ELL OWNED and rate in a		orda E- CA	ts 00 c	angle government 1		<u></u>	
Send one copy to WATER WELL OWNER and retain one for your records. Fee of \$5.00 for each <u>constructed</u> well. KS Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-3565.											
Visit us at http://www.kdheks.gov/waterwell/index.html KSA 82a-1212											