			WWC-5		sion of Water	Well ID		
			nge in Well Use		urces App. Notion Number	Township Number Range Nu	mher	
_		ATER WELL:	Fraction SW 4SE 4NW 4					
County: Sedgwick   SW 1/4 SE 1/4   M								
Business: KLAUSMEYER CONSTRUCTION LLC direction from nearest town or intersection): If at owner's address, check here:								
Address: 10008 W. York								
Address: City: Wichita State: Kansas ZIP: 67215 710 W. Co						kes Pl. Haysville, Kansas	67060	
3 LOCAT	<u>Wichita</u> FWFII		Zii . 07213		<del></del>			
WITH "			MPLETED WELL:					
SECTIO			r Encountered: 1)		Longitude: ¬97,37699			
1	2) ft. 3) ft., or 4) WELL'S STATIC WATER LEVEL: <b>25</b>				ft. Source for Latitude/Longitude:			
		below land surface	e, measured on (mo-day-yi	06/21/22	Source Source	S (unit make/model: <b>i.Phone</b>		
NW	NE	above land surface	e, measured on (mo-day-yr	·)		(WAAS enabled? ☐ Yes ☐ No)	,	
Pump test data: Well v			water was ft.			☐ Land Survey ☐ Topographic Map		
w					□ Ot	line Mapper:		
sw	\$E	1	water was ft.	rs pumping gpm				
		Estimated Yield:		gpm		6 Elevation:ft. ☐ Ground Level ☐ TOC		
S Bore Hole Diameter:			.2in. to 7.0	2 in. to 7.9 ft. and		Source: ☐ Land Survey ■ GPS ☐ Topographic Map		
1 mile  in. to ft.								
7 WELL WATER TO BE USED AS:								
1	1. Domestic: 5. ☐ Public Water Supply: well ID 6. ☐ Dewatering: how many wells?							
_	☐ Household 6. ☐ Dewatering: how many wel  ■ Lawn & Garden 7. ☐ Aquifer Recharge: well ID							
_	☐ Livestock  S. ☐ Monitoring: well ID							
2.  Irrigat	2.  Irrigation  9. Environmental Remediation: well II				a) Closed Loop			
3. ☐ Feedlot ☐ Air Sparge ☐ Soil Vapo				extraction	b) Open Loop  Surface Discharge  Inj. of Water			
4. ☐ Industrial ☐ Recovery ☐ Injection 13. ☐ Other (specify):								
Was a chemical/bacteriological sample submitted to KDHE? ☐ Yes ■ No If yes, date sample was submitted:								
Water well disinfected?  Yes No								
8 TYPE OF CASING USED: Steel PVC Other								
Casing height above land surface 12 in. Weight 2.35 lbs./ft. Wall thickness or gauge No. SDR-26								
TYPE OF SCREEN OR PERFORATION MATERIAL:								
☐ Steel ☐ Stainless Steel ☐ Fiberglass ■ PVC ☐ Other (Specify)								
☐ Brass ☐ Galvanized Steel ☐ Concrete tile ☐ None used (open hole)  SCREEN OR PERFORATION OPENINGS ARE:								
Continuous Slot								
☐ Louvered Shutter ☐ Key Punched ☐ Wire Wrapped ■ Saw Cut ☐ None (Open Hole)								
SCREEN-PERFORATED INTERVALS: From 50 ft. to 70 ft., From ft., From ft., From ft.								
GRAVEL PACK INTERVALS: From 24 ft. to 70 ft., From ft., From ft., From ft. to ft.								
9 GROUT MATERIAL: ☐ Neat cement ☐ Cement grout ■ Bentonite ☐ Other								
Grout Intervals: From4								
Septic Tank   Lateral Lines   Pit Privy   Livestock Pens   Insecticide Storage								
☐ Sewer Lines ☐ Cess Pool ☐ Sewage Lagoon ☐ Fuel Storage ☐ Abandoned Water Well								
	ight Sewer L	ines   Seepage P	it		Fertilizer Stor	age		
☐ Other (Specify)  Direction from well? East								
10 FROM	TO		Distance from well DGIC LOG			ft. LITHO. LOG (cont.) or PLUGGING INT	EDMAIC	
	3	topsoil	7GIC LUG	FROM	ТО	LOG (WIII.) OF FLUGGING IN I	LK VALS	
0 3	25	clay						
25	45	clay & medium s	and mix					
45		medium sand						
65	70	clay						
				Notes:				
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was   Constructed, ☐ reconstructed, or ☐ plugged								
under my jurisdiction and was completed on (mo-day-year) 96/21/2022, and this record is true to the best of my knowledge and belief.								
Kansas Water Well Contractor's License No236 This Water Well Record was completed on (mo-day-year) 6/22/2022								
under the business name of Harp Well and Pump Service Signature Jedd S. Harp Mail 1 white copy along with a fee of \$5.00 for each constructed well to: Kansas Department of Health and Environment, Bureau of Water, GWTS Section,								
1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Mail one to Water Well Owner and retain one for your records. Telephone 785-296-5524.								
		ks.gov/waterwell/index.html				Revised 7/10	/2015	