

1 LOCATION OF WATER WELL: County: Kingman		Fraction: NE 1/4 NW 1/4 NW 1/4	Section Number: 2	Township Number: T 29 S	Range Number: R 10 E
Distance and direction from nearest town or city street address of well if located within city? 6S 3 1/4E 1/8S of Cunningham, Kansas					
2 WATER WELL OWNER: H-30 Drilling Company RR#, St. Address, Box #: 251 N. Water Suite 10 City, State, ZIP Code: Wichita, Kansas 67202 Lease: Weger# 1					
Board of Agriculture, Division of Water Resources Application Number:					
3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:		4 DEPTH OF COMPLETED WELL: 100 ft. ELEVATION:			
		Depth(s) Groundwater Encountered 1. 59 ft. 2. 59 ft. 3. 8 March 84 ft.			
		WELL'S STATIC WATER LEVEL 59 ft. below land surface measured on mo/day/yr			
		Pump test data: Well water was 80 gpm: Well water was 10 in. to 100 ft. after 8 hours pumping 8 gpm			
		Bore Hole Diameter 10 in. to 100 ft. and 10 in. to 100 ft.			
5 TYPE OF BLANK CASING USED:		WELL WATER TO BE USED AS:			
1 Steel 3 RMP (SR)		5 Public water supply 8 Air conditioning 11 Injection well			
2 PVC 4 ABS		1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below)			
Blank casing diameter 5 in. to 80 ft. Dia		2 Irrigation 4 Industrial 7 Lawn and garden only 10 Observation well			
Casing height above land surface 12 in. weight 12 lbs./ft. Wall thickness or gauge No. 214		Was a chemical/bacteriological sample submitted to Department? Yes X No X If yes, mo/day/yr sample was submitted			
TYPE OF SCREEN OR PERFORATION MATERIAL:		Water Well Disinfected? Yes X No X			
1 Steel 3 Stainless steel 5 Fiberglass 7 PVC		CASING JOINTS: Glued X Clamped X			
2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS		Welded X Threaded X			
SCREEN OR PERFORATION OPENINGS ARE:		10 Asbestos-cement 11 Other (specify) 12			
1 Continuous slot 3 Mill slot 5 Gauzed wrapped 7 Torch cut		12 None used (open hole)			
2 Louvered shutter 4 Key punched 6 Wire wrapped 9 Drilled holes		11 None (open hole)			
SCREEN-PERFORATED INTERVALS: From 80 ft. to 100 ft. From 80 ft. to 100 ft.		10 Other (specify) 10			
GRAVEL PACK INTERVALS: From 10 ft. to 100 ft. From 10 ft. to 100 ft.		10 Other (specify) 10			
6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other		Grout Intervals: From 0 ft. to 10 ft. From 0 ft. to 10 ft.			
What is the nearest source of possible contamination:		How many feet?			
1 Septic tank 4 Lateral lines 7 Pit privy 10 Livestock pens 14 Abandoned water well					
2 Sewer lines 5 Cess pool 8 Sewage lagoon 11 Fuel storage 15 Oil well/Gas well					
3 Watertight sewer lines 6 Seepage pit 9 Feedyard 12 Fertilizer storage 16 Other (specify below) None					
Direction from well?					
FROM	TO	LITHOLOGIC LOG	FROM	TO	LITHOLOGIC LOG
0	2	Soil, top			
2	16	Clay, tan and caliche			
16	35	Sand, fine to coarse and fine to med gravel			
35	48	Clay, tan			
48	93	Sand, fine to coarse and fine gravel			
93	98	Sand, cemented			
98	100	Shale, red			
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 8 March 84 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 325 This Water Well Record was completed on (mo/day/yr) 5 June 84 under the business name of Central Well & Pump Inc. by (signature) [Signature]					
INSTRUCTIONS: Use typewriter or ball point pen, PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Division of Environment, Environmental Geology Section, Topeka, KS 66620. Send one to WATER WELL OWNER and retain one for your records.					