WATEI	R WELL RI	ecorn	Form W	WC-5	Di	vision of Wate	er Resources App. 1	No 4584	1	
		ATER WELL:	Fraction			on Number	Township No.	110.	r	
į.	,		l e	1/4 NTE 1/4	ŧ	29	T 29 S	1 -		
County: Kingman 1/4 NE 1/4 SW 1/4 NE 1/4 Street/Rural Address of Well Location; if unknown, distance & direction						Global Positioning System (GPS) information:				
from nearest town or intersection: If at owner's address, check here .						Latitude: (in decimal degrees)				
2-1/2 miles North & 1/2 mile West of Nashville, KS					1	Longitude: (in decimal degrees)				
2-1/2 milles notth & 1/2 mille west of Nashville, As						Elevation:				
A WILLIAM WITH LOWING						Datum: WGS 84, NAD 83, NAD 27				
2 WATER WELL OWNER: Gary Adlehardt RR#, Street Address, Box #: 10286 SW 170 Ave.					Collection Method: GPS unit (Make/Model:)					
1										
City,	State, ZIP Coo	^{1e} : Nashv:	ille, KS 67112					hic Map, Land S		
Est. Accuracy:										
WITH AN "X" IN 4 DEPTH OF COMPLETED WELL										
SECTION BOX: Depth(s) Groundwater Encountered (1)										
N WELL'S STATIC WATER LEVEL5ft. below land surface measured on mo/day/yr5/.3/1.								/day/yr5/.3/.1.1		
Pump test data: Well water wasft. after hours pumping gr										
EST. YIELD200-250gpm. Well water was									. gpm	
W Bore Hole Diameter30in. to55ft., andin. toft.							ft.			
			TO BE USED AS:							
SW										
									• • • • • • •	
Was a chemical/bacteriological sample submitted to Department? Yes X No										
S If yes, mo/day/yr sample was submitted										
1 mile Water well disinfected? 🔯 Yes 🗌 No										
5 TYPE OF CASING USED: Steel X PVC Other										
CASING JOINTS: K Glued Clamped Welded Threaded										
Casing diameter										
Casing height above land surface1.2in., Weight16.1.5lbs./ft., Wall thickness or gauge No500										
TYPE OF SCREEN OR PERFORATION MATERIAL:										
Steel Stainless Steel Dther (Specify)										
☐ Brass ☐ Galvanized Steel ☐ None used (open hole)										
SCREEN OR PERFORATION OPENINGS ARE:										
☐ Continuous slot										
SCREEN-PERFORATED INTERVALS: From										
From									ft	
GRAVEL PACK INTERVALS: From 20 ft. to 55.										
From ft. to						ft From	f	t. to	ft.	
From										
Grout In			20 ft., From							
What is			amination: None wit				,			
Septic tank Lateral lines Pit privy Livestock pens Insecticide storage Other (specify be							Other (specify below)		
Sewer lines Cesspool Sewage lagoon				Fuel storaş		lamand	d water well			
☐ Watertight sewer lines ☐ Seepage pit ☐ Feedyard ☐ Fertilizer storage ☐ Oil well/gas well										
				~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~						
FROM	TO	LITHOLOG	ilC LOG	FROM	TO	LITHO. L	OG (cont.) <u>or</u> PI	LUGGING INTER	CVALS	
0		soil							······································	
2		y, gray			<del></del>					
6		nd, fine to co	arse							
17		y, brown		-					<del></del>	
20		rse sand & la								
23		y, brown w/fi								
30	[	······································	dium - clean						<del></del>	
46		y, brown w/s								
53	55 Sha	ıle, gray <b>&amp;wh</b> i	te, hard							
T CONTINUE CHOOMS ON LAND OWN HOUSE CHOOMS ON THE CONTINUE CHOOMS ON										
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was ☒ constructed, ☐ reconstructed, or ☐ plugged										
under my jurisdiction and was completed on (mo/day/year)5/3/11 and this record is true to the best of my knowledge and belief.										
Kansas Water Well Contractor's License No										
under the business name of . Peterson. Irrigation, . Inc by (signature)										
			n. PLEASE PRESS FIRML. a and Environment, Bureau							
Telephone	785-296-5522.	Send one copy to WA	TER WELL OWNER and							
http://www.kdheks.gov/waterwell/index.html.										
KSA 82a-	-1212									