

1 LOCATION OF WATER WELL		Fraction	Section Number	Township Number	Range Number
County <u>Pratt</u>		<u>NW 1/4 NE 1/4 NE 1/4</u>	<u>3</u>	<u>T 29 S</u>	<u>R 11 EW</u>
Distance and direction from nearest town or city? <u>6 N 2 E</u>			Street address of well if located within city?		
2 WATER WELL OWNER: <u>Kenneth Hamilton</u> RR#, St. Address, Box # <u>Cunningham Kans 67035</u> City, State, ZIP Code					
Board of Agriculture, Division of Water Resources Application Number:					
3 DEPTH OF COMPLETED WELL: <u>83</u> ft. Bore Hole Diameter: <u>9</u> in. to <u>5</u> ft., and <u>22</u> in. to <u>81</u> ft.					
Well Water to be used as:					
1 Domestic		3 Feedlot	5 Public water supply	8 Air conditioning	11 Injection well
2 Irrigation		4 Industrial	6 Oil field water supply	9 Dewatering	12 Other (Specify below)
			7 Lawn and garden only	10 Observation well	
Well's static water level <u>53</u> ft. below land surface measured on <u>5</u> month <u>22</u> day <u>81</u> year					
Pump Test Data					
Est. Yield <u>15</u> gpm:		Well water was	ft. after	hours pumping	gpm
		Well water was	ft. after	hours pumping	gpm
4 TYPE OF BLANK CASING USED:					
1 Steel		3 RMP (SR)	5 Wrought iron	8 Concrete tile	Casing Joints: <u>Glued</u> . . . . . Clamped . . . . .
2 PVC		4 ABS	6 Asbestos-Cement	9 Other (specify below)	Welded . . . . .
			7 Fiberglass		Threaded . . . . .
Blank casing dia <u>5</u> in. to <u>73</u> ft., Dia <u>16</u> in. to <u>265</u> lbs./ft. Wall thickness or gauge No <u>265</u>					
Casing height above land surface <u>16</u> in., weight					
TYPE OF SCREEN OR PERFORATION MATERIAL:					
1 Steel		3 Stainless steel	5 Fiberglass	7 PVC	10 Asbestos-cement
2 Brass		4 Galvanized steel	6 Concrete tile	8 RMP (SR)	11 Other (specify)
				9 ABS	12 None used (open hole)
Screen or Perforation Openings Are:					
1 Continuous slot		3 Mill slot	5 Gauzed wrapped	8 Saw cut	11 None (open hole)
2 Louvered shutter		4 Key punched	6 Wire wrapped	9 Drilled holes	
			7 Torch cut	10 Other (specify)	
Screen-Perforation Dia <u>5</u> in. to <u>73</u> ft., Dia <u>83</u> in. to <u>29</u> ft.					
Screen-Perforated Intervals: From <u>73</u> ft. to <u>83</u> ft., From <u>13</u> ft. to <u>83</u> ft., From <u>13</u> ft. to <u>83</u> ft.					
Gravel Pack Intervals: From <u>13</u> ft. to <u>83</u> ft., From <u>13</u> ft. to <u>83</u> ft., From <u>13</u> ft. to <u>83</u> ft.					
5 GROUT MATERIAL:					
1 Neat cement		2 Cement grout	3 Bentonite	4 Other	
Grouted Intervals: From <u>3</u> ft. to <u>13</u> ft., From <u>13</u> ft. to <u>50</u> ft., From <u>50</u> ft. to <u>81</u> ft.					
What is the nearest source of possible contamination:					
1 Septic tank		4 Cess pool	7 Sewage lagoon	10 Fuel storage	14 Abandoned water well
2 Sewer lines		5 Seepage pit	8 Feed yard	11 Fertilizer storage	15 Oil well/Gas well
3 Lateral lines		6 Pit privy	9 Livestock pens	12 Insecticide storage	16 Other (specify below)
Direction from well <u>E</u> How many feet <u>50</u> ? Water Well Disinfected? Yes <u>No</u>					
Was a chemical/bacteriological sample submitted to Department? Yes <u>No</u> If yes, date sample submitted <u>month</u> <u>day</u> <u>year</u> Pump Installed? Yes <u>No</u>					
If Yes: Pump Manufacturer's name <u>JACUZZI</u> Model No. <u>554B</u> HP <u>1/2</u> Volts <u>230</u>					
Depth of Pump Intake <u>70</u> ft. Pumps Capacity rated at <u>12 1/2</u> gal./min.					
Type of pump: 1 Submersible 2 Turbine 3 Jet 4 Centrifugal 5 Reciprocating 6 Other					
6 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on <u>6</u> month <u>2</u> day <u>81</u> year					
and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. <u>640</u>					
This Water Well Record was completed on <u>23</u> month <u>81</u> day <u>81</u> year under the business name of <u>Lyman Bros</u> by (signature) <u>Richard Lyman</u>					
7 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:		LITHOLOGIC LOG		LITHOLOGIC LOG	
FROM TO		FROM TO		FROM TO	
0 4		0 4		0 4	
28 36		28 36		28 36	
36 40		36 40		36 40	
40 58		40 58		40 58	
58 83		58 83		58 83	
		Silt			
		Clay			
		Sand			
		Fine sand			
		med Sand			
ELEVATION:					
Depth(s) Groundwater Encountered 1. <u>30</u> ft. 2. <u>50</u> ft. 3. <u>60</u> ft. 4. . . . . ft. (Use a second sheet if needed)					

OFFICE USE ONLY

T

29

R

11

EW

SEC.

3

NW 1/4 NE 1/4 NE 1/4