USE TYPEWRITER OR BALL POINT PEN-PRESS FIRMLY, PRINT CLEARLY.

## WATER WELL RECORD KSA 82a-1201-1215



Kansas Department of Health and Environment-Division of Environment (Water well Contractors) Topeka, Kansas 66620

	County	Fraction	SF	•	Section	number	Township number	Range number	
1. Location of well:	Pratt	SE 1/4 1/	<i>3</i> :-	1/4	2	21	т 29 s	R 11	<b>*</b> /W
2. Distance and direction from nearest town or city: 9 Mi. East of Sawyer, Kansas  Street editors of well location if in city:  R.R. or street: Sawyer, Kansas									
Street address of well location if in city:					r street: state, zip code:		-		
A 1 INVH 1	4. Locate with "X" in section below:  N  Sketch map:  Sketch map:  Well depth 164ft. 11/15/75								
N Sketch map:							Well depth 164ft.	11/15/	75
Well No. 6 (TH 1-75					L <b>-7</b> 5)	)	7 Cable tool Rotary		
							Hollow rod Jetted	Bored X Reve	erse rotary
₩							8. Use: Domestic Pu	blic supply Inc r conditioning St	· •
							Lawn Oi		Other
sw  <b>X</b>							9. Casing: Material Stl	Height: Above or b	
t						Threaded Welded _X   Surface in.  RMP PVC Weight 36:91   lbs./ft.			
S I————1 Mile ————1							Dia. 16 in. to 116. depth Wall Thickness: inches or		
5. Type and color of material					From	То	Dia in. to ft. dept		
10. Screen: Manufacturer's name Metal Product:						ome <u>Doerr</u> ducts			
Sandy soil				0	2	Type Stl	Dia. 16"		
Fine brown sand				2	5	Slot/gauze 1/8" Set between 98	_ Length		
				-	22	ft. a	ind 164	ft.	
White & gray clay				5	23	Gravel pack?Yes Size ra	nge of material	472	
Brown clay				23	35	11. Static water level:ft. below land sur		day/yr.	
Med. to coarse sand & gravel				35	40	12. Pumping level below land	surfaces:	>a.p.m.	
Brown and gray clay				40	58	74.80 ft. after 4 h	ors. pumping 1000	<b>⊘</b> g.p.m.	
Med. to coarse sand & gravel				58	122	13. Water sample submitted:		g.p.m. ./day/yr.	
Gray and brown clay				122	140	Yes No 14. Well head completion:	Date		
Med to coarse sand & gravel w/clay							grade		
					1.40	160	With: Neat cement		Concrete
						102	Depth: From ft. to .	10 ft.	——————————————————————————————————————
Red shale				162		16. Negrest source of possible	contamination:	- I '	
									× No ⊢
							17. Pump:	Not installed	اج
								_ ft. capacity	₽g.p.m.   ( <b>3</b> )°
							''	X Turbin	.   `
					1		Jet	Recipro	ocating
		sheet if needed)					Centrifugal	Other	
18. Elevation:	18. Elevation: 19. Remarks: 20. Water well contractor's certification: This well was drilled under my jurisdiction and this rec								s report
							is true to the best of my know	ledge and belief.	
Topography:									
Slope							Address Wigh i	a Kansa	<u>s</u> [ [
Upland Valley							Signed Authorized rep	Date,	4114740
valley				15. Well grouted? With:Neat cement Bentonite Concrete Depth: From ft. to ft.  16. Nearest source of possible contamination: ft. 35000 Direction Yes No  17. Pump:					

Forward the white, blue and pink copies to the Department of Health and Environment

Form WWC-5