


1 LOCATION OF WATER WELL: County: <b>Pratt</b>	Fraction <b>SE</b> $\frac{1}{4}$ <b>NE</b> $\frac{1}{4}$ <b>NE</b> $\frac{1}{4}$	Section Number <b>31</b>	Township Number <b>T 29 S</b>	Range Number <b>R 12 W E/W</b>
---	--	--------------------------	-------------------------------	--------------------------------

Distance and direction from nearest town or city street address of well if located within city?

**2 south to East of Sawyer**

2 WATER WELL OWNER: RR#, St. Address, Box # : City, State, ZIP Code :	<b>Mark Mahoney Farm</b> <b>Box 142</b> <b>Pratt, Ks. 67124</b>	Board of Agriculture, Division of Water Resources Application Number:
---	---	--

3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX: 	4 DEPTH OF COMPLETED WELL <b>122</b> ft. ELEVATION: Depth(s) Groundwater Encountered 1. <b>76</b> ft. 2. <b>78</b> ft. 3. <b>11-20-98</b> ft. WELL'S STATIC WATER LEVEL <b>78</b> ft. below land surface measured on mo/day/yr Pump test data: Well water was <b>10</b> gpm: Well water was <b>9</b> in. to <b>122</b> ft. and <b>122</b> in. to <b>122</b> ft. Est. Yield <b>10</b> gpm: Well water was <b>9</b> in. to <b>122</b> ft. and <b>122</b> in. to <b>122</b> ft. Bore Hole Diameter <b>9</b> in. to <b>122</b> ft. and <b>122</b> in. to <b>122</b> ft. WELL WATER TO BE USED AS: 1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below) 2 Irrigation 4 Industrial 7 Lawn and garden only 10 Monitoring well Was a chemical/bacteriological sample submitted to Department? Yes <b>No</b> ; If yes, mo/day/yr sample was submitted Water Well Disinfected? Yes <b>No</b>
---	---

5 TYPE OF BLANK CASING USED: 1 Steel 3 RMP (SR) 5 Wrought iron 8 Concrete tile 2 PVC 4 ABS 6 Asbestos-Cement 9 Other (specify below) Blank casing diameter <b>5</b> in. to <b>110</b> ft. Dia <b>110</b> in. to <b>110</b> ft. Dia <b>110</b> in. to <b>110</b> ft. Casing height above land surface <b>20</b> in. weight <b>250</b> lbs./ft. Wall thickness or gauge No. <b>250</b> TYPE OF SCREEN OR PERFORATION MATERIAL: 1 Steel 3 Stainless steel 5 Fiberglass 7 PVC 10 Asbestos-cement 2 Brass 4 Galvanized steel 6 Concrete tile 8 RMP (SR) 11 Other (specify) SCREEN OR PERFORATION OPENINGS ARE: 1 Continuous slot 3 Mill slot 5 Gauzed wrapped 8 Saw cut 11 None (open hole) 2 Louvered shutter 4 Key punched 6 Wire wrapped 9 Drilled holes SCREEN-PERFORATED INTERVALS: From <b>110</b> ft. to <b>122</b> ft. From <b>110</b> ft. to <b>122</b> ft. GRAVEL PACK INTERVALS: From <b>23</b> ft. to <b>122</b> ft. From <b>23</b> ft. to <b>122</b> ft.
--

6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other Grout Intervals: From <b>3</b> ft. to <b>23</b> ft. From <b>23</b> ft. to <b>122</b> ft. From <b>122</b> ft. to <b>122</b> ft. What is the nearest source of possible contamination: 1 Septic tank 4 Lateral lines 7 Pit privy 10 Livestock pens 14 Abandoned water well 2 Sewer lines 5 Cess pool 8 Sewage lagoon 11 Fuel storage 15 Oil well/Gas well 3 Watertight sewer lines 6 Seepage pit 9 Feedyard 12 Fertilizer storage 16 Other (specify below) 13 Insecticide storage Direction from well? <b>South</b> How many feet? <b>700</b>
--

FROM	TO	LITHOLOGIC LOG	FROM	TO	PLUGGING INTERVALS
0	2	soil			
2	28	fine sand			
28	42	clay			
42	76	sand			
76	82	clay			
82	84	fine sand			
84	92	Medium sand			
92	100	medium sand			
100	102	clay			
102	122	clean sand			

7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) <b>11-20-98</b> and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. <b>140</b> This Water Well Record was completed on (mo/day/yr) <b>12-12-98</b> under the business name of <b>Lyman Inc.</b> by (signature) <i>Lyman Inc.</i>
--